

Works Cited

01 Tina G. Rosenbaum, Maybelle Kou, **Are one or two dangerous? Tricyclic antidepressant exposure in toddlers**, The Journal of Emergency Medicine, Volume 28, Issue 2, February 2005, Pages 169-174, ISSN 0736-4679, 10.1016/j.jemermed.2004.08.018.

02 Mark T. Boehnert, Frederick H. Lovejoy, **Value of the QRS Duration versus the Serum Drug Level in Predicting Seizures and Ventricular Arrhythmias after an Acute Overdose of Tricyclic Antidepressants**, New England Journal of Medicine, Volume 313, Issue 8, 1985, Pages 474-479, doi:10.1056/NEJM198508223130804

03 Erica L Liebelt, Paul D Francis, Alan D Woolf, **ECG Lead aVR Versus QRS Interval in Predicting Seizures and Arrhythmias in Acute Tricyclic Antidepressant Toxicity**, Annals of Emergency Medicine, Volume 26, Issue 2, August 1995, Pages 195-201, ISSN 0196-0644, 10.1016/S0196-0644(95)70151-6.

04 James L McCabe, Daniel J Cobaugh, James J Menegazzi, John Fata, **Experimental Tricyclic Antidepressant Toxicity: A Randomized, Controlled Comparison of Hypertonic Saline Solution, Sodium Bicarbonate, and Hyperventilation**, Annals of Emergency Medicine, Volume 32, Issue 3, September 1998, Pages 329-333, ISSN 0196-0644, 10.1016/S0196-0644(98)70009-5.