

References for Childbearing & the Pelvic Floor

Bent AE, Ostergard DR; Cundiff GW, Swift SE. Ostergard's urogynecology and pelvic floor dysfunction, 5th Edition. Lippincott Williams & Wilkins, 2003.

Brown, JS, Saways, G, Thom, DH. Hysterectomy and urinary incontinence: a systematic review *The Lancet* 2000;356, August 12:535-539.

Burgio K, Zyczynski H et al. Urinary incontinence in the 12-month postpartum period. *Obstetrics & Gynecology* 2002;102(6):1291-8.

Chiarelli P. *Womens Waterworks: Curing Incontinence*. New South Wales, Australia: George Parry, 2002.

Chiarelli P & Cockburn J. Promoting urinary continence in women after delivery: Randomised controlled trial. *British Medical Journal* 2002;324:1241-6.

DeLancey JO, Kearney R, Chou Q et al. The appearance of levator ani muscle abnormalities in magnetic resonance images after vaginal delivery. *Obstetrics & Gynecology* 2003;101(1):46-53.

Dietz HP, Bennett MJ. The effect of childbirth on pelvic organ mobility. *Obstetrics & Gynecology* 2003;102(2):223-8.

Faridi A, Willis S et al. Anal sphincter injury during vaginal delivery – an argument for cesarean section on request? *Journal of Perinatal Medicine* 2002;30(5):379-87.

Fenner DE, Genberg B, Brahma P, Marek L, DeLancey JO. Fecal and urinary incontinence after vaginal delivery with anal sphincter disruption in an obstetrics unit in the United States. *American Journal of Obstetrics & Gynecology* 2003;189(6):1543-9.

Fernando RJ, Sultan AH et al. Management of obstetric anal sphincter injury: a systematic review & national practice survey [Review] [55 refs]. *BMC Health Services Research* 2002;2(1):9.

Fitzpatrick M, O'Herlihy C. Vaginal birth and perineal trauma [Review article]. *Current Opinion in Obstetrics and Gynecology* 2000;12(6):487-90.

Goer H. The case against elective cesarean section. *Journal of Perinatal and Neonatal Nursing* 2001; 15(3):23-38.

Grodstein F, Fretts R, Lifford K et al. Association of age, race, and obstetric history with urinary symptoms among women in the Nurses' Health Study. *American Journal of Obstetrics and Gynecology* 2003;189(2):428-34.

Grodstein F, Lifford K, Resnick NM, Curhan GC. Postmenopausal hormone therapy and risk of developing urinary incontinence. *Obstetrics & Gynecology* 2004;103(2):254-260.

Groutz A, Rimon E, Peled S, Gold R et al. Cesarean section: does it really prevent the development of postpartum stress urinary incontinence? A prospective study of 363 women one year after their first delivery. *Neurourology & Urodynamics* 2004;23(1):2-6.

Hall W, McCracken K, Osterweil P, Guise JM. Frequency and predictors for postpartum fecal incontinence. *American Journal of Obstetrics & Gynecology* 2003;188(5):1205-7.

Harvey M. Pelvic floor exercises during and after pregnancy: A systematic review of their role in preventing pelvic floor dysfunction. *Journal of Obstetrics and Gynaecology Canada* 2003;25(6):487-98.

Hay-Smith EJC, Bo K, Berghmans LCM, Hendriks HJM, de Bie RA, van Waalwijk van Doom ESC. Pelvic floor muscle training for urinary incontinence in women. *Cochrane Database of Systematic Reviews* [Internet]. Accessed February 24, 2004. Available at <http://gateway1.ovid.com/ovidweb.cgi>.

Hay-Smith J, Herbison P, Morkved S. Physical therapies for prevention of urinary and faecal incontinence in adults. *Cochrane Database of Systematic Reviews* [Internet]. Accessed February 6, 2004. Available at <http://gateway1.ovid.com/ovidweb.cgi>.

Hulme JA. *Beyond Kegels*, 2nd Edition. Phoenix Publishing Co., 2002.

Lal M. Does cesarean delivery prevent anal incontinence? *Obstetrics & Gynecology* 2003;101(2):305-12.

Lal M. Prevention of urinary and anal incontinence; role of elective cesarean delivery [Review Article]. *Current Opinion in Obstetrics and Gynecology* 2003;15(5):439-48.

Luber KM, Boero S, Choe JY. The demographics of pelvic floor disorders: Current observations and future projections. *American Journal of Obstetrics and Gynecology* 2001;184(7):1496-1503.

MacLennan AH, Taylor AW, Wilson DH, Wilson D. The prevalence of pelvic floor disorders and their relationship to gender, age, parity and mode of delivery. *British Journal of Obstetrics & Gynaecology* 2000;107(12):1460-70.

Marshall K, Walsh DM, Baxter GD. The effect of a first vaginal delivery on the integrity of the pelvic floor musculature. *Clinical Rehabilitation* 2002;16(7):795-9.

Meyer S, Hohlfeld P et al, 2001. Pelvic floor education after vaginal delivery. *Obstetrics & Gynecology* 2001;97(5), Part 1:673-7.

Miller YD, Brown WJ, Russell A, Chiarelli P. Urinary incontinence across the lifespan. *Neurourology & Urodynamics* 2003;22(6):550-7.

Mørkved S, Bø K, et al. Pelvic floor muscle training during pregnancy to prevent urinary incontinence: a single-blind randomized controlled trial. *Obstetrics and Gynecology* 2003;101(2):313-9.

Mørkved S & Bø K. Effect of postpartum pelvic floor muscle training in prevention and treatment of urinary incontinence: a one-year follow up. *British Journal of Obstetrics & Gynaecology* 2000;107:1022-8.

Murphy M & Wasson CL. *Pelvic health & Childbirth*. Prometheus Books, 2003.

Nygaard IE, Glowacki C, Saltzman CL. Relationship between foot flexibility and urinary incontinence in nulliparous varsity athletes. *Obstetrics & Gynecology* 1996;87(6):1049-51.

Nygaard IE, Rao SSC, Dawson JD. Anal incontinence after anal sphincter disruption: a 30-year retrospective cohort study. *Obstetrics & Gynecology* 1997; 89(6):896-901.

O'Boyle AL, Davis GD, Calhoun BC. Informed consent and birth: Protecting the pelvic floor and ourselves (Clinical Opinion). *American Journal of Obstetrics and Gynecology* 2003;187(4):981-3.

Olsen AL, Smith VJ, Bergstrom JO, Colling JC, Clark AL. Epidemiology of surgically managed pelvic organ and urinary incontinence. *Obstetrics and Gynecology* 1997;89(4):501-506.

Parker WH, Rosenman AE, Parker R. *The incontinence solution: answers for women of all ages*. A Fireside Book published by Simon & Schuster, 2002.

Predanic, M, Perni S, Chasen ST. The effect of childbirth on pelvic organ mobility (Letter to the Editor). *Obstetrics & Gynecology* 2003;102(6):1415.

Reilly E, Freeman R et al. Prevention of postpartum stress incontinence in primagravidae with increased bladder neck mobility: a randomised controlled trial of antenatal pelvic floor exercises. *British Journal of Obstetrics and Gynaecology* 2002;109:68-76.

Rortvelt G, Daltveit AK, Hannestad YS, Hunskaar S. Urinary incontinence after vaginal delivery or Cesarean section. *New England Journal of Medicine* 2003;348(10):900-6.

Sampsel C. Behavioral intervention: The first-line treatment for women with urinary incontinence. *Current Urology Reports* 2003;4(5):356-61.

Sartore A, Pregazzi R et al. Effects of epidural analgesia during labor on pelvic floor function after vaginal delivery. *Acta Obstetrica et Gynecologica Scandinavica* 2003;82(2):143-6.

Sultan AH, Kamm MA et al. Anal-sphincter disruption during vaginal delivery. *New England Journal of Medicine* 1993;329(26):1905-11.

Sultan AH, Kamm MA et al. Third degree obstetric anal sphincter tears: risk factors and outcome of primary repair. *British Medical Journal* 1994;308(6933):887-91.

Tunn R, DeLancey JO, Howard D, Thorp JM, Ashton-Miller JA, Quint LE. MR imaging of levator ani muscle recovery following vaginal delivery. *International Urogynecology Journal* 1999;10(5):300-7.

Wilson PD, Herbison RM, Herbison GP. Obstetric practice and the prevalence of urinary incontinence three months after delivery. *British Journal of Obstetrics & Gynaecology* 1996;103(2):154-61.