



Oregon Health & Science University  
Hospital and Clinics Provider's Orders

PO7071



ADULT AMBULATORY INFUSION ORDER  
**Pamidronate (AREDIA) Infusion**

Page 1 of 3

ACCOUNT NO.  
MED. REC. NO.  
NAME  
BIRTHDATE

*Patient Identification*

**ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK ( ✓ ) TO BE ACTIVE.**

Weight: \_\_\_\_\_ kg      Height: \_\_\_\_\_ cm

Allergies: \_\_\_\_\_

Diagnosis Code: \_\_\_\_\_

Treatment Start Date: \_\_\_\_\_ Patient to follow up with provider on date: \_\_\_\_\_

**\*\*This plan will expire after 365 days at which time a new order will need to be placed\*\***

**GUIDELINES FOR ORDERING**

1. Send **FACE SHEET and H&P or most recent chart note.**
2. In the absence of hypercalcemia, all patients with the following diagnoses should be prescribed daily calcium and vitamin D supplementation:
  - Lytic bone metastases
  - Multiple Myeloma
  - Paget's disease
3. **Must complete and check the following box:**
  - Provider confirms that the patient has had a recent oral or dental evaluation and/or has no contraindications to therapy related to dental issues prior to initiating therapy.

**LABS:**

- CMP, Routine, ONCE, every \_\_\_\_\_ (visit)(days)(weeks)(months) – *Circle One*
- Magnesium (plasma), Routine, ONCE, every \_\_\_\_\_ (visit)(days)(weeks)(months) – *Circle One*
- Phosphorus (plasma), Routine, ONCE, every \_\_\_\_\_ (visit)(days)(weeks)(months) – *Circle One*
- Bone Specific Alk Phos (serum), Routine, ONCE, every \_\_\_\_\_ (visit)(days)(weeks)(months) – *Circle One*
- Labs already drawn. Date: \_\_\_\_\_

**NURSING ORDERS:**

1. Follow facility policies and/or protocols for vascular access maintenance with appropriate flush solution, dec clotting (alteplase), and/or dressing changes.
2. TREATMENT PARAMETERS
  - a. Pharmacist to calculate Corrected Calcium. Hold and notify provider for Corrected Calcium less than 8.4 mg/dL.
  - b. Hold and notify provider for serum creatinine 3 mg/dL greater, or estimated creatinine clearance 30 mL/min or less if patient does not have multiple myeloma.
3. Assess for new or unusual thigh, hip, groin, or jaw pain. Inform provider if positive findings or if patient is anticipating invasive dental work.



Oregon Health & Science University  
Hospital and Clinics Provider's Orders

ADULT AMBULATORY INFUSION ORDER  
**Pamidronate (AREDIA) Infusion**

Page 2 of 3

ACCOUNT NO.  
MED. REC. NO.  
NAME  
BIRTHDATE

*Patient Identification*

**ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE.**

## MEDICATIONS:

### 1. Paget's disease

- pamidronate (AREDIA) 30 mg in sodium chloride 0.9% 500 mL, intravenous, ONCE, over 4 hours

**Interval:**

- Daily x 3 consecutive days for a total of 90 mg

### 2. Hypercalcemia of malignancy

- pamidronate (AREDIA) \_\_\_\_\_ mg in sodium chloride 0.9% 1000 mL, intravenous, ONCE, over 2 hours

**Interval: (must check one)**

- Once  
 Repeat every \_\_\_\_\_ weeks, at least 7 days apart

### 3. Osteolytic bone metastases of breast cancer

- pamidronate (AREDIA) \_\_\_\_\_ mg in sodium chloride 0.9% 250 mL, intravenous, ONCE, over 2 hours

**Interval: (must check one)**

- Once  
 Repeat every \_\_\_\_\_ weeks, at least 3 weeks apart. Usual intervals are 4, 8, or 12 weeks

### 4. Osteolytic bone lesions of multiple myeloma

- pamidronate (AREDIA) \_\_\_\_\_ mg in sodium chloride 0.9% 500 mL, intravenous, ONCE, over 2 hours

**Interval: (must check one)**

- Once  
 Repeat every \_\_\_\_\_ weeks, at least 3 weeks apart. Usual intervals are 4, 8, or 12 weeks

**PROVIDER TO PHARMACIST COMMUNICATION – For multiple myeloma only** – Pharmacist to adjust infusion rate for renal insufficiency. Doses will be infused over 4-6 hours for serum creatinine 3 mg/dL or greater, or estimated creatinine clearance 30 mL/min or less



Oregon Health & Science University  
Hospital and Clinics Provider's Orders

ADULT AMBULATORY INFUSION ORDER  
**Pamidronate (AREDIA) Infusion**

Page 3 of 3

ACCOUNT NO.  
MED. REC. NO.  
NAME  
BIRTHDATE

*Patient Identification*

**ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE.**

**By signing below, I represent the following:**

I am responsible for the care of the patient (*who is identified at the top of this form*);

I hold an active, unrestricted license to practice medicine in:  Oregon  \_\_\_\_\_ (*check box that corresponds with state where you provide care to patient and where you are currently licensed. Specify state if not Oregon*);

**My physician license Number is # \_\_\_\_\_ (MUST BE COMPLETED TO BE A VALID PRESCRIPTION);** and I am acting within my scope of practice and authorized by law to order Infusion of the medication described above for the patient identified on this form.

**Provider signature:** \_\_\_\_\_ **Date/Time:** \_\_\_\_\_

**Printed Name:** \_\_\_\_\_ **Phone:** \_\_\_\_\_ **Fax:** \_\_\_\_\_

Central Intake:

Phone: 971-262-9645 (providers only) Fax: 503-346-8058

**Please check the appropriate box for the patient's preferred clinic location:**

**Beaverton**

OHSU Knight Cancer Institute  
15700 SW Greystone Court  
Beaverton, OR 97006

Phone number: 971-262-9000  
Fax number: 503-346-8058

**NW Portland**

Legacy Good Samaritan campus  
Medical Office Building 3, Suite 150  
1130 NW 22nd Ave.  
Portland, OR 97210

Phone number: 971-262-9600  
Fax number: 503-346-8058

**Gresham**

Legacy Mount Hood campus  
Medical Office Building 3, Suite 140  
24988 SE Stark  
Gresham, OR 97030

Phone number: 971-262-9500  
Fax number: 503-346-8058

**Tualatin**

Legacy Meridian Park campus  
Medical Office Building 2, Suite 140  
19260 SW 65th Ave.  
Tualatin, OR 97062

Phone number: 971-262-9700  
Fax number: 503-346-8058

Infusion orders located at: [www.ohsuknight.com/infusionorders](http://www.ohsuknight.com/infusionorders)