
The State of Our Health 2015:

Key Health Indicators for Oregonians







The State of Our Health 2015

We are pleased to share with you "The State of Our Health 2015: Key Health Indicators for Oregonians." This monograph updates the initial publication, "The State of Our Health 2013." Like its predecessor, this monograph offers a compilation of statistics, available through State of Oregon and national agencies, to give us a broad overview of health in Oregon. The monograph provides indicators and influences that contribute to the determinants of health in our state overall and county by county, and includes a poster that illustrates differences across counties. The monograph also provides a framework to consider interventions that have high impact on health and how best to leverage our resources.

Changes over the two-year period since the initial monograph are notable. In some cases, data collection and reporting methodology have been revised, or data have not been updated, making exact comparison over time difficult. Public health practice has evolved, including changes in the numbers of required immunizations. In future editions, we will continue to fine-tune data sources and foci. Despite these considerations, the monograph illuminates the variability in health outcomes across the diverse communities of our state and suggests emerging trends that help inform public health policy and practice.

Oregon has long been a recognized leader in public health and healthcare innovation. We believe that the types of information included here can lead us to identify effective and sustainable solutions to critical problems in public health such as childhood immunization (Oregon ranks 39th nationally) and access to affordable care: 14 percent of Oregonians report that they could not see a healthcare provider due to the cost. Similarly, these data provide evidence of improvement: The number of smokers and reported new cases of HIV has fallen over the past two years, and Oregon leads the nation for the number of clean-air days.

As we (OHSU and PSU) work to establish the proposed school of public health, this monograph supports our mission: to innovatively prepare a public health workforce that better understands the social determinants of health over the lifespan and that is competent to address these by intervening in our communities to improve health. The monograph serves as a benchmark for our faculty and students to advance our knowledge of what types of interventions are effective in promoting health and eradicating disparities. The monograph also serves as a resource for legislators, local leaders, and community health providers as we work collectively to improve population health in Oregon and beyond.

This monograph is truly reflective of the work of many dedicated professionals. We are especially grateful to an anonymous donor, whose continued support allowed us to commission and publish both the initial monograph and this second edition of "The State of Our Health: Key Health Indicators for Oregonians" as a resource for advancing the well-being of Oregonians. Thank you!

Jeanette Mladenovic, MD, MBA, MACP

Jesnette Mudenovia

Executive Vice President and Provost

Oregon Health & Science University

Contents

Introduction	5
How to Use This Guide	13
Accreditation Readiness Funding	 14
Accreditation Grant Funding	
County and State Public Health Funding	 15
Federal & State Funding to Local Public Health, FY 2015	
Oregon Health Authority Public Health Division 2013-2015 Budget by Fund Type	
State and County Health Indicators	17
State-Level Indicators	17 17
Baker County	1,
Benton County	23 27
Clackamas County	2, 31
Clatsop County	3. 35
Columbia County	39
Coos County	43
Crook County	47
Curry County	51
Deschutes County	55
Douglas County	59
Gilliam County	63
Grant County	67
Harney County	71
Hood River County	75
Jackson County	79
Jefferson County	83
Josephine County	87
Klamath County	91
Lake County	95
Lane County	99
Lincoln County	103
Linn County	107
Malheur County	111
Marion County	115
Morrow County	119
Multnomah County	123
Polk County	127
Sherman County	131
Tillamook County	135
Umatilla County	139
Union County	143
Wallowa County	
Wasco County	151
Washington County	155
Wheeler County	159
Yamhill County	163
Explanation of Symbols	167
Metadata	170
Acknowledgments	100

The State of Our Health, 2015: Key Health Indicators for Oregonians

In 2015 Oregon continues to serve as a national leader in many initiatives affecting the public's health. These include innovative community design and transportation infrastructure, healthful workplace policies such as the Indoor Clean Air Act, and comprehensive preventive interventions such as Oregon's Women, Infants, and Children (WIC) program. Acclaimed statewide initiatives also include success in health care access following the state's early initiatives under the Affordable Care Act such as Coordinated Care Organizations, and the nationally recognized Newborn Screening Program that serves not only Oregon but also five other states and two territories.

Despite the state's many achievements, there are also continuing challenges. Oregon has definable populations who continue to face significant obstacles to health, including lack of sufficient health-promoting resources and infrastructure to provide the best possible chance for healthy lives. In addition, some communities bear the disproportionate burdens of decisions that have—or have not—been made at a state-wide level, thus fundamentally limiting their potential for good health. For example, some communities do not have regular, reliable access to nutritious and affordable food. Others have environmental hazards that place their population at risk for developing serious health problems over their lifetimes. And, many of the state and county health departments struggle every day, often with decreasing resources, to meet the increasing needs of Oregon's residents.


Oregon continues to broaden the way it thinks about health. Today, we recognize that the pursuit of health is inseparable from the way populations, communities, and the state are organized. The importance of housing, food systems, physical infrastructure, transportation, and what is perhaps the least commonly recognized health indicator of all, the PK-20 public education system, are other factors. These myriad factors are collectively considered the social determinants of health, and these are the focus of the first 2013, and this updated 2015 report.

The state is now poised to continue the trajectory of collective action and innovation that has marked Oregon's history. The pathways already laid through innovative policy and community design—coupled with the ability to understand that the prevention of health problems is a function of systems, rather than a series of individual steps—reflects what the Centers for Disease Control and Prevention (CDC) has identified as the primary route to the greatest positive impact: addressing the network of underlying, multilayered, and "root causes" of health and disease.

Making the Greatest Impact: The Health Impact Pyramid

An important touchstone in the field of public health is the parable of the stream. The stream represents the myriad causes of preventable disease, avoidable injury, and premature death faced by communities. One day, it became apparent that people were caught in the current, drowning, and rapidly being swept downstream. The first inclination of everyone on the shoreline was to run downstream as quickly as possible, to catch and pull them out, one-by-one. As the number of drowning people steadily increased and the task of trying to pull them out became overwhelming, those on the shore realized that to best save people, they also needed to run upstream to discover and control whatever was causing them to fall into the water. They realized that, while they couldn't abandon their downstream efforts, they needed an approach that made going upstream the priority. This is the mission and challenge of public health: to progressively move upstream while not abandoning efforts downstream.

The Centers for Disease Control and Prevention has illustrated the specific markers along this stream in the Health Impact Pyramid. Each of the pyramid's tiers represents the relative level at which the contributors to health and disease affect population health. Interventions at the upper tiers of the pyramid — including clinical interventions, counseling, and education — are most downstream and have the least population effect. Supportive interventions at the foundational tiers of the pyramid — including socioeconomic and contextual factors — are most upstream and have the greatest population-level impact on health.



Frieden, TR (2010). A framework for public health action: The Health Impact Pyramid. *American Journal of Public Health, 22*(4):590-595

At the most fundamental level, Socioeconomic Factors (Tier 1) are societal-level contributors to health, including increasing educational opportunity, reducing economic inequities, and improving standards of living such as quality of housing and sanitation. These factors, when insufficient, place not only individuals, but entire communities at greater risk for adverse health outcomes. Contextual Factors (Tier 2) are those established elements in the social, natural, and built environments that make it easier — or more difficult — for communities to effectively support their own health. From a health-promoting perspective, these contextual factors include public policies that ensure people have the resources and environmental supports necessary to build and sustain healthy lives. Long-Lasting Protective Interventions (Tier 3) are generally one-time or limited duration activities, most often clinical, that confer enduring protection to individuals. These include immunizations, pre-pregnancy folic acid supplementation, and health screenings that detect risk for future problems. Clinical Interventions (Tier 4) are longer-term clinical care activities, such as medical or pharmacologic treatment for and management of disease. Finally, Counseling and Education (Tier 5) involves one-on-one or population-level health education and supportive counseling, in efforts to help individuals change behaviors.

The pyramid illustrates that health is a product of systems that ideally work in concert to provide the best possible outcomes. Disparities in health outcomes, then, are a reflection of gaps or breakdowns in these systems. What data reports often do not reveal — but the pyramid shows — is the broad range of factors that come together to support or threaten communities' health. Through this comprehensive view, Oregon can effectively prioritize strategies, both in short- and long-term planning, to promote communities' health. Moreover, a balanced approach can be developed that is rooted in strategic understanding of how a multitude of factors converge to affect the public's health.

To demonstrate how the tiers of the Health Impact Pyramid interact, four health outcomes important to public health in Oregon are presented: obesity/overweight, tobacco, alcohol, and breastfeeding. The contributing and limiting factors included in these pyramids are not exhaustive lists, but rather are reflective of a range of indicators understood to affect health outcomes in these areas. These pyramids illustrate where Oregon already has taken critical steps in advancing health, as well as opportunities for continued action. These images demonstrate that factors often thought of as outside the traditional health domain — including education, employment, and economic opportunity — are very much public health concerns.

Effective use of the pyramid involves achieving balance. Although strategies to prevent health risks and disease at the Tier 5 level of the pyramid are often the first to receive attention, interventions at Tiers 1 and 2 are most likely to have the broadest positive effect on population health. This does not suggest that Tier 5 is unimportant, but rather that it is in the foundational tiers that most public health problems are rooted. Oregon will continue in a national leadership role in innovative health promotion and protection by focusing on contributing factors at all levels of the pyramid, and by recognizing that problems arising from domains outside the common notions of health are, without question, fundamental to the public's health.

Tobacco

Increasing Population Impact

Increasing Individual Effort Needed

Counseling and Education

Programs and support for prequitting, quitting, and staying-quit • School health tobacco prevention curricula • One-on-one supportive counseling or coaching • Peer support programs • Structured physical activity programs • Tobacco prevention social marketing campaigns



Ongoing Clinical Interventions

Coordinated health care • Insurance coverage for tobacco cessation programs and aids • Medically supervised cessation programs • Tobacco cessation medications with monitoring and follow-up • Employer-provided cessation support

Long-lasting Protective Interventions

Screen for emerging, complicating health problems or risks (e.g., high blood pressure, respiratory disease)

Changing Context to make Individuals' Default Decisions Healthy

Clean indoor air and smoke-free policies • Sales and purchasing restrictions and age limits • Tobacco tax • Regulating tobacco marketing and promotions, including rodeo • Tobacco retail licensing • Limiting product placement in entertainment media, including gaming • Enforcing online marketing to youth policies • Community planning to limit outdoor advertising near schools • Tobacco retail employee licensure or training certification requirement for tobacco retail point of sale staff • Eliminate free sample distribution • Establish minimum standards for cessation services and benefits

Socioeconomic Factors

Increase educational access • Increase economic opportunity at a living wage • Support steady employment • Strengthen public education systems • Ensure safe and stable housing • Eliminate deep social stress

Adapted with permission from the American Public Health Association.

Alcohol

Increasing Population Impact Increasing Individual Effort Needed

Counseling and Education

12-step and peer-support
programs • One-on-one
counseling • Alcohol prevention
programs in schools • School "media
literacy" curricula to build marketing
resilience • Parent Alcohol Education
programs • Worksite programs and
employer education



Ongoing Clinical Interventions

Medically supervised alcohol treatment programs • Pharmacologic alcohol treatment and monitoring • Treatment of alcohol-related diseases

Long-lasting Protective Interventions

Screen for health problems or risks complicating or associated with alcohol use (e.g., depression, diabetes, liver disease)

Changing Context to make Individuals' Default Decisions Healthy

Minimum purchasing and drinking age • Public use policies, enforcement, and compliance checks • Limits on alcohol promotions and marketing, including community and sporting event sponsorship and price promotion events • Restrictions on product placement in entertainment media • Community design to affect alcohol outlet density • Alcohol taxes • Limit use of marketing imagery that is likely to attract youth or endorse risky behavior • University/College campus alcohol use policies • DUII laws and enforcement • Sales licensing • Server resources and accountability • Afterschool activities for youth • Reframing alcohol's association with holidays and cultural events

Socioeconomic Factors

Increase educational access • Increase economic opportunity at a living wage • Support steady employment • Strengthen public education systems • Ensure safe and stable housing • Eliminate deep social stress

Adapted with permission from the American Public Health Association.

Obesity and Overweight

Increasing Population Impact

Increasing Individual Effort Needed

Counseling and Education

Weight management support and programs • Health coaching and goal-setting with support • Family nutrition education • Grocery shopping and cooking classes • Worksite programs • Structured exercise classes with incentive programs

Ongoing Clinical Interventions

Coordinated health care • Medically supervised weight loss programs with monitored exercise • Hunger suppression prescriptions • Treatment of and support for related health conditions (e.g., hypertension, adult-onset diabetes, joint problems)

Long-lasting Protective Interventions

Screen for emerging, complicating health problems or risks • Smoking cessation • Surgical interventions to support weight loss (e.g., joint repair)

Changing Context to make Individuals' Default Decisions Healthy

Access to central public health services • Safe and secure public recreation sites and roads to walk and bike • Building designs that encourage stair use • Access to affordable, nutritious foods • Community planning to limit fast food outlets and increase grocery store density • Incentivize sales of healthy foods in public venues • Nutritious school meal programs • Support of local farmers • Physical activity in schools and afterschool activities for kids • Limit junk food marketing and promotions to youth • Insurance incentives • Integrated public transportation networks

Socioeconomic Factors

Increase educational access • Increase economic opportunity at a living wage • Support steady employment • Strengthen public education systems • Ensure safe and stable housing • Eliminate deep social stress

Adapted with permission from the American Public Health Association.

Breastfeeding

Increasing Population Impact Increasing
Individual Effort
Needed

Counseling and Education

Programs to help mothers
discover their natural abilities and the
ideal nature of breastfeeding for baby •
Prenatal peer counseling and establishment
of feeding plans • Lactation consultant visits
and follow-up • Expectation-setting about milk
supply • Building intergenerational familial support

Ongoing Clinical Interventions

Treatment and support for clinical breastfeeding problems, infant growth concerns, and appropriate use of breastfeeding supplies and aids • Systematic referral to lactation consultants and home visit staff • Guidance on use of medicines • Establish breast milk donor banks for at-risk infants

Long-lasting Protective Interventions

Birthing support services • Neonatal in-rooming • Immediate hospital support for breastfeeding to foster maternal-child bonding, including allowance of skin-to-skin contact • Pump subsidies and availability

Changing Context to make Individuals' Default Decisions Healthy

Reframing breast milk as <u>the</u> normative food • Provider education and support • Breastfeeding-friendly hospitals • Limiting formula marketing and promotions • Clarifying supplemental feeding practices in hospitals • Policies that provide for workplace accommodations and breastfeeding-friendly public spaces • Maternity leave availability and durations • Decrease pressure to return to work soon after birth


Socioeconomic Factors

Increase educational access • Increase economic opportunity at a living wage • Support steady employment • Strengthen public education systems • Ensure safe and stable housing • Eliminate deep social stress

Adapted with permission from the American Public Health Association.



Addressing Local Health Concerns



Adapted with permission from the American Public Health Association.


This monograph, an update of the original, "The State of Our Health 2013," is intended to support efforts at state and local levels to ensure that all Oregonians have equal opportunities to enjoy good health across their lifespans. It is a "snapshot" view of a range of health indicators in the state, which taken in sum, help identify strengths, gaps, and opportunities for Oregonians' health. Because health is determined at a multitude of levels — including social, economic, structural, biological, behavioral, and policy — not only are commonly reported health indicators included, but also those that clearly are associated with risk for premature death and preventable illness or injury, and which may be generally considered outside the health arena. The purpose of this resource is to broaden the view of how health is assessed, to draw on data and resources spanning a wide variety of social institutions, agencies, and disciplines, in order to show in concrete ways how Oregonians' health is affected by the collective choices that are made as a state.

This report includes 95 health indicators, 81 of which are reported at both state and county levels, and an additional 14 that are presented only at the state level. Indicators are all publicly available data culled from a variety of standard reports, as well as a small number calculated from raw data. We first present together in the accompanying poster all county and state data for purposes of cross-comparison. Next, state data are presented independently and alongside national rankings (where available), followed by data organized by individual county. The report provides the most recent comparison year(s) available, except when data collection or reporting methods differed and rendered numbers incomparable. The comparison years are intended to provide context only, and differences between years should not be interpreted as statistically significant. Indicator definitions, data sources, and methodology information is presented in the metadata section of the report; additional detail is available from the report's authors.

With few exceptions described in the metadata, the report authors deferred to the data reporting conventions of the agencies responsible for collection of these indicators. This means there are some differences in what data are reported and which are considered reportable. For example, in some cases agencies reported as "insufficient data" phenomena for which the counts were < 5, while other agencies did report such findings. In these instances, we adhered to the judgments of the reporting agencies in presenting the data. Additionally, asterisks are used to indicate small sample size, in accordance with the source agencies.

The generosity of time and expertise provided by professionals across the more than 30 allied agencies and organizations from which information was collected, including over 45 distinct programs, are reflected in the monograph's Acknowledgments. This scope of responsible agencies, spanning a range of highly refined skill sets and professional disciplines, reflects the tremendous collaborative effort that is protecting the health — and thus the prosperity — of the state. The "navigation system" in Oregon's collective journey to become the nation's healthiest state is dependent upon the best possible data in the most rapidly accessible formats. The complexity in bringing information together across the many data systems points to the need for more unified and integrated data systems, so that that these many professionals can continue to bring to bear the best of what is known in the protection of Oregonians' health.

Accreditation Grant Funding



Oregonians rely upon their public health agencies to anticipate, respond to, and protect us from threats to communities' health. Our state and county health departments continue their hard work to build and maintain an effective, efficient, and high quality public health infrastructure by pursuing national accreditation. As part of the national effort toward accrediting state and county health departments, Oregon's health departments are identifying current strengths and opportunities for continuous improvement. Many of our health departments are doing so with great success and so far Oregon has four nationally accredited local health departments, with more likely to be accredited in the next coming years.

The majority of Oregon's local public health funding streams are dedicated to specific, categorical programs, which – while supporting programs of import to the state – lack the flexibility to allow counties to apply such funds to accreditation readiness or other infrastructure-strengthening work. As a result, health departments often seek federal and foundation grants to support accreditation and quality improvement initiatives. This map illustrates the local health departments that received grant funding to support their accreditation efforts as of November 2014. In total, 25 local health departments had received one or more grants, ranging in award amounts from \$5,000 to \$50,000. This is good news, and yet many counties are still without sufficient financial support to ensure completion of accreditation processes, or in some cases to pay the accreditation fee. These quality improvement efforts are important for assuring the strength of the public health system.

Sources of funding noted on the map are the National Association of City and County Health Officials (NACCHO); the Performance Management Program of the Oregon Health Authority (PMP), paid for by the National Public Health Improvement Initiative (NPHII); and Northwest Health Foundation (NWHF).



Graphic information in the Accreditation Grant Funding map and Categorical Funds pie chart provided by the Coalition of Local Health Officials (CLHO). Accreditation grant funding information collected by CLHO as of November 2014 through informal surveys. There may be additional information not included on the map.


Current System of Local Public Health in Oregon

The current public health funding system requires that each health department must deliver or assure ten mandated programs, which largely receive inadequate federal funding. As available, additional county general funds and competitive grant monies may be allocated to meet the requirements set by the state or determined by community need.

The system consists of 34 Local Public Health Departments in Oregon—27 county-based public health departments, one district health department and four non-profit public health agencies that have a strong link with the county.

Investments are largely focused on individual care instead of community prevention and capacity. As the figure below shows, Women, Infants, and Children (WIC), Family Planning, and School-Based Health Centers (SBHC), represent 56% of funding to local communities.

Federal & State Funding to Local Public Health, FY 2015






Source: Grants to Local Health Departments, Office of Community Liaison, PHD/ OHA

County and State Public Health Funding

Oregon Health Authority Public Health Division 2013-2015 Budget by Fund Type \$524.6 Million total funding



State-Level Indicators



State Snapshot

Population Estimate	3,962,710
Life Expectancy at Birth male	77.4
Life Expectancy at Birth female	81.8
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	5,958
Low Birth Weight Rate per 1,000	62.5
Infant Mortality Rate per 1,000	5.0
Chronic Absenteeism %	17.2

Indicator	Year(s)	Oregon	State Ranking
Population Estimate (Certified)	2014	3,962,710	N/A
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.45	22 / 51 (incl D.C.)
Minority Income as a % of White Income	2009-2013	57.2	22
Children in Poverty %	2013 2012	21.6 22.7	27 30
Violent Crime per 100,000	2010-2012 2009-2011	249 251	11 13
Median Household Income	2013 2012	50,228 49,090	30 28
Unemployment %	2014 2013	6.9 7.9	42, tied 39, tied
Foreclosure Filings ratio to total homes owned	2015 (January)	1:1514	18
Home Ownership %	2009-2013 2000	62.0 64.3	44 N/A
High Housing Costs %	2009-2013 2007-2011	40 39	42 40
Homelessness count	2011 2010	22,116 19,208	49, tied N/A
High School Graduates %	2009-2013	88.6	18, tied
College Degree %	2009-2013	30.1	19

State rankings are ordered such that those approaching 50 represent the greatest risk to public health, while those closer to 1 represent the greatest benefit to health. Rankings provided are for illustrative purposes only. Readers should be cautioned that sources of data and methodology for state rankings may differ from state and county statistics as noted in the metadata. These are noted with a *. It is advised in using these data to select either the data point or the ranking to present.

Data are from secondary sources; for information about calculations and original sources, please see the metadata.

State-Level Indicators

Indicator	Year(s)	Oregon	State Ranking
Environmental Access			
Fluoridated Water %	2012 2006	22.6 22.2	48 N/A
Access to Exercise Opportunities %	2010 & 2013 2010 & 2012	89 81	12, tied 13, tied
Children Eligible for Free and Reduced Lunch %	2013-2014 AY 2012-2013 AY	N/A N/A	32* 20
Limited Access to Healthy Foods %	2012 2013 7(1	5	14, tied
Fast Food: % living within 1/2 mile	2012	33.4	N/A
Supermarkets: % living within 1/2 mile	2012	19.4	N/A
Alcohol Outlets count	2015 (February)	13,303	N/A
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	2,679	N/A
Firearm Dealer Licenses count	2015 (February) 2014 (February)	1,928 1,823	34 (May 2012)* N/A
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	55	N/A
Self-Assessment			
Good General Health age-adjusted %	2006-2009	86.9	30 (2013, not age adjusted)*
Good Physical Health age-adjusted %	2004-2007 2006-2009	85.4 63.6	N/A N/A
dood i ffysical ffeatiff age-adjusted 70	2004-2007	62.3	N/A
Good Mental Health age-adjusted %	2006-2009	66.4	N/A
, , , , , , , , , , , , , , , , , , ,	2004-2007	63.8	N/A
Inadequate Social Support %	2005-2010	16	3, tied
Health Service Access			41 (2013, not age
Adults with Any Health Insurance age-adjusted %	2006-2009	83.6	adjusted)*
age-adjusted %	2004-2007	82.8	N/A
Adults in OHP age-adjusted %	2006-2009	5.1	N/A
	2004-2007	6.2	N/A N/A
Pregnant Women Served by WIC %	2013	45 46	N/A N/A
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	79.7	35 (2012, not age adjusted)*
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	84.4	41 (2012, not age adjusted)*
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	61.2	18, tied (2012, not age adjusted)*
Preventable Hospital Stays per 1,000 (Ambulatory Care Sensitive Conditions)	2012 2011	38 42	4, tied 4
Primary Care Physicians ratio to population	2012 2011	1:1105 1:1115	48 N/A

Indicator	Year(s)	Oregon	State Ranking
Dentists ratio to population	2013	1:1363	9
Dentists ratio to population	2012	1:1399	10
Mental Health Providers ratio to population	2014	1:299	7
Could Not See Doctor Due to Cost %	2006-2012	14	28, tied
Inadequate Prenatal Care %	2014	6.0	N/A
madequate Frenatar Care 70	2013	5.7	N/A
Immunized 2-Year-Olds %	2013	58.2	39*
	2012	60.6	N/A
Immunized Seniors crude %	2006-2009	69.2	43 (2013 data)*
	2004-2007 2014	70.5	N/A N/A
Critical Access Hospital (CAH) Beds count	2014	561 551	N/A N/A
Environmental Health	2013	221	IN/ A
Air Pollution days: The average daily measure of	2011	8.9	1
fine particulate matter in micrograms per cubic			
meter (PM2.5) in a county	2008	9.1	N/A
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	171	N/A
Nitrate Risk in at Least One Public Water System	2011	yes	N/A
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	17.2	N/A
			,
0	2008-2011	35.5	1 (2013, not age
Overweight age-adjusted %		35.5 36.1	
, , , , , , , , , , , , , , , , , , ,	2008-2011 2006-2009	36.1	1 (2013, not age adjusted)* 37, tied 15 (2013, not age
Overweight age-adjusted % Obese age-adjusted %	2008-2011 2006-2009 2008-2011	36.1 24.8	1 (2013, not age adjusted)* 37, tied 15 (2013, not age adjusted)*
, , , , , , , , , , , , , , , , , , ,	2008-2011 2006-2009 2008-2011 2006-2009	36.1 24.8 24.5	1 (2013, not age adjusted)* 37, tied 15 (2013, not age
, , , , , , , , , , , , , , , , , , ,	2008-2011 2006-2009 2008-2011 2006-2009 2006-2009	36.1 24.8 24.5 55.8	1 (2013, not age adjusted)* 37, tied 15 (2013, not age adjusted)* 6 4 (2013, not age adjusted)*
Obese age-adjusted % Physical Activity age-adjusted %	2008-2011 2006-2009 2008-2011 2006-2009 2006-2009 2004-2007	36.1 24.8 24.5 55.8 57.9	1 (2013, not age adjusted)* 37, tied 15 (2013, not age adjusted)* 6 4 (2013, not age adjusted)* N/A
Obese age-adjusted % Physical Activity age-adjusted % Eat Recommended Amount of Fruits &	2008-2011 2006-2009 2008-2011 2006-2009 2006-2009 2004-2007 2006-2009	36.1 24.8 24.5 55.8 57.9 27.0	1 (2013, not age adjusted)* 37, tied 15 (2013, not age adjusted)* 6 4 (2013, not age adjusted)* N/A 3 (2013, not age adjusted)*
Obese age-adjusted % Physical Activity age-adjusted %	2008-2011 2006-2009 2008-2011 2006-2009 2006-2009 2004-2007	36.1 24.8 24.5 55.8 57.9	1 (2013, not age adjusted)* 37, tied 15 (2013, not age adjusted)* 6 4 (2013, not age adjusted)* N/A 3 (2013, not age adjusted)* N/A N/A
Obese age-adjusted % Physical Activity age-adjusted % Eat Recommended Amount of Fruits & Vegetables age-adjusted %	2008-2011 2006-2009 2008-2011 2006-2009 2006-2009 2004-2007 2006-2009	36.1 24.8 24.5 55.8 57.9 27.0	1 (2013, not age adjusted)* 37, tied 15 (2013, not age adjusted)* 6 4 (2013, not age adjusted)* N/A 3 (2013, not age adjusted)* N/A 16 (2013, not age
Obese age-adjusted % Physical Activity age-adjusted % Eat Recommended Amount of Fruits &	2008-2011 2006-2009 2008-2011 2006-2009 2006-2009 2004-2007 2006-2009 2004-2007	36.1 24.8 24.5 55.8 57.9 27.0 26.6	1 (2013, not age adjusted)* 37, tied 15 (2013, not age adjusted)* 6 4 (2013, not age adjusted)* N/A 3 (2013, not age adjusted)* N/A N/A
Obese age-adjusted % Physical Activity age-adjusted % Eat Recommended Amount of Fruits & Vegetables age-adjusted % Current Smokers age-adjusted %	2008-2011 2006-2009 2008-2011 2006-2009 2006-2009 2004-2007 2006-2009 2004-2007 2008-2011	36.1 24.8 24.5 55.8 57.9 27.0 26.6 16.3	1 (2013, not age adjusted)* 37, tied 15 (2013, not age adjusted)* 6 4 (2013, not age adjusted)* N/A 3 (2013, not age adjusted)* N/A 16 (2013, not age adjusted)*
Obese age-adjusted % Physical Activity age-adjusted % Eat Recommended Amount of Fruits & Vegetables age-adjusted %	2008-2011 2006-2009 2008-2011 2006-2009 2006-2009 2004-2007 2006-2009 2008-2011 2006-2009	36.1 24.8 24.5 55.8 57.9 27.0 26.6 16.3 17.1	1 (2013, not age adjusted)* 37, tied 15 (2013, not age adjusted)* 6 4 (2013, not age adjusted)* N/A 3 (2013, not age adjusted)* N/A 16 (2013, not age adjusted)* 24, tied
Obese age-adjusted % Physical Activity age-adjusted % Eat Recommended Amount of Fruits & Vegetables age-adjusted % Current Smokers age-adjusted % Binge Drinking age-adjusted % of males	2008-2011 2006-2009 2008-2011 2006-2009 2006-2009 2004-2007 2006-2009 2006-2009 2006-2009 2004-2007 2006-2009 2006-2009	36.1 24.8 24.5 55.8 57.9 27.0 26.6 16.3 17.1 18.7 19.7	1 (2013, not age adjusted)* 37, tied 15 (2013, not age adjusted)* 6 4 (2013, not age adjusted)* N/A 3 (2013, not age adjusted)* N/A 16 (2013, not age adjusted)* 24, tied N/A N/A N/A N/A
Obese age-adjusted % Physical Activity age-adjusted % Eat Recommended Amount of Fruits & Vegetables age-adjusted % Current Smokers age-adjusted %	2008-2011 2006-2009 2008-2011 2006-2009 2006-2009 2004-2007 2006-2009 2004-2007 2006-2009 2006-2009 2006-2009 2004-2007	36.1 24.8 24.5 55.8 57.9 27.0 26.6 16.3 17.1 18.7 19.7	1 (2013, not age adjusted)* 37, tied 15 (2013, not age adjusted)* 6 4 (2013, not age adjusted)* N/A 3 (2013, not age adjusted)* N/A 16 (2013, not age adjusted)* N/A 17 (2013, not age adjusted)* N/A N/A N/A N/A N/A N/A N/A
Obese age-adjusted % Physical Activity age-adjusted % Eat Recommended Amount of Fruits & Vegetables age-adjusted % Current Smokers age-adjusted % Binge Drinking age-adjusted % of males Binge Drinking age-adjusted % of females	2008-2011 2006-2009 2008-2011 2006-2009 2006-2009 2004-2007 2006-2009 2006-2009 2006-2009 2004-2007 2006-2009 2006-2009	36.1 24.8 24.5 55.8 57.9 27.0 26.6 16.3 17.1 18.7 19.7	1 (2013, not age adjusted)* 37, tied 15 (2013, not age adjusted)* 6 4 (2013, not age adjusted)* N/A 3 (2013, not age adjusted)* N/A 16 (2013, not age adjusted)* 24, tied N/A N/A N/A N/A
Obese age-adjusted % Physical Activity age-adjusted % Eat Recommended Amount of Fruits & Vegetables age-adjusted % Current Smokers age-adjusted % Binge Drinking age-adjusted % of males	2008-2011 2006-2009 2008-2011 2006-2009 2006-2009 2004-2007 2006-2009 2004-2007 2006-2009 2004-2007 2006-2009 2004-2007 2006-2009 2004-2007	36.1 24.8 24.5 55.8 57.9 27.0 26.6 16.3 17.1 18.7 19.7 10.8 8.7	1 (2013, not age adjusted)* 37, tied 15 (2013, not age adjusted)* 6 4 (2013, not age adjusted)* N/A 3 (2013, not age adjusted)* N/A 16 (2013, not age adjusted)* 24, tied N/A N/A N/A N/A N/A N/A 35 (2013, not age adjusted)* 31
Obese age-adjusted % Physical Activity age-adjusted % Eat Recommended Amount of Fruits & Vegetables age-adjusted % Current Smokers age-adjusted % Binge Drinking age-adjusted % of males Binge Drinking age-adjusted % of females Arthritis age-adjusted %	2008-2011 2006-2009 2008-2011 2006-2009 2006-2009 2004-2007 2006-2009 2004-2007 2006-2009 2004-2007 2006-2009 2004-2007 2006-2009 2004-2007 2008-2011	36.1 24.8 24.5 55.8 57.9 27.0 26.6 16.3 17.1 18.7 19.7 10.8 8.7 25.4	1 (2013, not age adjusted)* 37, tied 15 (2013, not age adjusted)* 6 4 (2013, not age adjusted)* N/A 3 (2013, not age adjusted)* N/A 16 (2013, not age adjusted)* 24, tied N/A N/A N/A N/A N/A N/A 35 (2013, not age adjusted)* 31 47 (2010, not age
Obese age-adjusted % Physical Activity age-adjusted % Eat Recommended Amount of Fruits & Vegetables age-adjusted % Current Smokers age-adjusted % Binge Drinking age-adjusted % of males Binge Drinking age-adjusted % of females	2008-2011 2006-2009 2008-2011 2006-2009 2006-2009 2004-2007 2006-2009 2004-2007 2006-2009 2004-2007 2006-2009 2004-2007 2008-2011 2006-2009	36.1 24.8 24.5 55.8 57.9 27.0 26.6 16.3 17.1 18.7 19.7 10.8 8.7 25.4 25.8	1 (2013, not age adjusted)* 37, tied 15 (2013, not age adjusted)* 6 4 (2013, not age adjusted)* N/A 3 (2013, not age adjusted)* N/A 16 (2013, not age adjusted)* 24, tied N/A N/A N/A N/A N/A N/A 35 (2013, not age adjusted)* 31

Data are from secondary sources; for information about calculations and original sources, please see the metadata.

State-Level Indicators

la disata v	V(-)	Overen	State
Indicator	Year(s) 2008-2011	Oregon	Ranking 8, tied (2010, not
Heart Attack age-adjusted %		3.3	age adjusted)*
	2006-2009	3.3	25, tied 7, tied (2010, not
Angina age-adjusted %	2008-2011	3.5	age adjusted)*
5 5 7	2006-2009	3.4	19, tied
Stroke age-adjusted %	2008-2011	2.3	32, tied (2013, not age adjusted)*
Shoke age adjusted //	2006-2009	2.3	43
Diabetes age adjusted 0/	2008-2011	7.2	16, tied (2013, not age adjusted)*
Diabetes age-adjusted %	2006-2009	6.8	24, tied
	2008-2011	26.6	27 (2013, not age
High Blood Pressure age-adjusted %	2006-2009	25.8	adjusted) * 15
	2008-2011	32.2	16, tied (2013, not
High Blood Cholesterol age-adjusted %	2006-2009	33.0	age adjusted)* 7, tied
	2007-2011	455.9	22, tied (2011)*
Cancer age-adjusted new cases per 100,000	2005-2009	464.6	18 of 49
T. D. 1000	2013	28.4	N/A
Teen Pregnancy per 1,000	2010	38.6	N/A
Life Expectancy at Birth male	2009-2013	77.4	17, tied (2010)*
Life Expectancy at birtirmale	2004-2008	76.4	N/A
Life Expectancy at Birth female	2009-2013	81.8	21 (2010)*
Zije Zi,peetaile) at Jii tii tii tii tii tii tii tii tii ti	2004-2008	80.8	N/A
Infant Mortality Rate per 1,000	2013	5.0	6 (2008-2010)*
	2012	5.3	N/A
Low Birth Weight Rate per 1,000	2014 2013	62.5 63.0	17 (2010)* N/A
Years of Potential Life Lost (YPLL)	2010-2012	5,958	17
age-adjusted per 100,000	2008-2010	6,076	17
	2014	146	20 (2011) *
HIV new cases	2013	218	N/A
Suicide Deaths age-adjusted rate per 100,000	2011-2013 2008-2010	16.9 16.0	42 (2012)* N/A
Firearm Deaths count	2013	461	22 tied*
Theath Deaths Count	2012	442	N/A
Car Crashes count	2013	49,510	N/A
car crashes count	2012	49,798	N/A
Car Crash Deaths count	2013	313	N/A
	2012	336	N/A
Work-Related Deaths count	2012 2011	47 59	4 tied (2014)* N/A
	2011	485	N/A N/A
Pertussis count	2013	911	N/A
1.0	2013	84	N/A
Influenza count	2012	67	N/A

Indicator	Year(s)	Oregon	State Ranking
Calmanalla sount	2013	375	N/A
Salmonella count	2012	404	N/A
Chlamydia count	2013	14,265	21
Chiamyala Count	2012	13,501	N/A
Smokeless Tobacco Use Among 11th Grade Males %	2013	9.6	N/A
Methamphetamine-Related Deaths count	2013	123	N/A
	2012 2013	93	N/A N/A
Children with Developmental Disabilities count	2013	5,625 5,191	N/A N/A
	2012	3,191	State
State-Level Indicators			Ranking
Calcada Mastina Dava Ed Davairen acta	2013-2014 AY	102	N/A
Schools Meeting Phys Ed Requirements count	2012-2013 AY	93	N/A
Breastfeeding at 8 Weeks %	2011	75.3	1 of 24
bleastieeding at 6 weeks 70	2010	74.5	1 of 28
Breastfeeding for First 6 Months %	2014	25.8	5, tied
3	2013	23.9	9
2-Year-Olds Who Watch More Than 2 Hours of TV Daily %	2011-2012	20.1	N/A
Opioid-Related Deaths count	2012	235	N/A
· ·	2000	58	N/A
Intimate Partner Violence-Related Homicides %	2012	15	N/A
3rd Graders with Cavities %	2006-2007	66.3	N/A
	2001-2002	60.7	N/A
Cigarette Packs Sold per capita	2013	43.0	24, tied*
	2009	48.4	N/A N/A
8th Graders Who Have Experienced Bullying %	2013 2011	34.6 36.6	N/A N/A
8th Graders Who Watch More Than 2 Hours of	2011	24.6	N/A
TV Daily %	2013	23.5	N/A
11th Graders Who Have Recently Used	2013	0.9	N/A
Methamphetamine %	2011	0.6	N/A
Inmates Lacking GED or HS diploma %	2012	43	N/A
Oregon Health Plan Funding total dollars	2013-2015 FY	\$12 billion	N/A
Chronic Disease Prevention Funding total dollars	2013-2015 FY	\$35.7 million	N/A

Baker

Baker County



Baker County Snapshot

Population Estimate	16,325
Life Expectancy at Birth male	76
Life Expectancy at Birth female	81
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	7056
Low Birth Weight Rate per 1,000	78.3
Chronic Absenteeism %	22.1

Indicator	Year(s)	Baker	Oregon
Population Estimate (Certified)	2014	16,325	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.45	0.45
Minority Income as a % of White Income	2009-2013	47.5	57.2
Children in Poverty %	2013	24.7	21.6
	2012	29.6	22.7
Violent Crime per 100,000	2010-2012	21	249
	2009-2011	33	251
Median Household Income	2013	42,200	50,228
	2012	37,025	49,090
Unemployment %	2014	8.3	6.9
	2013	9.2	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:8806	1:1514
Home Ownership %	2009-2013	67.0	62.0
	2000	70.1	64.3
High Housing Costs %	2009-2013	31	40
	2007-2011	31	39
Homelessness count	2011	6	22,116
	2010	4	19,208
High School Graduates %	2009-2013	89.4	88.6
College Degree %	2009-2013	20.9	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	0.0	22.2
Access to Exercise Opportunities %	2010 & 2013	70	89
	2010 & 2012	74	81

Baker County

Indicator	Year(s)	Baker	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	47.9	N/A
Lunch %	2012-2013 AY	47.1	N/A
Limited Access to Healthy Foods %	2012	14	5
Fast Food: % living within 1/2 mile	2012	39.4	33.4
Supermarkets: % living within 1/2 mile	2012	33.3	19.4
Alcohol Outlets count	2015 (February)	85	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	21	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	26 25	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	60	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009	85.5	86.9
dood deficial fleditinage dajusted 70	2004-2007	84.2	85.4
Good Physical Health age-adjusted %	2006-2009 2004-2007	63.4 59.1	63.6 62.3
	2004-2007	72.1	66.4
Good Mental Health age-adjusted %	2004-2007	69.4	63.8
Inadequate Social Support %	2005-2010	14	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	80.7	83.6
age-adjusted %	2004-2007	82.8	82.8
Adults in OHP age-adjusted %	2006-2009	9.2*	5.1
Additional age adjusted to	2004-2007	8.4	6.2
Pregnant Women Served by WIC %	2013	54	45
	2012	63	46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	71.8	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	75.9	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	46.9	61.2
Preventable Hospital Stays per 1,000	2012	43	38
(Ambulatory Care Sensitive Conditions)	2011	42	42
Primary Care Physicians ratio to population	2012	1:1136	1:1105
	2011	1:1453	1:1115
Dentists ratio to population	2013 2012	1:1780 1:1768	1:1363 1:1399
Mental Health Providers ratio to population	2012	1:422	1:299
Could Not See Doctor Due to Cost %	2006-2012	20	1.233
	2000-2012	7.8	6.0
Inadequate Prenatal Care %	2013	7.3	5.7

Indicator	Year(s)	Baker	Oregon
Immunized 2-Year-Olds %	2013	64.1	58.2
IIIIIIIIIIIZCU Z ICUI Olus //	2012	66.3	60.6
Immunized Seniors crude %	2006-2009	57.6	69.2
mmanized Semon crade 70	2004-2007	58.3	70.5
Critical Access Hospital (CAH) Beds count	2014	25	561
Childri Access Flospital (CATI) Deas count	2013	25	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	9.3	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	8.6	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	1	171
Nitrate Risk in at Least One Public			
Water System	2011	no	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	22.1	17.2
Overweight age-adjusted %	2008-2011	36.4	35.5
Overweight age adjusted 70	2006-2009	35.8	36.1
Obese age-adjusted %	2008-2011 2006-2009	26.6 22.3	24.8 24.5
	2006-2009	42.3	55.8
Physical Activity age-adjusted %	2004-2007	49.9	57.9
Eat Recommended Amount of Fruits &	2006-2009	32.7	27.0
Vegetables age-adjusted %	2004-2007	25.2	26.6
Current Smokers age-adjusted %	2008-2011	26.4	16.3
current smokers age adjusted 70	2006-2009	20.0	17.1
Binge Drinking age-adjusted % of males	2006-2009	11.1*	18.7
	2004-2007	17.8	19.7
Binge Drinking age-adjusted % of females	2006-2009	9.6*	10.8
	2004-2007 2008-2011	7.8 31.3	8.7 25.4
Arthritis age-adjusted %	2006-2011	26.5	25.4
A. th	2008-2011	7.5	9.9
Asthma age-adjusted %	2006-2009	6.9	9.7
Heart Attack age-adjusted %	2008-2011	6.0*	3.3
	2006-2009 2008-2011	2.7* 6.4*	3.3 3.5
Angina age-adjusted %	2006-2011	4.9	3.4
Stroke age-adjusted %	2008-2011	•••	2.3
Stroke age adjusted /0	2006-2009	2.4*	2.3
Diabetes age-adjusted %	2008-2011	10.0*	7.2
	2006-2009	11.4	6.8
High Blood Pressure age-adjusted %	2008-2011 2006-2009	32.8 31.3	26.6 25.8
	2008-2011	51.7	32.2
High Blood Cholesterol age-adjusted %	2006-2009	59.9	33.0

Data are from secondary sources; for information about calculations and original sources, please see the metadata.

Baker County

Indicator	Year(s)	Baker	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	420.2	455.9
curreer age adjusted new cases per 100,000	2005-2009	417.2	464.6
Teen Pregnancy per 1,000	2013	40	28.4
3 /1 /	2010	35.2	38.6
Life Expectancy at Birth male	2009-2013	76.0	77.4
	2004-2008 2009-2013	74.7 81.0	76.4 81.8
Life Expectancy at Birth female	2009-2013	79.6	80.8
	2004-2008	79.0	5.0
Infant Mortality Rate per 1,000	2012	5.7	5.3
	2014	78.3	62.5
Low Birth Weight Rate per 1,000	2013	50.0	63.0
Years of Potential Life Lost (YPLL)	2010-2012	7,056	5,958
age-adjusted per 100,000	2008-2010	10,322	6,076
HIV new cases	2014	0	146
TIIV Nevv Cases	2013	0	218
Colline Double and all students are 100,000	2011-2013	16.5 (Ba,Gr,H, Mal,Mo,U,Un,Wa)	16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	19.0 (Ba,Gr,H,	16.0
	2013	Mal,Mo,U,Un,Wa)	461
Firearm Deaths count	2012	1	442
	2013	202	49,510
Car Crashes count	2012	246	49,798
Car Crash Deaths count	2013	2	313
Cai Clasii Deatiis Courit	2012	4	336
Work-Related Deaths count	2012	0	47
Work helated beating court	2011	0	59
Pertussis count	2013	0	485
- Citassis es ant	2012	0	911
Influenza count	2013	0	84
	2012	0	67
Salmonella count	2013	3	375
	2012	2	404
Chlamydia count	2013 2012	29 44	14,265 13,501
Smokeless Tobacco Use Among 11th	2012	77	13,301
Grade Males %	2013	25.6	9.6
Mathamphatamina Polated Deaths count	2013	•••	123
Methamphetamine-Related Deaths count	2012	1	93
Children with Developmental	2013	23	5,625
Disabilities count	2012	22	5,191

Benton

Benton County



Benton County Snapshot

Population Estimate	88,740
Life Expectancy at Birth male	80.9
Life Expectancy at Birth female	84.3
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	4,713
Low Birth Weight Rate per 1,000	40.8
Infant Mortality Rate per 1,000	3.1
Chronic Absenteeism %	16.2

Indicator	Year(s)	Benton	Oregon
Population Estimate (Certified)	2014	88,740	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.48	0.45
Minority Income as a % of White Income	2009-2013	67.5	57.2
Children in Poverty %	2013	14.6	21.6
	2012	16.8	22.7
Violent Crime per 100,000	2010-2012	116	249
	2009-2011	130	251
Median Household Income	2013	50,714	50,228
	2012	51,890	49,090
Unemployment %	2014	5.4	6.9
	2013	5.8	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:12146	1:1514
Home Ownership %	2009-2013	57.9	62.0
	2000	57.3	64.3
High Housing Costs %	2009-2013	40	40
	2007-2011	39	39
Homelessness count	2011	107	22,116
	2010	154	19,208
High School Graduates %	2009-2013	94.6	88.6
College Degree %	2009-2013	50.0	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	96.2	22.2
Access to Exercise Opportunities %	2010 & 2013	88	89
	2010 & 2012	86	81

Benton County

Indicator	Year(s)	Benton	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	40.1	N/A
Lunch %	2012-2013 AY	40	N/A
Limited Access to Healthy Foods %	2012	5	5
Fast Food: % living within 1/2 mile	2012	26.6	33.4
Supermarkets: % living within 1/2 mile	2012	19.2	19.4
Alcohol Outlets count	2015 (February)	220	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	37	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	28 29	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	26	55
Self-Assessment Self-Assessment			
Good General Health age-adjusted %	2006-2009	89.8	86.9
<i>3</i> ,	2004-2007 2006-2009	89.8 65.3	85.4 63.6
Good Physical Health age-adjusted %	2000-2009	63.6	62.3
	2006-2009	64.8	66.4
Good Mental Health age-adjusted %	2004-2007	64.8	63.8
Inadequate Social Support %	2005-2010	13	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	85.2	83.6
age-adjusted %	2004-2007	84.9	82.8
Adults in OHP age-adjusted %	2006-2009	3.7	5.1
That is a second of the second	2004-2007	5.2	6.2
Pregnant Women Served by WIC %	2013	38	45
Marana a mara la constitui de la consta 2 consus	2012	36	46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	85.8	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	91.4	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	69.3	61.2
Preventable Hospital Stays per 1,000	2012	28	38
(Ambulatory Care Sensitive Conditions)	2011	35	42
Primary Care Physicians ratio to population	2012	1:786	1:1105
	2011 2013	1:811 1:1604	1:1115 1:1363
Dentists ratio to population	2013	1:1631	1:1303
Mental Health Providers ratio to population	2014	1:172	1:299
Could Not See Doctor Due to Cost %	2006-2012	10	14
	2014	5.3	6.0
Inadequate Prenatal Care %	2013	5.4	5.7

Indicator	Year(s)	Benton	Oregon
Immunized 2-Year-Olds %	2013	46.8	58.2
mmanized 2 rear class /s	2012	44.6	60.6
Immunized Seniors crude %	2006-2009	78.5	69.2
	2004-2007	80.9	70.5
Critical Access Hospital (CAH) Beds count	2014 2013	no CAH no CAH	561 551
Environmental Health	2010	110 01 111	35.
Air Pollution days: The average daily measure of fine	2011	8.6	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	9.3	9.1
Acute Pesticide Exposure:	2009-2011	7	171
"Likely" Illnesses 6-year count	2007 2011	,	171
Nitrate Risk in at Least One Public Water System	2011	yes	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	16.2	17.2
Overweight age-adjusted %	2008-2011	33.7	35.5
Overweight age-adjusted 70	2006-2009	35.4	36.1
Obese age-adjusted %	2008-2011	18.7	24.8
<i>3</i> ,	2006-2009 2006-2009	20.8 64.2	24.5 55.8
Physical Activity age-adjusted %	2004-2007	63.4	57.9
Eat Recommended Amount of Fruits &	2006-2009	31.6	27.0
Vegetables age-adjusted %	2004-2007	32.2	26.6
Current Smokers age-adjusted %	2008-2011	10.2	16.3
Current Smokers age-adjusted %	2006-2009	10.8	17.1
Binge Drinking age-adjusted % of males	2006-2009	15.3	18.7
bringe brinking age adjusted 78 of males	2004-2007	14.7	19.7
Binge Drinking age-adjusted % of females	2006-2009	8.7	10.8
bringe brinning age adjusted 70 or remaies	2004-2007	8.1	8.7
Arthritis age-adjusted %	2008-2011 2006-2009	28.1 27.9	25.4
, , , , , , , , , , , , , , , , , , ,	2008-2011	10.8	25.8 9.9
Asthma age-adjusted %	2006-2009	9.4	9.7
Lleart Attack age adjusted 0/	2008-2011	2.5	3.3
Heart Attack age-adjusted %	2006-2009	3.3	3.3
Angina age-adjusted %	2008-2011 2006-2009	2.5 3.0	3.5 3.4
G. I. II. In	2008-2011	1.6	2.3
Stroke age-adjusted %	2006-2009	1.6	2.3
Diabetes age-adjusted %	2008-2011	7.5	7.2
Diabetes age-aujusteu 70	2006-2009	6.3	6.8
High Blood Pressure age-adjusted %	2008-2011	21.5	26.6
g 2.000 r ressure age adjusted 70	2006-2009	22.9	25.8
High Blood Cholesterol age-adjusted %	2008-2011 2006-2009	27.8 25.8	32.2 33.0
	2000 2009	25.0	33.0


Data are from secondary sources; for information about calculations and original sources, please see the metadata.

Benton County

Indicator	Year(s)	Benton	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	419.9	455.9
Carreer age adjusted new cases per 100,000	2005-2009	479.0	464.6
Teen Pregnancy per 1,000	2013	10.6	28.4
rectivitegranes per 1,000	2010	14.4	38.6
Life Expectancy at Birth male	2009-2013	80.9	77.4
	2004-2008	79.8	76.4
Life Expectancy at Birth female	2009-2013	84.3	81.8
,	2004-2008	83.6	80.8
Infant Mortality Rate per 1,000	2013	3.1	5.0
	2012	7.9	5.3
Low Birth Weight Rate per 1,000	2014	40.8	62.5
	2013	67.7	63.0
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	2010-2012	4,713	5,958
age-adjusted per 100,000	2008-2010	3,713	6,076
HIV new cases	2014	0	146
	2013 2011-2013	3 12.7 (Be,P)	218 16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	12.7 (Be,P)	16.0
Firearm Deaths count	2013	9	461
Theath Deaths count	2012	5	442
Car Crashes count	2013	811	49,510
Car Crashes Count	2012	908	49,798
Car Crash Deaths count	2013	3	313
car crash beaths count	2012	9	336
Work-Related Deaths count	2012	0	47
	2011	0	59
Pertussis count	2013	10	485
	2012	18	911
Influenza count	2013	2	84
	2012	0	67
Salmonella count	2013	5	375
	2012	3	404
Chlamydia count	2013	347	14,265
· ·	2012	339	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	3.5*	9.6
Methamphetamine-Related Deaths count	2013	•••	123
metrampretamine related beating count	2012	1	93
Children with Developmental	2013	128	5,625
Disabilities count	2012	127	5,191

Clackamas

Clackamas County



Clackamas County Snapshot

Population Estimate	391,525
Life Expectancy at Birth male	78.4
Life Expectancy at Birth female	82.3
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	4,978
Low Birth Weight Rate per 1,000	61.9
Infant Mortality Rate per 1,000	4.3
Chronic Absenteeism %	11.9

Indicator	Year(s)	Clackamas	Oregon
Population Estimate (Certified)	2014	391,525	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.44	0.45
Minority Income as a % of White Income	2009-2013	59.0	57.2
Children in Poverty %	2013	11.3	21.6
	2012	11.8	22.7
Violent Crime per 100,000	2010-2012	106	249
	2009-2011	118	251
Median Household Income	2013	66,514	50,228
	2012	64,231	49,090
Unemployment %	2014	6.2	6.9
	2013	6.8	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:1545	1:1514
Home Ownership %	2009-2013	68.8	62.0
	2000	71.1	64.3
High Housing Costs %	2009-2013	40	40
	2007-2011	39	39
Homelessness count	2011	2,741	22,116
	2010	208	19,208
High School Graduates %	2009-2013	92.4	88.6
College Degree %	2009-2013	31.8	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	0.0	22.2
Access to Exercise Opportunities %	2010 & 2013	92	89
	2010 & 2012	90	81

Clackamas County


Indicator	Year(s)	Clackamas	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	36.9	N/A
Lunch %	2012-2013 AY	36.8	N/A
Limited Access to Healthy Foods %	2012	3	5
Fast Food: % living within 1/2 mile	2012	23.5	33.4
Supermarkets: % living within 1/2 mile	2012	12.4	19.4
Alcohol Outlets count	2015 (February)	921	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	200	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	160 164	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	50	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009	88.6	86.9
	2004-2007 2006-2009	88.1 64.9	85.4 63.6
Good Physical Health age-adjusted %	2000-2009	63.8	62.3
	2006-2009	68.1	66.4
Good Mental Health age-adjusted %	2004-2007	66.0	63.8
Inadequate Social Support %	2005-2010	13	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	86.8	83.6
age-adjusted %	2004-2007	86.3	82.8
Adults in OHP age-adjusted %	2006-2009	3.3	5.1
<i>y</i>	2004-2007	4.3	6.2
Pregnant Women Served by WIC %	2013 2012	31 33	45 46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	82.5	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	87.2	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	64.4	61.2
Preventable Hospital Stays per 1,000	2012	31	38
(Ambulatory Care Sensitive Conditions)	2011	37	42
Primary Care Physicians ratio to population	2012	1:1200	1:1105
	2011 2013	1:1203 1:1353	1:1115 1:1363
Dentists ratio to population	2013	1:1391	1:1399
Mental Health Providers ratio to population	2014	1:517	1:299
Could Not See Doctor Due to Cost %	2006-2012	11	14
	2014	5.2	6.0
Inadequate Prenatal Care %	2013	5.5	5.7

Indicator	Year(s)	Clackamas	Oregon
Immunized 2-Year-Olds %	2013	56.5	58.2
iriiridinized 2 Tear Olds /0	2012	61.1	60.6
Immunized Seniors crude %	2006-2009	70.0	69.2
irimanized seniors crade 70	2004-2007	72.7	70.5
Critical Access Hospital (CAH) Beds count	2014	no CAH	561
·	2013	no CAH	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	9.4	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	9.8	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	12	171
Nitrate Risk in at Least One Public Water System	2011	yes	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	11.9	17.2
	2008-2011	35.5	35.5
Overweight age-adjusted %	2006-2009	35.7	36.1
Obese age-adjusted %	2008-2011	23.9	24.8
Obese age adjusted 70	2006-2009	23.6	24.5
Physical Activity age-adjusted %	2006-2009 2004-2007	55.6 58.6	55.8 57.9
Eat Recommended Amount of Fruits &	2004-2007	24.7	27.0
Vegetables age-adjusted %	2004-2007	25.2	26.6
	2008-2011	14.3	16.3
Current Smokers age-adjusted %	2006-2009	15.4	17.1
Diama Duialian and adiustad 0/ of mala	2006-2009	18.9	18.7
Binge Drinking age-adjusted % of males	2004-2007	20.9	19.7
Diama Duialian and adiustad 0/ affamala	2006-2009	9.3	10.8
Binge Drinking age-adjusted % of females	2004-2007	7.2	8.7
Arthritis age-adjusted %	2008-2011	23.8	25.4
Artifilis age-adjusted 70	2006-2009	22.4	25.8
Asthma age-adjusted %	2008-2011 2006-2009	9.5 9.7	9.9 9.7
	2008-2011	2.7	3.3
Heart Attack age-adjusted %	2006-2009	2.5	3.3
A	2008-2011	2.6	3.5
Angina age-adjusted %	2006-2009	2.9	3.4
Stroke age-adjusted %	2008-2011	2.2	2.3
	2006-2009	2.6	2.3
Diabetes age-adjusted %	2008-2011	7.5	7.2
	2006-2009 2008-2011	6.6	6.8 26.6
High Blood Pressure age-adjusted %	2008-2011	27.0 25.6	25.8
	2008-2011	33.1	32.2
High Blood Cholesterol age-adjusted %	2006-2009	33.1	33.0

Data are from secondary sources; for information about calculations and original sources, please see the metadata.

Clackamas County

Indicator	Year(s)	Clackamas	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	453.5	455.9
curreer age adjusted new cases per 100,000	2005-2009	457.1	464.6
Teen Pregnancy per 1,000	2013	20.4	28.4
recent regimency per 1,000	2010	27.1	38.6
Life Expectancy at Birth male	2009-2013	78.4	77.4
	2004-2008	77.2	76.4
Life Expectancy at Birth female	2009-2013	82.3	81.8
	2004-2008	80.7	80.8
Infant Mortality Rate per 1,000	2013	4.3	5.0
, · ·	2012	4.3	5.3
Low Birth Weight Rate per 1,000	2014	61.9	62.5
	2013	60.9	63.0
Years of Potential Life Lost (YPLL)	2010-2012	4,978	5,958
age-adjusted per 100,000	2008-2010	5,100	6,076
HIV new cases	2014	6	146
	2013 2011-2013	18 14.2	218 16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	14.4	16.9
Fireary Deaths sount	2013	38	461
Firearm Deaths count	2012	45	442
Car Crashes count	2013	4,410	49,510
Car Crasnes Count	2012	4,461	49,798
Car Crash Deaths count	2013	16	313
Car Crash Deaths Count	2012	20	336
Work-Related Deaths count	2012	4	47
Work-helated Deaths Count	2011	4	59
Pertussis count	2013	31	485
reitussis count	2012	88	911
Influenza count	2013	7	84
IIIIueiiza Courit	2012	4	67
Salmonella count	2013	40	375
Sairtionella Court	2012	42	404
Chlamydia count	2013	890	14,265
Chiamydia Codnt	2012	916	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	4.1	9.6
Methamphetamine-Related Deaths count	2013	4	123
methamphetamhe-heiateu Deaths Count	2012	6	93
Children with Developmental	2013	504	5,625
Disabilities count	2012	464	5,191



Clatsop County Snapshot

Population Estimate	37,495
Life Expectancy at Birth male	75.9
Life Expectancy at Birth female	80.6
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	7,550
Low Birth Weight Rate per 1,000	64.2
Infant Mortality Rate per 1,000	7.6
Chronic Absenteeism %	15.5

Indicator	Year(s)	Clatsop	Oregon
Population Estimate (Certified)	2014	37,495	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.44	0.45
Minority Income as a % of White Income	2009-2013	53.4	57.2
Children in Poverty %	2013	24.4	21.6
	2012	24.3	22.7
Violent Crime per 100,000	2010-2012	102	249
	2009-2011	137	251
Median Household Income	2013	43,048	50,228
	2012	43,202	49,090
Unemployment %	2014	6.1	6.9
	2013	6.8	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:1080	1:1514
Home Ownership %	2009-2013	62.7	62.0
	2000	64.2	64.3
High Housing Costs %	2009-2013	42	40
	2007-2011	40	39
Homelessness count	2011	407	22,116
	2010	184	19,208
High School Graduates %	2009-2013	91.5	88.6
College Degree %	2009-2013	23.2	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	80.1	22.2
Access to Exercise Opportunities %	2010 & 2013	94	89
	2010 & 2012	86	81

Clatsop County


Clatsop County

Indicator	Year(s)	Clatsop	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	57.1	N/A
Lunch %	2012-2013 AY	56.8	N/A
Limited Access to Healthy Foods %	2012	11	5
Fast Food: % living within 1/2 mile	2012	23.6	33.4
Supermarkets: % living within 1/2 mile	2012	23.0	19.4
Alcohol Outlets count	2015 (February)	272	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	36	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	25 25	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	34	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009	83.8	86.9
	2004-2007	82.8	85.4
Good Physical Health age-adjusted %	2006-2009	63.3	63.6
	2004-2007 2006-2009	62.0 62.4	62.3 66.4
Good Mental Health age-adjusted %	2000-2009	61.9	63.8
Inadequate Social Support %	2004-2007	16	16
Health Service Access	2000 2010		
Adults with Any Health Insurance	2006-2009	84.4	83.6
age-adjusted %	2004-2007	80.0	82.8
Adults in OHP age-adjusted %	2006-2009	6.0	5.1
	2004-2007	6.4	6.2
Pregnant Women Served by WIC %	2013	57	45
	2012	51	46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	78.0	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	71.3	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	46.0	61.2
Preventable Hospital Stays per 1,000	2012	56	38
(Ambulatory Care Sensitive Conditions)	2011	60	42
Primary Care Physicians ratio to population	2012	1:1286	1:1105
The state of population	2011	1:1327	1:1115
Dentists ratio to population	2013	1:1330	1:1363
	2012	1:1332	1:1399
Mental Health Providers ratio to population	2014	1:573	1:299
Could Not See Doctor Due to Cost %	2006-2012	14	14
Inadequate Prenatal Care %	2014	7.8	6.0
	2013	7.0	5.7

Indicator	Year(s)	Clatsop	Oregon
Immunized 2-Year-Olds %	2013	69.4	58.2
minumized z real olds //	2012	65.4	60.6
Immunized Seniors crude %	2006-2009	68.4	69.2
IIIIIIuiiizea seiliois ciaae 70	2004-2007	70.8	70.5
Critical Access Hospital (CAH) Beds count	2014	50	561
	2013	50	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	9.9	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	10.6	9.1
Acute Pesticide Exposure:	2009-2011	1	171
"Likely" Illnesses 6-year count	2009-2011	'	171
Nitrate Risk in at Least One Public Water System	2011	no	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	15.5	17.2
	2008-2011	33.1	35.5
Overweight age-adjusted %	2006-2009	39.0	36.1
Obese age-adjusted %	2008-2011	31.4	24.8
Obese age adjusted //	2006-2009	25.3	24.5
Physical Activity age-adjusted %	2006-2009	53.1	55.8
	2004-2007 2006-2009	57.5 26.6	57.9 27.0
Eat Recommended Amount of Fruits & Vegetables age-adjusted %	2004-2007	26.9	26.6
vegetables age-adjusted %	2008-2011	20.3	16.3
Current Smokers age-adjusted %	2006-2009	21.5	17.1
	2006-2009	16.3	18.7
Binge Drinking age-adjusted % of males	2004-2007	21.4	19.7
	2006-2009	9.8*	10.8
Binge Drinking age-adjusted % of females	2004-2007	8.3	8.7
	2008-2011	32.5	25.4
Arthritis age-adjusted %	2006-2009	39.1	25.8
Asthman aga adjusted 0/	2008-2011	5.9	9.9
Asthma age-adjusted %	2006-2009	7.5	9.7
Heart Attack age-adjusted %	2008-2011	5.0	3.3
Treat Mittack age adjusted 70	2006-2009	3.9	3.3
Angina age-adjusted %	2008-2011 2006-2009	3.8 3.1	3.5 3.4
	2008-2011	3.1	2.3
Stroke age-adjusted %	2006-2009	2.8	2.3
	2008-2011	7.5	7.2
Diabetes age-adjusted %	2006-2009	7.1	6.8
	2008-2011	31.2	26.6
High Blood Pressure age-adjusted %	2006-2009	33.9	25.8
High Blood Cholesterol age-adjusted %	2008-2011	28.4	32.2
riigii biood cholesterol age dajusted //	2006-2009	28.3	33.0

Clatsop County

Indicator	Year(s)	Clatsop	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	474.2	455.9
earreer age adjusted her eases per 100,000	2005-2009	480.2	464.6
Teen Pregnancy per 1,000	2013	39.9	28.4
3 71 7	2010	33.7	38.6
Life Expectancy at Birth male	2009-2013	75.9	77.4
	2004-2008	75.8 80.6	76.4 81.8
Life Expectancy at Birth female	2009-2013 2004-2008	80.5	80.8
	2004-2008	7.6	5.0
Infant Mortality Rate per 1,000	2012	6.8	5.3
	2014	64.2	62.5
Low Birth Weight Rate per 1,000	2013	50.6	63.0
Years of Potential Life Lost (YPLL)	2010-2012	7,550	5,958
age-adjusted per 100,000	2008-2010	6,585	6,076
HIV new cases	2014	0	146
HIV HEW Cases	2013	0	218
Cuicida Daetha ana adiustad yata ya ya 100,000	2011-2013	19.7 (Cl,Col,Li,T)	16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	17.3 (Cl,Col,Li,T)	16.0
Finance Death and a	2013	6	461
Firearm Deaths count	2012	7	442
Car Crashes count	2013	563	49,510
Cai Clasties Court	2012	543	49,798
Car Crash Deaths count	2013	6	313
	2012	7	336
Work-Related Deaths count	2012 2011	0	47 59
	2011	2	485
Pertussis count	2013	19	911
	2013	3	84
Influenza count	2012	0	67
	2013	5	375
Salmonella count	2012	4	404
Chlored's accept	2013	91	14,265
Chlamydia count	2012	88	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	25.6	9.6
Methamphetamine-Related Deaths count	2013	0	123
	2012	2	93
Children with Developmental	2013	35	5,625
Disabilities count	2012	31	5,191



Columbia County Snapshot

Population Estimate	50,075
Life Expectancy at Birth male	76.7
Life Expectancy at Birth female	82.1
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	6,249
Low Birth Weight Rate per 1,000	57.3
Infant Mortality Rate per 1,000	4.0
Chronic Absenteeism %	14.1

Indicator	Year(s)	Columbia	Oregon
Population Estimate (Certified)	2014	50,075	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.42	0.45
Minority Income as a % of White Income	2009-2013	53.8	57.2
Children in Poverty %	2013	17.2	21.6
	2012	20.9	22.7
Violent Crime per 100,000	2010-2012	145	249
	2009-2011	92	251
Median Household Income	2013	55,222	50,228
	2012	53,250	49,090
Unemployment %	2014	7.6	6.9
	2013	8.2	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:1874	1:1514
Home Ownership %	2009-2013	73.9	62.0
	2000	76.1	64.3
High Housing Costs %	2009-2013	34	40
	2007-2011	34	39
Homelessness count	2011	285	22,116
	2010	342	19,208
High School Graduates %	2009-2013	89.6	88.6
College Degree %	2009-2013	18.1	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	17.9	22.2
Access to Exercise Opportunities %	2010 & 2013	74	89
	2010 & 2012	48	81

Columbia County


Columbia County

Indicator	Year(s)	Columbia	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	46.1	N/A
Lunch %	2012-2013 AY	47.4	N/A
Limited Access to Healthy Foods %	2012	4	5
Fast Food: % living within 1/2 mile	2012	21.8	33.4
Supermarkets: % living within 1/2 mile	2012	14.8	19.4
Alcohol Outlets count	2015 (February)	131	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	32	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	42 43	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	39	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009	85.0	86.9
Good General Flediti age dajusted 70	2004-2007	84.1	85.4
Good Physical Health age-adjusted %	2006-2009 2004-2007	60.8 56.7	63.6 62.3
	2004-2007	65.3	66.4
Good Mental Health age-adjusted %	2004-2007	64.4	63.8
Inadequate Social Support %	2005-2010	18	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	87.9	83.6
age-adjusted %	2004-2007	84.9	82.8
Adults in OHP age-adjusted %	2006-2009	5.2	5.1
	2004-2007	6.6	6.2
Pregnant Women Served by WIC %	2013	45	45
Marana agraphy within the past 2 years	2012	47	46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	77.8	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	77.9	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	63.8	61.2
Preventable Hospital Stays per 1,000	2012	41	38
(Ambulatory Care Sensitive Conditions)	2011	53	42
Primary Care Physicians ratio to population	2012	1:2899	1:1105
	2011	1:3800	1:1115
Dentists ratio to population	2013 2012	1:1974 1:2143	1:1363 1:1399
Mental Health Providers ratio to population	2012	1:554	1:299
Could Not See Doctor Due to Cost %	2006-2012	1.55 1	14
	2014	6.9	6.0
Inadequate Prenatal Care %	2013	6.3	5.7

Indicator	Year(s)	Columbia	Oregon
Immunized 2-Year-Olds %	2013	58.7	58.2
Titinatilized 2 Tear Glas 70	2012	52.9	60.6
Immunized Seniors crude %	2006-2009	68.4	69.2
	2004-2007	68.2	70.5
Critical Access Hospital (CAH) Beds count	2014	no CAH	561
· ·	2013	no CAH	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	9.9	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	10.5	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	0	171
Nitrate Risk in at Least One Public Water System	2011	yes	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	14.1	17.2
Overweight age adjusted %	2008-2011	2.7	35.5
Overweight age-adjusted %	2006-2009	40.1	36.1
Obese age-adjusted %	2008-2011	23.7	24.8
	2006-2009 2006-2009	27.4 49.6	24.5 55.8
Physical Activity age-adjusted %	2004-2007	62.3	57.9
Eat Recommended Amount of Fruits &	2006-2009	20.7	27.0
Vegetables age-adjusted %	2004-2007	29.8	26.6
Current Smokers age-adjusted %	2008-2011	19.2	16.3
Current Smokers age-adjusted 70	2006-2009	17.1	17.1
Binge Drinking age-adjusted % of males	2006-2009	14.9	18.7
onige on many age adjusted to or males	2004-2007	21.2	19.7
Binge Drinking age-adjusted % of females	2006-2009	13.2	10.8
	2004-2007	7.8	8.7
Arthritis age-adjusted %	2008-2011 2006-2009	26.2 22.4	25.4 25.8
	2008-2011	11.3	9.9
Asthma age-adjusted %	2006-2009	9.8	9.7
Heart Attack age-adjusted %	2008-2011	2.5	3.3
ricult / itiach age adjusted //	2006-2009	4.1*	3.3
Angina age-adjusted %	2008-2011 2006-2009	3.0 2.1*	3.5 3.4
Stroke age-adjusted %	2008-2011 2006-2009	2.5* 2.8*	2.3 2.3
Diabetes age-adjusted %	2008-2011 2006-2009	7.5 6.6	7.2 6.8
	2006-2009	29.4	26.6
High Blood Pressure age-adjusted %	2006-2011	31.0	25.8
High Pland Chalasteral aga adjusted 0/	2008-2011	29.8	32.2
High Blood Cholesterol age-adjusted %	2006-2009	30.4	33.0

Columbia County

Indicator	Year(s)	Columbia	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	460.1	455.9
cance, age asjustes her eases per 100,000	2005-2009	490.3	464.6
Teen Pregnancy per 1,000	2013	31	28.4
	2010	37	38.6
Life Expectancy at Birth male	2009-2013	76.7	77.4
	2004-2008 2009-2013	75.0 82.1	76.4 81.8
Life Expectancy at Birth female	2009-2013	80.3	80.8
	2013	4.0	5.0
Infant Mortality Rate per 1,000	2012	11.1	5.3
	2014	57.3	62.5
Low Birth Weight Rate per 1,000	2013	46.0	63.0
Years of Potential Life Lost (YPLL)	2010-2012	6,249	5,958
age-adjusted per 100,000	2008-2010	6,342	6,076
HIV new cases	2014	0	146
THV HEW Cases	2013	1	218
	2011-2013	19.7 (Cl,Col,Li,T)	16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	17.3	16.0
	2013	(Cl,Col,Li,T) 9	461
Firearm Deaths count	2013	4	442
	2013	420	49,510
Car Crashes count	2012	374	49,798
	2013	3	313
Car Crash Deaths count	2012	2	336
Work-Related Deaths count	2012	4	47
Work-Related Deaths Count	2011	1	59
Pertussis count	2013	0	485
Tertussis count	2012	8	911
Influenza count	2013	1	84
	2012	0	67
Salmonella count	2013	3	375
	2012	3	404
Chlamydia count	2013 2012	121 129	14,265
Smakalars Tabassa Lisa Amana 11th	2012	129	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	25.6	9.6
Methamphetamine-Related Deaths count	2013	3	123
Methamphetamine helated Deaths count	2012	0	93
Children with Developmental	2013	99	5,625
Disabilities count	2012	91	5,191



Coos County Snapshot

Population Estimate	62,900
Life Expectancy at Birth male	74.8
Life Expectancy at Birth female	79.0
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	8,258
Low Birth Weight Rate per 1,000	64.4
Infant Mortality Rate per 1,000	6.6
Chronic Absenteeism %	22.6

Indicator	Year(s)	Coos	Oregon
Population Estimate (Certified)	2014	62,900	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.46	0.45
Minority Income as a % of White Income	2009-2013	62.4	57.2
Children in Poverty %	2013	30.1	21.6
	2012	30.6	22.7
Violent Crime per 100,000	2010-2012	244	249
	2009-2011	218	251
Median Household Income	2013	37,583	50,228
	2012	36,057	49,090
Unemployment %	2014	8.9	6.9
	2013	9.9	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:2176	1:1514
Home Ownership %	2009-2013	66.1	62.0
	2000	68.1	64.3
High Housing Costs %	2009-2013	39	40
	2007-2011	33	39
Homelessness count	2011	991	22,116
	2010	821	19,208
High School Graduates %	2009-2013	88.0	88.6
College Degree %	2009-2013	18.0	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	81.7	22.2
Access to Exercise Opportunities %	2010 & 2013	81	89
	2010 & 2012	68	81


Coos County

Indicator	Year(s)	Coos	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	46.3	N/A
Lunch %	2012-2013 AY	45.4	N/A
Limited Access to Healthy Foods %	2012	5	5
Fast Food: % living within 1/2 mile	2012	22.8	33.4
Supermarkets: % living within 1/2 mile	2012	22.2	19.4
Alcohol Outlets count	2015 (February)	225	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	54	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	47 44	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	55	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009 2004-2007	84.9 80.7	86.9 85.4
Good Physical Health age-adjusted %	2006-2009	72.3	63.6
Good Frigoreal Frederings adjusted 70	2004-2007	64.7	62.3
Good Mental Health age-adjusted %	2006-2009	71.4	66.4
,	2004-2007	63.5	63.8
Inadequate Social Support %	2005-2010	19	16
Health Service Access	2006 2000	04.0	02.6
Adults with Any Health Insurance age-adjusted %	2006-2009 2004-2007	81.2 79.9	83.6 82.8
Adults in OHP age-adjusted %	2006-2009	6.3	5.1
	2004-2007	8.8	6.2
Pregnant Women Served by WIC %	2013 2012	57 61	45 46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	76.2	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	74.9	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	65.7	61.2
Preventable Hospital Stays per 1,000	2012	54	38
(Ambulatory Care Sensitive Conditions)	2011	67	42
Primary Care Physicians ratio to population	2012	1:1117	1:1105
	2011	1:1142	1:1115
Dentists ratio to population	2013	1:1483	1:1363
Montal Haalth Dravidars ratio to a seculation	2012	1:1489	1:1399
Mental Health Providers ratio to population	2014	1:537	1:299
Could Not See Doctor Due to Cost %	2006-2012	18	14
Inadequate Prenatal Care %	2014 2013	6.5	6.0 5.7
	2013	7.7	5./

Indicator	Year(s)	Coos	Oregon
Immunized 2-Year-Olds %	2013	48.2	58.2
Time in Zea Z Tear Glas 70	2012	66.0	60.6
Immunized Seniors crude %	2006-2009	69.5	69.2
	2004-2007	66.0	70.5
Critical Access Hospital (CAH) Beds count	2014	44	561
·	2013	44	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	7.7	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	9.1	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	7	171
Nitrate Risk in at Least One Public			
Water System	2011	no	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	22.6	17.2
Overweight age-adjusted %	2008-2011	31.3	35.5
Overweight age adjusted 70	2006-2009	36.8	36.1
Obese age-adjusted %	2008-2011 2006-2009	30.0 27.3	24.8 24.5
	2006-2009	61.5	55.8
Physical Activity age-adjusted %	2004-2007	64.1	57.9
Eat Recommended Amount of Fruits &	2006-2009	29.4	27.0
Vegetables age-adjusted %	2004-2007	22.6	26.6
Current Smokers age-adjusted %	2008-2011	28.3	16.3
current smokers age adjusted 70	2006-2009	28.1	17.1
Binge Drinking age-adjusted % of males	2006-2009	31.7	18.7
J J J J	2004-2007	26.9	19.7
Binge Drinking age-adjusted % of females	2006-2009	7.4*	10.8
	2004-2007	12.9	8.7
Arthritis age-adjusted %	2008-2011 2006-2009	31.5 28.4	25.4 25.8
	2008-2011	18.1	9.9
Asthma age-adjusted %	2006-2009	13.1	9.7
Heart Attack age-adjusted %	2008-2011	6.9*	3.3
ricart Attack age adjusted 70	2006-2009	7.3*	3.3
Angina age-adjusted %	2008-2011 2006-2009	7.3* 7.7*	3.5 3.4
Stroke age adjusted 0/	2008-2011	5.9*	2.3
Stroke age-adjusted %	2006-2009	5.7*	2.3
Diabetes age-adjusted %	2008-2011	10.9	7.2
2.a.z 2.23 age aajastea /	2006-2009	11.0	6.8
High Blood Pressure age-adjusted %	2008-2011	26.1	26.6
	2006-2009 2008-2011	28.5 35.2	25.8 32.2
High Blood Cholesterol age-adjusted %	2006-2009	41.8	33.0

Coos County

Indicator	Year(s)	Coos	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	471.7	455.9
carreer age adjusted new cases per 100,000	2005-2009	470.9	464.6
Teen Pregnancy per 1,000	2013	32.3	28.4
recent regnancy per 1,000	2010	47.7	38.6
Life Expectancy at Birth male	2009-2013	74.8	77.4
Ene Expectancy at birth male	2004-2008	74.3	76.4
Life Expectancy at Birth female	2009-2013	79.0	81.8
Life Expectation at Siturite Hale	2004-2008	78.3	80.8
Infant Mortality Rate per 1,000	2013	6.6	5.0
	2012	1.6	5.3
Low Birth Weight Rate per 1,000	2014	64.4	62.5
	2013	55.8	63.0
Years of Potential Life Lost (YPLL)	2010-2012	8,258	5,958
age-adjusted per 100,000	2008-2010	8,176	6,076
HIV new cases	2014	0	146
	2013	0	218
C : : D . : 100.000	2011-2013	27.9 (Co,Cu)	16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	33.5	16.0
	2013	(Co,Cu) 15	461
Firearm Deaths count	2013	11	442
	2012	661	49,510
Car Crashes count	2013	659	49,798
	2012	6	313
Car Crash Deaths count	2013	5	336
	2012	2	47
Work-Related Deaths count	2012	4	59
	2013	19	485
Pertussis count	2012	10	911
	2013	2	84
Influenza count	2012	0	67
	2013	5	375
Salmonella count	2012	6	404
	2013	171	14,265
Chlamydia count	2012	169	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	16	9.6
Mathamatica Dalata I Dalata	2013	6	123
Methamphetamine-Related Deaths count	2012	4	93
Children with Davalanmental	2013	241	5,625
Children with Developmental Disabilities count		(Co,Cu,Jo)	
	2012	223(Co,Jo)	5,191



Crook County Snapshot

Population Estimate	20,780
Life Expectancy at Birth male	78.9
Life Expectancy at Birth female	81.2
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	5,868
Low Birth Weight Rate per 1,000	67.9
Infant Mortality Rate per 1,000	5.2
Chronic Absenteeism %	27.5

Indicator	Year(s)	Crook	Oregon
Population Estimate (Certified)	2014	20,780	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.41	0.45
Minority Income as a % of White Income	2009-2013	64.1	57.2
Children in Poverty %	2013	28.3	21.6
	2012	28.4	22.7
Violent Crime per 100,000	2010-2012	252	249
	2009-2011	235	251
Median Household Income	2013	43,343	50,228
	2012	41,232	49,090
Unemployment %	2014	10.5	6.9
	2013	12.3	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:3401	1:1514
Home Ownership %	2009-2013	70.5	62.0
	2000	74.3	64.3
High Housing Costs %	2009-2013	42	40
	2007-2011	37	39
Homelessness count	2011	229	22,116
	2010	244	19,208
High School Graduates %	2009-2013	84.9	88.6
College Degree %	2009-2013	14.5	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	5.1	22.2
Access to Exercise Opportunities %	2010 & 2013	65	89
	2010 & 2012	63	81

Crook County


Indicator	Year(s)	Crook	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	57	N/A
Lunch %	2012-2013 AY	64	N/A
Limited Access to Healthy Foods %	2012	5	5
Fast Food: % living within 1/2 mile	2012	17.4	33.4
Supermarkets: % living within 1/2 mile	2012	13.2	19.4
Alcohol Outlets count	2015 (February)	62	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	21	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	17 16	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	26	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009 2004-2007	83.1 86.3	86.9 85.4
Good Physical Health age-adjusted %	2006-2009 2004-2007	66.3 71.1	63.6 62.3
Good Mental Health age-adjusted %	2006-2009	75.3	66.4
Good Meritai Fleattri age-adjusted 70	2004-2007	70.5	63.8
Inadequate Social Support %	2005-2010	18	16
Health Service Access			
Adults with Any Health Insurance age-adjusted %	2006-2009 2004-2007	79.2 84.5	83.6 82.8
Adults in OHP age-adjusted %	2006-2009	3*	5.1
Addition age adjusted to	2004-2007	6.7	6.2
Pregnant Women Served by WIC %	2013 2012	59 66	45 46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	58.8	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	60.1	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	35.5	61.2
Preventable Hospital Stays per 1,000	2012	38	38
(Ambulatory Care Sensitive Conditions)	2011	39	42
Primary Care Physicians ratio to population	2012	1:2303	1:1105
, , , , , , , , , , , , , , , , , , , ,	2011	1:2977	1:1115
Dentists ratio to population	2013 2012	1:2602 1:2591	1:1363 1:1399
Mental Health Providers ratio to population	2012	1:311	1:1399
Could Not See Doctor Due to Cost %	2014	1:511	1:299
Could Not See Doctor Due to Cost 70	2006-2012	4.8	6.0
Inadequate Prenatal Care %	2013	5.0	5.7
	2010	5.0	3.,

Indicator	Year(s)	Crook	Oregon
Immunized 2-Year-Olds %	2013	55.6	58.2
IIIIII III III III III III III III III	2012	52.5	60.6
Immunized Seniors crude %	2006-2009	68.8	69.2
	2004-2007	68.0	70.5
Critical Access Hospital (CAH) Beds count	2014	22	561
E 1 10 10	2013	25	551
Environmental Health	2011		
Air Pollution days: The average daily measure of fine	2011	8.5	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	8.7	9.1
Acute Pesticide Exposure:	2009-2011	2	171
"Likely" Illnesses 6-year count			
Nitrate Risk in at Least One Public Water System	2011	yes	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	27.5	17.2
Overweight age-adjusted %	2008-2011	39.8	35.5
Overweight age-adjusted //	2006-2009	39.1	36.1
Obese age-adjusted %	2008-2011 2006-2009	25.6 31.5	24.8 24.5
	2006-2009	69.4	55.8
Physical Activity age-adjusted %	2004-2007	69.2	57.9
Eat Recommended Amount of Fruits &	2006-2009	14.0*	27.0
Vegetables age-adjusted %	2004-2007	16.0	26.6
Current Smokers age-adjusted %	2008-2011	17.4	16.3
current smokers age adjusted 70	2006-2009	23.3	17.1
Binge Drinking age-adjusted % of males	2006-2009	•••	18.7
	2004-2007	18.9	19.7
Binge Drinking age-adjusted % of females	2006-2009	•••	10.8
	2004-2007	15.3	8.7
Arthritis age-adjusted %	2008-2011 2006-2009	29.9 22.4	25.4 25.8
	2008-2011	6.8*	9.9
Asthma age-adjusted %	2006-2009	5.6*	9.7
Heart Attack age-adjusted %	2008-2011	4.0*	3.3
Heart Attack age-adjusted 70	2006-2009	2.0*	3.3
Angina age-adjusted %	2008-2011 2006-2009	2.0*	3.5 3.4
Stroke age-adjusted %	2008-2011	•••	2.3
Stroke age adjusted 70	2006-2009	•••	2.3
Diabetes age-adjusted %	2008-2011	9.1	7.2
,	2006-2009	9.0	6.8
High Blood Pressure age-adjusted %	2008-2011 2006-2009	38.3 46.2	26.6 25.8
	2008-2011	42.9	32.2
High Blood Cholesterol age-adjusted %	2006-2009	41.8	33.0

Crook County

Indicator	Year(s)	Crook	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	444.6	455.9
current age adjusted new cases per 100,000	2005-2009	481.8	464.6
Teen Pregnancy per 1,000	2013	34.5	28.4
	2010	25.6	38.6
Life Expectancy at Birth male	2009-2013	78.9	77.4
1	2004-2008	78.0	76.4
Life Expectancy at Birth female	2009-2013	81.2	81.8
	2004-2008	81.0	80.8
Infant Mortality Rate per 1,000	2013	5.2	5.0
, i	2012		5.3
Low Birth Weight Rate per 1,000	2014	67.9	62.5
	2013	57.3	63.0
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	2010-2012	5,868	5,958
age-adjusted per 100,000	2008-2010	5,711	6,076
HIV new cases	2014	0	146
	2013	0 18.3 (Cr,G,	218
Suicide Deaths age-adjusted rate per 100,000	2011-2013	HR,J,S,W,Wh)	16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	15.4 (Cr,G, HR,J,S,W,Wh)	16.0
	2013	2	461
Firearm Deaths count	2012	3	442
	2013	196	49,510
Car Crashes count	2012	220	49,798
	2013	0	313
Car Crash Deaths count	2012	1	336
W 101, 10 d	2012	0	47
Work-Related Deaths count	2011	0	59
Destruction	2013	0	485
Pertussis count	2012	0	911
laftuara count	2013	1	84
Influenza count	2012	0	67
Salmonella count	2013	8	375
Sairionella Count	2012	1	404
Chlamydia count	2013	45	14,265
Chiamydia Count	2012	54	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	24.4	9.6
Mathamphatamina Polated Deaths count	2013	•••	123
Methamphetamine-Related Deaths count	2012	•••	93
Children with Developmental	2013	32	5,625
Disabilities count	2012	18	5,191

Curry County



Curry County Snapshot

Population Estimate	22,355
Life Expectancy at Birth male	73.8
Life Expectancy at Birth female	80.3
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	8,926
Low Birth Weight Rate per 1,000	37.9
Infant Mortality Rate per 1,000	10.3
Chronic Absenteeism %	20.2

Indicator	Year(s)	Curry	Oregon
Population Estimate (Certified)	2014	22,355	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.43	0.45
Minority Income as a % of White Income	2009-2013	64.1	57.2
Children in Poverty %	2013 2012	28 25.9	21.6 22.7
Violent Crime per 100,000	2010-2012	128	249
	2009-2011	134	251
Median Household Income	2013	37,175	50,228
	2012	34,854	49,090
Unemployment %	2014	10.5	6.9
onemployment //	2013	10.6	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:4189	1:1514
Hama Oura archia 0/	2009-2013	67.8	62.0
Home Ownership %	2000	73.0	64.3
High Housing Costs %	2009-2013	40	40
riigitriousirig Costs //	2007-2011	38	39
Homelessness count	2011	93	22,116
	2010	133	19,208
High School Graduates %	2009-2013	91.3	88.6
College Degree %	2009-2013	20.7	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
Hadridated Water 70	2006	0.0	22.2
Access to Exercise Opportunities %	2010 & 2013	95	89
Access to Exercise Opportunities //	2010 & 2012	79	81

Curry County


Indicator	Year(s)	Curry	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	64.1	N/A
Lunch %	2012-2013 AY	62	N/A
Limited Access to Healthy Foods %	2012	5	5
Fast Food: % living within 1/2 mile	2012	24.6	33.4
Supermarkets: % living within 1/2 mile	2012	15.5	19.4
Alcohol Outlets count	2015 (February)	116	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	26	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	29 27	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	33	55
Self-Assessment Self-Assessment			
Good General Health age-adjusted %	2006-2009	84.5	86.9
	2004-2007	82.0	85.4 63.6
Good Physical Health age-adjusted %	2006-2009 2004-2007	56.3 62.1	62.3
	2004-2007	70.3	66.4
Good Mental Health age-adjusted %	2004-2007	65.1	63.8
Inadequate Social Support %	2005-2010	19	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	80.4	83.6
age-adjusted %	2004-2007	82.1	82.8
Adults in OHP age-adjusted %	2006-2009	6.2*	5.1
Addits in Orn age adjusted 70	2004-2007	8.5	6.2
Pregnant Women Served by WIC %	2013	56	45
,	2012	61	46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	58.5	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	•••	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	57.7	61.2
Preventable Hospital Stays per 1,000	2012	34	38
(Ambulatory Care Sensitive Conditions)	2011	43	42
Primary Care Physicians ratio to population	2012	1:1309	1:1105
	2011	1:1495	1:1115
Dentists ratio to population	2013 2012	1:1862 1:1854	1:1363 1:1399
Mental Health Providers ratio to population	2012	1:604	1:299
Could Not See Doctor Due to Cost %	2006-2012	22	14
	2000-2012	10.2	6.0
Inadequate Prenatal Care %	2013	10.3	5.7

Indicator	Year(s)	Curry	Oregon
Immunized 2-Year-Olds %	2013	41.2	58.2
mmamzea z rear cias //	2012	51.3	60.6
Immunized Seniors crude %	2006-2009	62.4	69.2
	2004-2007	59.1	70.5
Critical Access Hospital (CAH) Beds count	2014 2013	24 24	561 551
Environmental Health	2013	21	331
Air Pollution days: The average daily measure of fine	2011	7.7	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	9.5	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	0	171
Nitrate Risk in at Least One Public Water System	2011	no	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	20.2	17.2
Overweight age-adjusted %	2008-2011	29.9	35.5
Overweight age-adjusted 70	2006-2009	30.4	36.1
Obese age-adjusted %	2008-2011 2006-2009	31.5 29.8	24.8 24.5
	2006-2009	49.4	55.8
Physical Activity age-adjusted %	2004-2007	63.9	57.9
Eat Recommended Amount of Fruits &	2006-2009	37.4	27.0
Vegetables age-adjusted %	2004-2007	20.4	26.6
Current Smokers age-adjusted %	2008-2011	32.3	16.3
current smokers age adjusted 70	2006-2009	18.4	17.1
Binge Drinking age-adjusted % of males	2006-2009	21.5*	18.7
	2004-2007	29.7	19.7
Binge Drinking age-adjusted % of females	2006-2009	8.8*	10.8
	2004-2007 2008-2011	12.5 24	8.7 25.4
Arthritis age-adjusted %	2006-2011	34.1*	25.8
Asslance and all sated O/	2008-2011	8.8	9.9
Asthma age-adjusted %	2006-2009	12.6	9.7
Heart Attack age-adjusted %	2008-2011	4.4*	3.3
	2006-2009 2008-2011	4.4 4.9	3.3 3.5
Angina age-adjusted %	2006-2011	6.0	3.4
Stroke age-adjusted %	2008-2011	1.3*	2.3
Stroke age-adjusted 70	2006-2009	1.5*	2.3
Diabetes age-adjusted %	2008-2011	6.8	7.2
	2006-2009	6.1*	6.8
High Blood Pressure age-adjusted %	2008-2011 2006-2009	22.7 25.8	26.6 25.8
	2008-2011	29.3	32.2
High Blood Cholesterol age-adjusted %	2006-2009	32.6	33.0

Curry County

Indicator	Year(s)	Curry	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	424.8	455.9
carreer age asjusted her cases per respect	2005-2009	463.3	464.6
Teen Pregnancy per 1,000	2013	27.5	28.4
	2010	37.7	38.6
Life Expectancy at Birth male	2009-2013 2004-2008	73.8 74.3	77.4 76.4
	2004-2008	80.3	81.8
Life Expectancy at Birth female	2004-2008	80.3	80.8
	2013	10.3	5.0
Infant Mortality Rate per 1,000	2012	5.4	5.3
Lavy Birth Walant Pata and 1 000	2014	37.9	62.5
Low Birth Weight Rate per 1,000	2013	46.2	63.0
Years of Potential Life Lost (YPLL)	2010-2012	8,926	5,958
age-adjusted per 100,000	2008-2010	8,931	6,076
HIV new cases	2014	0	146
	2013	1	218
Cuisida Dasha a sa a diuatad sata sa sa 100,000	2011-2013	27.9 (Co,Cu,)	16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	33.5	16.0
	2013	(Co,Cu) 9	461
Firearm Deaths count	2012	5	442
	2013	185	49,510
Car Crashes count	2012	188	49,798
Car Crash Deaths count	2013	3	313
Car Crash Deaths Count	2012	•••	336
Work-Related Deaths count	2012	2	47
Work helated Death's count	2011	2	59
Pertussis count	2013	0	485
	2012	0	911
Influenza count	2013	0	84
	2012	1	67
Salmonella count	2013 2012	1 0	375 404
	2012	36	14,265
Chlamydia count	2013	26	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	17.7	9.6
M. J	2013	•••	123
Methamphetamine-Related Deaths count	2012	•••	93
Children with Developmental	2013	241	5,625
Disabilities count	2012	(Co,Cu,Jo) 31	5,191
	2012	51	3,131

Deschutes County



Deschutes County Snapshot

Population Estimate	166,400
Life Expectancy at Birth male	79.0
Life Expectancy at Birth female	82.7
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	5,431
Low Birth Weight Rate per 1,000	69.8
Infant Mortality Rate per 1,000	4.1
Chronic Absenteeism %	17.7

Indicator	Year(s)	Deschutes	Oregon
Population Estimate (Certified)	2014	166,400	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.45	0.45
Minority Income as a % of White Income	2009-2013	54.7	57.2
Children in Poverty %	2013 2012	20.1 21.7	21.6 22.7
Violent Crime per 100,000	2010-2012 2009-2011	295 298	249 251
Median Household Income	2013 2012	49,427 48,591	50,228 49,090
Unemployment %	2014 2013	8.1 9.5	6.9 7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:1488	1:1514
Home Ownership %	2009-2013 2000	65.5 72.3	62.0 64.3
High Housing Costs %	2009-2013 2007-2011	43 42	40 39
Homelessness count	2011 2010	1,775 1,688	22,116 19,208
High School Graduates %	2009-2013	93.1	88.6
College Degree %	2009-2013	31.0	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
Access to Exercise Opportunities %	2006 2010 & 2013 2010 & 2012	0.0 88 77	22.2 89 81

Deschutes County


Indicator	Year(s)	Deschutes	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	46.8	N/A
Lunch %	2012-2013 AY	47.6	N/A
Limited Access to Healthy Foods %	2012	4	5
Fast Food: % living within 1/2 mile	2012	19.3	33.4
Supermarkets: % living within 1/2 mile	2012	10.8	19.4
Alcohol Outlets count	2015 (February)	679	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	97	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	127 139	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	61	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009	90.6	86.9
<i>3</i> ,	2004-2007 2006-2009	89.1 65.1	85.4 63.6
Good Physical Health age-adjusted %	2006-2009	63.3	62.3
	2004-2007	68.5	66.4
Good Mental Health age-adjusted %	2004-2007	65.1	63.8
Inadequate Social Support %	2005-2010	14	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	80.3	83.6
age-adjusted %	2004-2007	80.7	82.8
Adults in OHP age-adjusted %	2006-2009	3.1	5.1
	2004-2007	3.5	6.2
Pregnant Women Served by WIC %	2013 2012	44 47	45 46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	77.7	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	87.7	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	65.0	61.2
Preventable Hospital Stays per 1,000	2012	28	38
(Ambulatory Care Sensitive Conditions)	2011	33	42
Primary Care Physicians ratio to population	2012	1:1021	1:1105
, , , , , , , , , , , , , , , , , , , ,	2011	1:1034	1:1115
Dentists ratio to population	2013 2012	1:1257 1:1288	1:1363 1:1399
Mental Health Providers ratio to population	2012	1:1288	1:1399
Could Not See Doctor Due to Cost %	2006-2012	1.510	1.299
Could Not See Doctor Due to Cost 70	2006-2012	3.3	6.0
Inadequate Prenatal Care %	2014	3.3 4.9	5.7

Indicator	Year(s)	Deschutes	Oregon
Immunized 2-Year-Olds %	2013	53.4	58.2
irrifitatilized z-Teat-Olds 70	2012	57.7	60.6
Immunized Seniors crude %	2006-2009	72.5	69.2
immunized Semons Crude 70	2004-2007	72.2	70.5
Critical Access Hospital (CAH) Beds count	2014	no CAH	561
Critical Access Flospital (CALI) Beas count	2013	no CAH	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	8.1	8.9
particulate matter in micrograms per cubic meter	2008	8.5	9.1
(PM2.5) in a county	2000	0.5	2.1
Acute Pesticide Exposure:	2009-2011	3	171
"Likely" Illnesses 6-year count			
Nitrate Risk in at Least One Public	2011	yes	yes
Water System		,	,
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	17.7	17.2
Overweight age-adjusted %	2008-2011	40.1	35.5
overweight age adjusted /v	2006-2009	41.0	36.1
Obese age-adjusted %	2008-2011 2006-2009	17.2 15.7	24.8 24.5
	2006-2009	61.1	55.8
Physical Activity age-adjusted %	2004-2007	60.9	57.9
Eat Recommended Amount of Fruits &	2006-2009	26.1	27.0
Vegetables age-adjusted %	2004-2007	31.2	26.6
Current Constraint and adjusted O/	2008-2011	13.8	16.3
Current Smokers age-adjusted %	2006-2009	14.1	17.1
Binge Drinking age-adjusted % of males	2006-2009	18.4	18.7
billige billiking age-adjusted 70 of males	2004-2007	19.8	19.7
Binge Drinking age-adjusted % of females	2006-2009	12.4	10.8
billige Dillikillig age-adjusted % of fernales	2004-2007	12.2	8.7
Arthritis age-adjusted %	2008-2011	28.8	25.4
7 it initionage adjusted 70	2006-2009	28	25.8
Asthma age-adjusted %	2008-2011 2006-2009	9.2 9.2	9.9 9.7
	2008-2011	2.3	3.3
Heart Attack age-adjusted %	2006-2009	2.7	3.3
A	2008-2011	2.9	3.5
Angina age-adjusted %	2006-2009	2.4	3.4
Stroke age-adjusted %	2008-2011	1.5	2.3
Stroke age adjusted /v	2006-2009	1.2	2.3
Diabetes age-adjusted %	2008-2011	5.8	7.2
	2006-2009	5.0	6.8
High Blood Pressure age-adjusted %	2008-2011	21.2	26.6
	2006-2009 2008-2011	20.6 37.8	25.8 32.2
High Blood Cholesterol age-adjusted %	2006-2011	37.8	33.0
		52.7	

Deschutes County

Indicator	Year(s)	Deschutes	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	485.4	455.9
carreer age adjusted new cases per 100,000	2005-2009	476.3	464.6
Teen Pregnancy per 1,000	2013	25.4	28.4
recording per 1,000	2010	35.4	38.6
Life Expectancy at Birth male	2009-2013	79.0	77.4
	2004-2008	79.2	76.4
Life Expectancy at Birth female	2009-2013	82.7	81.8
	2004-2008	82.2	80.8
Infant Mortality Rate per 1,000	2013	4.1	5.0
, , ,	2012	4.3	5.3
Low Birth Weight Rate per 1,000	2014	69.8	62.5
	2013	63.3	63.0
Years of Potential Life Lost (YPLL)	2010-2012	5,431	5,958
age-adjusted per 100,000	2008-2010	5,410	6,076
HIV new cases	2014	0	146
	2013	4	218
Suicide Deaths age-adjusted rate per 100,000	2011-2013 2008-2010	18.8 19.4	16.9 16.0
5. 0.1	2013	14	461
Firearm Deaths count	2012	19	442
	2013	1,634	49,510
Car Crashes count	2012	1,622	49,798
Co. Cook Double cook	2013	7	313
Car Crash Deaths count	2012	18	336
Mad. Dalatad Daatha agust	2012	1	47
Work-Related Deaths count	2011	5	59
Down use a sount	2013	6	485
Pertussis count	2012	3	911
Influenza count	2013	5	84
Influenza count	2012	3	67
Calmanalla caunt	2013	19	375
Salmonella count	2012	17	404
Chlamydia count	2013	530	14,265
Chlamydia count	2012	621	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	10.9	9.6
Mathamphatamina Rolated Deaths court	2013	2	123
Methamphetamine-Related Deaths count	2012	3	93
Children with Developmental	2013	167	5,625
Disabilities count	2012	155	5,191

Douglas County



Douglas County Snapshot

Population Estimate	109,385
Life Expectancy at Birth male	75.0
Life Expectancy at Birth female	80.4
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	7,753
Low Birth Weight Rate per 1,000	66.4
Infant Mortality Rate per 1,000	8.5
Chronic Absenteeism %	20.1

Indicator	Year(s)	Douglas	Oregon
Population Estimate (Certified)	2014	109,385	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.43	0.45
Minority Income as a % of White Income	2009-2013	73.6	57.2
Children in Poverty %	2013 2012	28.6 32.8	21.6 22.7
Violent Crime per 100,000	2010-2012	116	249
Holeite elime per 188,800	2009-2011	114	251
Median Household Income	2013	40,243	50,228
Wedian Household medine	2012	39,399	49,090
Unemployment %	2014	9.7	6.9
	2013	10.8	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:1806	1:1514
Home Ownership %	2009-2013	68.8	62.0
	2000	71.7	64.3
High Housing Costs %	2009-2013	37	40
	2007-2011 2011	34 722	22,116
Homelessness count	2010	989	19,208
High School Graduates %	2009-2013	87.7	88.6
College Degree %	2009-2013	16.1	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
Tidofidated Water 70	2006	0.0	22.2
Access to Exercise Opportunities %	2010 & 2013	68	89
11	2010 & 2012	55	81

Douglas County


Indicator	Year(s)	Douglas	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	60.8	N/A
Lunch %	2012-2013 AY	62.8	N/A
Limited Access to Healthy Foods %	2012	11	5
Fast Food: % living within 1/2 mile	2012	21.1	33.4
Supermarkets: % living within 1/2 mile	2012	13.0	19.4
Alcohol Outlets count	2015 (February)	399	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	118	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	68 71	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	40	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009	81.3	86.9
Good General Flediti age adjusted 76	2004-2007	80.3	85.4
Good Physical Health age-adjusted %	2006-2009	61.2 58.7	63.6 62.3
	2004-2007 2006-2009	62.2	66.4
Good Mental Health age-adjusted %	2000-2009	60.7	63.8
Inadequate Social Support %	2005-2010	16	16
Health Service Access	2000 2010		
Adults with Any Health Insurance	2006-2009	80.0	83.6
age-adjusted %	2004-2007	81.3	82.8
Add he's OUD are added at 100	2006-2009	11.1	5.1
Adults in OHP age-adjusted %	2004-2007	9.7	6.2
Pregnant Women Served by WIC %	2013	62	45
rregnant women served by wic 70	2012	66	46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	75.8	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	87.3	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	68.5	61.2
Preventable Hospital Stays per 1,000	2012	35	38
(Ambulatory Care Sensitive Conditions)	2011	42	42
Primary Care Physicians ratio to population	2012	1:1576	1:1105
, , , , , , , , , , , , , , , , , , , ,	2011	1:1604	1:1115
Dentists ratio to population	2013	1:1671	1:1363
Montal Hoalth Providers ratio to population	2012 2014	1:1728 1:522	1:1399
Mental Health Providers ratio to population			1:299
Could Not See Doctor Due to Cost %	2006-2012	22	14
Inadequate Prenatal Care %	2014 2013	5.6 5.0	6.0 5.7
	2013	5.0	5./

Indicator	Year(s)	Douglas	Oregon
Immunized 2-Year-Olds %	2013	65.2	58.2
	2012	66.9	60.6
Immunized Seniors crude %	2006-2009	67.4 66.5	69.2 70.5
	2004-2007 2014	16	70.5 561
Critical Access Hospital (CAH) Beds count	2014	16	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	7.9	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	8.8	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	1	171
Nitrate Risk in at Least One Public Water System	2011	no	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	20.1	17.2
Overweight age-adjusted %	2008-2011	36.1	35.5
<i>y y y y y y y y y y</i>	2006-2009 2008-2011	33.3 33.6	36.1 24.8
Obese age-adjusted %	2006-2009	30.6	24.5
Physical Activity age-adjusted %	2006-2009	59.7	55.8
	2004-2007 2006-2009	57.2 28.8	57.9 27.0
Eat Recommended Amount of Fruits & Vegetables age-adjusted %	2004-2007	25.7	26.6
	2008-2011	26.7	16.3
Current Smokers age-adjusted %	2006-2009	27.1	17.1
Binge Drinking age-adjusted % of males	2006-2009	19.4	18.7
bringe brinking age adjusted 70 or males	2004-2007	13.7	19.7
Binge Drinking age-adjusted % of females	2006-2009	9.1	10.8
	2004-2007 2008-2011	7.7 30	8.7 25.4
Arthritis age-adjusted %	2006-2009	36.8	25.4
Asthma age-adjusted %	2008-2011	14.2	9.9
Astrilla age adjusted 70	2006-2009	12.7	9.7
Heart Attack age-adjusted %	2008-2011 2006-2009	4.7 4.4	3.3 3.3
A series a sea selicente el 0/	2008-2011	3.2	3.5
Angina age-adjusted %	2006-2009	4.0	3.4
Stroke age-adjusted %	2008-2011 2006-2009	3.3 3.8	2.3 2.3
Diabetes age-adjusted %	2008-2011	11.2	7.2
	2006-2009 2008-2011	10.1 33.1	6.8 26.6
High Blood Pressure age-adjusted %	2006-2011	31.4	25.8
High Blood Cholesterol age-adjusted %	2008-2011	38.4	32.2
ringri biood choicsterol age adjusted 70	2006-2009	35.1	33.0

Douglas County

Indicator	Year(s)	Douglas	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	435.3	455.9
	2005-2009	472.3	464.6
Teen Pregnancy per 1,000	2013	38.3	28.4
	2010	49.4	38.6
Life Expectancy at Birth male	2009-2013	75.0	77.4
	2004-2008	73.8	76.4
Life Expectancy at Birth female	2009-2013	80.4	81.8
are an production are an area	2004-2008	79.9	80.8
Infant Mortality Rate per 1,000	2013	8.5	5.0
mane mortality hate per 1,000	2012	6.4	5.3
Low Birth Weight Rate per 1,000	2014	66.4	62.5
Low Birth Weight Nate per 1,000	2013	61.0	63.0
Years of Potential Life Lost (YPLL)	2010-2012	7,753	5,958
age-adjusted per 100,000	2008-2010	7,410	6,076
HIV now cases	2014	3	146
HIV new cases	2013	3	218
Suicide Deaths age-adjusted rate per 100,000	2011-2013	26.7	16.9
Sarciae Beatins age adjusted rate per 100/000	2008-2010	16.9	16.0
Firearm Deaths count	2013	29	461
	2012	25	442
Car Crashes count	2013	1,176	49,510
	2012	1,154	49,798
Car Crash Deaths count	2013	13	313
	2012	15	336
Work-Related Deaths count	2012	3	47
Tronchicated Deaths count	2011	1	59
Pertussis count	2013	3	485
Tertussis court	2012	1	911
Influenza count	2013	2	84
minuchza court	2012	1	67
Salmonella count	2013	7	375
Sairrioriella Courit	2012	16	404
Chlamudia count	2013	289	14,265
Chlamydia count	2012	266	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	22.5	9.6
Mathamahatamina Dalatad Dartha armst	2013	5	123
Methamphetamine-Related Deaths count	2012	2	93
Children with Developmental	2013	114	5,625
Disabilities count	2012	97	5,191

Gilliam County



Gilliam County Snapshot

Population Estimate	1,975
Low Birth Weight Rate per 1,000	333.3
Chronic Absenteeism %	18.1

Indicator	Year(s)	Gilliam	Oregon
Population Estimate (Certified)	2014	1,975	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.40	0.45
Minority Income as a % of White Income	2009-2013	50.9	57.2
Children in Poverty %	2013 2012	19.7 15.6	21.6 22.7
Violent Crime per 100,000	2010-2012 2009-2011	35 36	249 251
Median Household Income	2013 2012	50,027 49,735	50,228 49,090
Unemployment %	2014 2013	6.2 6.9	6.9 7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:1122	1:1514
Home Ownership %	2009-2013 2000	63.3 70.2	62.0 64.3
High Housing Costs %	2009-2013 2007-2011	28 23	40 39
Homelessness count	2011 2010	9	22,116 19,208
High School Graduates %	2009-2013	91.0	88.6
College Degree %	2009-2013	14.7	30.1
Environmental Access			
Fluoridated Water %	2012 2006	N/A 39.6	22.6 22.2
Access to Exercise Opportunities %	2010 & 2013 2010 & 2012	82 71	89 81

Gilliam County


Indicator	Year(s)	Gilliam	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	56.8	N/A
Lunch %	2012-2013 AY	52.6	N/A
Limited Access to Healthy Foods %	2012	21	5
Fast Food: % living within 1/2 mile	2012	29.8	33.4
Supermarkets: % living within 1/2 mile	2012	64.9	19.4
Alcohol Outlets count	2015 (February)	12	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	4	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	4 4	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	35	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009	77.7 (G,S,W)	86.9
assa seneral near age asjastes /s	2004-2007	85.3 (G,Wh)	85.4
Good Physical Health age-adjusted %	2006-2009 2004-2007	65.4 (G,S,W) 74.5 (G,Wh)	63.6 62.3
	2006-2009	66.8 (G,S,W)	66.4
Good Mental Health age-adjusted %	2004-2007	88.2 (G,Wh)	63.8
Inadequate Social Support %	2005-2010	7	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	77.1 (G,S,W)	83.6
age-adjusted %	2004-2007	89.8 (G,Wh)	82.8
Adults in OHP age-adjusted %	2006-2009	6.4* (G,S,W)	5.1
riadits in orin age adjusted 70	2004-2007	•••	6.2
Pregnant Women Served by WIC %	2013	60 (G,S,W)	45
,	2012	67 (G,S,W)	46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	•••	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	•••	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	•••	61.2
Preventable Hospital Stays per 1,000	2012	•••	38
(Ambulatory Care Sensitive Conditions)	2011	•••	42
Primary Care Physicians ratio to population	2012	0:1953	1:1105
	2011	0:1937	1:1115
Dentists ratio to population	2013 2012	0:1947 0:1953	1:1363 1:1399
Mental Health Providers ratio to population	2012	1:1947	1:299
Could Not See Doctor Due to Cost %	2006-2012	1.1347	1.299
Codid Not See Doctor Due to Cost 70	2000-2012	•••	6.0
Inadequate Prenatal Care %	2013	•••	5.7
			J.,

Indicator	Year(s)	Gilliam	Oregon
Immunized 2-Year-Olds %	2013	70.1 (G,S,W)	58.2
	2012	67.8 (G,S,W)	60.6
Immunized Seniors crude %	2006-2009 2004-2007	64.4 (G,S,W)	69.2 70.5
	2004-2007	no CAH	561
Critical Access Hospital (CAH) Beds count	2013	no CAH	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	9.6	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	9.5	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	0	171
Nitrate Risk in at Least One Public Water System	2011	no	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	18.1	17.2
Overweight age-adjusted %	2008-2011	27.6 (2.200)	35.5
	2006-2009 2008-2011	37.6 (G,S,W)	36.1 24.8
Obese age-adjusted %	2006-2009	31.1 (G,S,W)	24.5
Physical Activity age-adjusted %	2006-2009	57.1 (G,S,W)	55.8
	2004-2007 2006-2009	86.7* (G,Wh) 37.7 (G,S,W)	57.9 27.0
Eat Recommended Amount of Fruits & Vegetables age-adjusted %	2000-2009	37.7 (G,S,W) 17.4* (G,Wh)	26.6
	2008-2011	•••	16.3
Current Smokers age-adjusted %	2006-2009	22.8 (G,S,W)	17.1
Binge Drinking age-adjusted % of males	2006-2009	17.0* (G,S,W)	18.7
Singe Dimining age adjusted to or males	2004-2007	•••	19.7
Binge Drinking age-adjusted % of females	2006-2009	4.3* (G,S,W)	10.8
	2004-2007 2008-2011	•••	8.7 25.4
Arthritis age-adjusted %	2006-2009	17.5 (G,S,W)	25.4
Asthma age-adjusted %	2008-2011	•••	9.9
7.strima age adjusted 70	2006-2009 2008-2011	6.5* (G,S,W)	9.7
Heart Attack age-adjusted %	2006-2011	4.6 (G,S,W)	3.3 3.3
Angina ago adjusted 0/	2008-2011	•••	3.5
Angina age-adjusted %	2006-2009	5.0 (G,S,W)	3.4
Stroke age-adjusted %	2008-2011 2006-2009	1.8* (G,S,W)	2.3 2.3
Diabetes age-adjusted %	2008-2011	F.O. (5.5 VI)	7.2
	2006-2009 2008-2011	5.8 (G,S,W)	6.8 26.6
High Blood Pressure age-adjusted %	2006-2011	27.3 (G,S,W)	25.8
High Blood Cholesterol age-adjusted %	2008-2011	•••	32.2
mgm blood choicsterol age-adjusted 70	2006-2009	25.7 (G,S,W)	33.0

Gilliam County

Indicator	Year(s)	Gilliam	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	549.7	455.9
3 , , , , , , , , , , , , , , , , , , ,	2005-2009	510.9	464.6 28.4
Teen Pregnancy per 1,000	2013	•••	28.4 38.6
	2009-2013	•••	77.4
Life Expectancy at Birth male	2004-2008	•••	76.4
Life Expectancy at Birth female	2009-2013	•••	81.8
Life Expectancy at Birth Ternale	2004-2008	•••	80.8
Infant Mortality Rate per 1,000	2013	•••	5.0
, ,	2012	222.2	5.3
Low Birth Weight Rate per 1,000	2014 2013	333.3 55.6	62.5 63.0
Years of Potential Life Lost (YPLL)	2010-2012	•••	5,958
age-adjusted per 100,000	2008-2010	•••	6,076
1007	2014	0	146
HIV new cases	2013	0	218
	2011-2013	18.3 (Cr,G, HR,J,S,W,Wh)	16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	15.4 (Cr,G,	16.0
	2013	HR,J,S,W,Wh)	461
Firearm Deaths count	2013	•••	442
	2013	31	49,510
Car Crashes count	2012	42	49,798
Car Crash Deaths count	2013	0	313
Car Crash Deaths Count	2012	•••	336
Work-Related Deaths count	2012	0	47
	2011	0	59
Pertussis count	2013 2012	0	485 911
	2012	0	84
Influenza count	2013	0	67
Calaranalla assessa	2013	0	375
Salmonella count	2012	0	404
Chlamydia count	2013	0	14,265
,	2012	1	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	•••	9.6
Methamphetamine-Related Deaths count	2013	•••	123
·	2012	•••	93
Children with Developmental Disabilities count	2013	3	5,625
Disabilities Court	2012	3	5,191

Grant County



Grant County Snapshot

Population Estimate	7,425
Life Expectancy at Birth male	80.1
Life Expectancy at Birth female	84.1
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	4,708
Low Birth Weight Rate per 1,000	48.4
Chronic Absenteeism %	16.8

Indicator	Year(s)	Grant	Oregon
Population Estimate (Certified)	2014	7,425	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.47	0.45
Minority Income as a % of White Income	2009-2013	41.4	57.2
Children in Poverty %	2013	29	21.6
	2012	28.5	22.7
Violent Crime per 100,000	2010-2012	13	249
	2009-2011	18	251
Median Household Income	2013	40,569	50,228
	2012	37,177	49,090
Unemployment %	2014	10.5	6.9
	2013	11.8	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:4317	1:1514
Home Ownership %	2009-2013	70.4	62.0
	2000	73.5	64.3
High Housing Costs %	2009-2013	30	40
	2007-2011	26	39
Homelessness count	2011		22,116
	2010	0	19,208
High School Graduates %	2009-2013	89.5	88.6
College Degree %	2009-2013	20.5	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	0.0	22.2
Access to Exercise Opportunities %	2010 & 2013	65	89
	2010 & 2012	46	81

Grant County

Indicator	Year(s)	Grant	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	57.7	N/A
Lunch %	2012-2013 AY	51.6	N/A
Limited Access to Healthy Foods %	2012	18	5
Fast Food: % living within 1/2 mile	2012	16.5	33.4
Supermarkets: % living within 1/2 mile	2012	11.7	19.4
Alcohol Outlets count	2015 (February)	48	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	15	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	8 9	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	25	55
Self-Assessment Self-Assessment			
Good General Health age-adjusted %	2006-2009	87.0	86.9
Good General Health age adjusted 78	2004-2007	86.7	85.4
Good Physical Health age-adjusted %	2006-2009 2004-2007	62.8 59.1	63.6 62.3
	2004-2007	66.9	66.4
Good Mental Health age-adjusted %	2000-2009	68.1	63.8
Inadequate Social Support %	2005-2010	18	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	70.4	83.6
age-adjusted %	2004-2007	69.3	82.8
Adults in OHP age-adjusted %	2006-2009	•••	5.1
Addits in Orii age adjusted 70	2004-2007	•••	6.2
Pregnant Women Served by WIC %	2013 2012	43 54	45 46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	•••	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	•••	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	33.7*	61.2
Preventable Hospital Stays per 1,000	2012	46	38
(Ambulatory Care Sensitive Conditions)	2011	55	42
Primary Care Physicians ratio to population	2012	1:1045	1:1105
	2011	1:1235	1:1115
Dentists ratio to population	2013 2012	1:1214 1:1220	1:1363 1:1399
Mental Health Providers ratio to population	2012	1:809	1:299
Could Not See Doctor Due to Cost %	2006-2012	19	1.299
Codia Not See Doctor Due to Cost //	2000-2012	12.9	6.0
Inadequate Prenatal Care %	2013	10.2	5.7

Indicator	Year(s)	Grant	Oregon
Immunized 2-Year-Olds %	2013	63.9	58.2
	2012	60.8	60.6
Immunized Seniors crude %	2006-2009	65.0	69.2
	2004-2007	78.3	70.5
Critical Access Hospital (CAH) Beds count	2014 2013	16 16	561 551
Environmental Health	2013	10	331
Air Pollution days: The average daily measure of fine	2011	8.9	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	8.8	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	0	171
Nitrate Risk in at Least One Public Water System	2011	no	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	16.8	17.2
Overweight age-adjusted %	2008-2011	45.8	35.5
Overweight age adjusted //	2006-2009	34.1	36.1
Obese age-adjusted %	2008-2011 2006-2009	21.8 29.7	24.8 24.5
	2006-2009	57.4	55.8
Physical Activity age-adjusted %	2004-2007	80.3	57.9
Eat Recommended Amount of Fruits &	2006-2009	25.1*	27.0
Vegetables age-adjusted %	2004-2007	24.6	26.6
Current Smokers age-adjusted %	2008-2011 2006-2009	26.2 24.4	16.3 17.1
	2006-2009		18.7
Binge Drinking age-adjusted % of males	2004-2007	16.2	19.7
	2006-2009	26.6*	10.8
Binge Drinking age-adjusted % of females	2004-2007	26.1	8.7
Authorities and officers of O/	2008-2011	21.8*	25.4
Arthritis age-adjusted %	2006-2009	11.2*	25.8
Asthma age-adjusted %	2008-2011	12.1	9.9
	2006-2009 2008-2011	13.6* 1.9	9.7 3.3
Heart Attack age-adjusted %	2006-2009	2.9*	3.3
Angina age-adjusted %	2008-2011 2006-2009	2.6 2.5*	3.5 3.4
Stroke age-adjusted %	2008-2011 2006-2009	2.4*	2.3 2.3
Diabetes age-adjusted %	2008-2011	5.8*	7.2
J ,	2006-2009	6.7	6.8
High Blood Pressure age-adjusted %	2008-2011 2006-2009	22.8 21.7	26.6 25.8
	2008-2011	68.3	32.2
High Blood Cholesterol age-adjusted %	2006-2009	42.1*	33.0

Grant County

Indicator	Year(s)	Grant	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	396.1	455.9
	2005-2009	396.5	464.6 28.4
Teen Pregnancy per 1,000	2013	23.7	38.6
116.5	2009-2013	80.1	77.4
Life Expectancy at Birth male	2004-2008	77.4	76.4
Life Expectancy at Birth female	2009-2013	84.1	81.8
Life Expectaticy at birth emale	2004-2008	79.6	80.8
Infant Mortality Rate per 1,000	2013	•••	5.0
, ,	2012 2014	40.4	5.3 62.5
Low Birth Weight Rate per 1,000	2014	48.4 83.3	63.0
Years of Potential Life Lost (YPLL)	2010-2012	4,708	5,958
age-adjusted per 100,000	2008-2010	4,605	6,076
HIV new cases	2014	0	146
TIIV HeW Cases	2013	0	218
	2011-2013	16.5 (Ba,Gr,H, Mal,Mo,U,Un,Wa)	16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	19.0 (Ba,Gr,H,	16.0
	2013	Mal,Mo,U,Un,Wa)	461
Firearm Deaths count	2012	1	442
Car Crashes count	2013	73	49,510
car crashes count	2012	60	49,798
Car Crash Deaths count	2013	1	313
	2012	1	336
Work-Related Deaths count	2012	0 1	47 59
	2013	0	485
Pertussis count	2012	0	911
Influenza count	2013	1	84
Illideriza Courit	2012	0	67
Salmonella count	2013	0	375
	2012	0	404
Chlamydia count	2013 2012	19 10	14,265 13,501
Smokeless Tobacco Use Among 11th	2012	23.8*	9.6
Grade Males %			
Methamphetamine-Related Deaths count	2013 2012	•••	123 93
Children with Developmental	2013	8	5,625
Disabilities count	2012	7	5,191

Harney County



Harney County Snapshot

Population Estimate	7,265
Life Expectancy at Birth male	76.3
Life Expectancy at Birth female	78.7
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	9,402
Low Birth Weight Rate per 1,000	68.2
Infant Mortality Rate per 1,000	22.2
Chronic Absenteeism %	18.2

Indicator	Year(s)	Harney	Oregon
Population Estimate (Certified)	2014	7,265	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.42	0.45
Minority Income as a % of White Income	2009-2013	48.9	57.2
Children in Poverty %	2013 2012	28 29.5	21.6 22.7
Violent Crime per 100,000	2010-2012	67	249
violent chine per 100,000	2009-2011	74	251
Median Household Income	2013	37,041	50,228
median riodsensia medine	2012	35,848	49,090
Unemployment %	2014	10.8	6.9
	2013	12.3	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:3805	1:1514
Home Ownership %	2009-2013	64.9	62.0
· ·	2000	72.7	64.3
High Housing Costs %	2009-2013 2007-2011	30 24	40 39
	2011	3	22,116
Homelessness count	2010	16	19,208
High School Graduates %	2009-2013	87.9	88.6
College Degree %	2009-2013	15.6	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
Fideridated Water 70	2006	3.5	22.2
Access to Exercise Opportunities %	2010 & 2013	65	89
	2010 & 2012	52	81

Harney County

Indicator	Year(s)	Harney	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	59.6	N/A
Lunch %	2012-2013 AY	65.7	N/A
Limited Access to Healthy Foods %	2012	13	5
Fast Food: % living within 1/2 mile	2012	29.1	33.4
Supermarkets: % living within 1/2 mile	2012	16.9	19.4
Alcohol Outlets count	2015 (February)	48	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	15	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	13 13	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	51	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009	83.6	86.9
and a series and a	2004-2007	84.2	85.4
Good Physical Health age-adjusted %	2006-2009 2004-2007	70.2 66.6	63.6 62.3
	2004-2007	75.9	66.4
Good Mental Health age-adjusted %	2004-2007	62.7	63.8
Inadequate Social Support %	2005-2010	•••	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	81.2	83.6
age-adjusted %	2004-2007	73.6	82.8
Adults in OHP age-adjusted %	2006-2009	•••	5.1
Addits in orn age adjusted 70	2004-2007	10.0	6.2
Pregnant Women Served by WIC %	2013	45	45
,	2012	57	46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	•••	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	•••	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	49.4	61.2
Preventable Hospital Stays per 1,000	2012	38	38
(Ambulatory Care Sensitive Conditions)	2011	37	42
Primary Care Physicians ratio to population	2012	1:1202	1:1105
	2011	1:1475	1:1115
Dentists ratio to population	2013 2012	1:1191 1:1202	1:1363 1:1399
Mental Health Providers ratio to population	2014	1:275	1:299
Could Not See Doctor Due to Cost %	2006-2012	•••	1.233
	2014	10.4	6.0
Inadequate Prenatal Care %	2013	7.2	5.7

Indicator	Year(s)	Harney	Oregon
Immunized 2-Year-Olds %	2013	49.2	58.2
ITITITATINECA E TCAI GIAS //	2012	56.6	60.6
Immunized Seniors crude %	2006-2009	•••	69.2
	2004-2007	•••	70.5
Critical Access Hospital (CAH) Beds count	2014 2013	25 25	561 551
Environmental Health	2013	23	331
Air Pollution days: The average daily measure of fine	2011	9.1	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	9	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	1	171
Nitrate Risk in at Least One Public Water System	2011	no	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	18.2	17.2
Overweight age-adjusted %	2008-2011	40.1	35.5
Overweight age-adjusted 70	2006-2009	37.4	36.1
Obese age-adjusted %	2008-2011 2006-2009	22.7 22.8	24.8 24.5
	2006-2009	54.0	55.8
Physical Activity age-adjusted %	2004-2007	68.6	57.9
Eat Recommended Amount of Fruits &	2006-2009	21.9*	27.0
Vegetables age-adjusted %	2004-2007	24.9	26.6
Current Smokers age-adjusted %	2008-2011	8.4*	16.3
	2006-2009	14.3	17.1
Binge Drinking age-adjusted % of males	2006-2009	171	18.7
	2004-2007	17.1	19.7 10.8
Binge Drinking age-adjusted % of females	2006-2009 2004-2007	11.7	8.7
	2004-2007	11.2 14*	25.4
Arthritis age-adjusted %	2006-2009	26.8*	25.8
Acthma ago adjusted 04	2008-2011	15.1	9.9
Asthma age-adjusted %	2006-2009	13.3*	9.7
Heart Attack age-adjusted %	2008-2011 2006-2009	6.0*	3.3 3.3
	2008-2011	•••	3.5
Angina age-adjusted %	2006-2009	•••	3.4
Stroke age-adjusted %	2008-2011 2006-2009	•••	2.3 2.3
Diabetes age-adjusted %	2008-2011	7.7*	7.2
Diabetes age adjusted //	2006-2009	8.1*	6.8
High Blood Pressure age-adjusted %	2008-2011	14.4	26.6
<i>y</i> ,,	2006-2009 2008-2011	22.2 37.8*	25.8 32.2
High Blood Cholesterol age-adjusted %	2006-2011	37.8	33.0

Harney County

Indicator	Year(s)	Harney	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	383.1	455.9
	2005-2009	393.8	464.6 28.4
Teen Pregnancy per 1,000	2013 2010	37	38.6
to a large and the second and the se	2009-2013	76.3	77.4
Life Expectancy at Birth male	2004-2008	76.9	76.4
Life Expectancy at Birth female	2009-2013	78.7	81.8
Life Expectancy at birth ternale	2004-2008	80.9	80.8
Infant Mortality Rate per 1,000	2013	22.2	5.0
·	2012 2014	68.2	5.3 62.5
Low Birth Weight Rate per 1,000	2014	67.4	63.0
Years of Potential Life Lost (YPLL)	2010-2012	9,402	5,958
age-adjusted per 100,000	2008-2010	7,727	6,076
HIV new cases	2014	0	146
TIIV HEW Cases	2013	0	218
	2011-2013	16.5 (Ba,Gr,H, Mal,Mo,U,Un,Wa)	16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	19.0 (Ba,Gr,H,	16.0
	2013	Mal,Mo,U,Un,Wa) 1	461
Firearm Deaths count	2012	5	442
Car Crashes count	2013	77	49,510
Cai Clasties Courit	2012	78	49,798
Car Crash Deaths count	2013	2	313
	2012	2	336
Work-Related Deaths count	2012 2011	0	47 59
	2013	0	485
Pertussis count	2012	2	911
Influenza count	2013	0	84
initueriza count	2012	0	67
Salmonella count	2013	1	375
	2012	3	404
Chlamydia count	2013 2012	26 15	14,265 13,501
Smokeless Tobacco Use Among 11th		13	
Grade Males %	2013	•••	9.6
Methamphetamine-Related Deaths count	2013	•••	123
	2012	0	93
Children with Developmental Disabilities count	2013	10 (H,L)	5,625
Disabilities Courit	2012	12 (H,L)	5,191



Hood River County Snapshot

Population Estimate	23,730
Life Expectancy at Birth male	79.1
Life Expectancy at Birth female	82.4
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	4,674
Low Birth Weight Rate per 1,000	42.8
Infant Mortality Rate per 1,000	3.5
Chronic Absenteeism %	15.9

Indicator	Year(s)	Hood River	Oregon
Population Estimate (Certified)	2014	23,730	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.38	0.45
Minority Income as a % of White Income	2009-2013	47.7	57.2
Children in Poverty %	2013	21.4	21.6
	2012	21.8	22.7
Violent Crime per 100,000	2010-2012	111	249
	2009-2011	70	251
Median Household Income	2013	50,891	50,228
	2012	53,023	49,090
Unemployment %	2014	5.3	6.9
	2013	6.1	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:4657	1:1514
Home Ownership %	2009-2013	66.1	62.0
	2000	64.9	64.3
High Housing Costs %	2009-2013	35	40
	2007-2011	35	39
Homelessness count	2011	284	22,116
	2010	482	19,208
High School Graduates %	2009-2013	84.1	88.6
College Degree %	2009-2013	30.5	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	0.0	22.2
Access to Exercise Opportunities %	2010 & 2013	89	89
	2010 & 2012	75	81

Hood River County

Hood River County


Indicator	Year(s)	Hood River	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	58.7	N/A
Lunch %	2012-2013 AY	59.6	N/A
Limited Access to Healthy Foods %	2012	1	5
Fast Food: % living within 1/2 mile	2012	26.3	33.4
Supermarkets: % living within 1/2 mile	2012	17.2	19.4
Alcohol Outlets count	2015 (February)	178	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	25	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	9 11	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	53	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009 2004-2007	83.1 81.8	86.9 85.4
Good Physical Health age-adjusted %	2006-2009	72.9	63.6
dood i ffysical fleatiff age-adjusted 70	2004-2007	68.9	62.3
Good Mental Health age-adjusted %	2006-2009	70.4	66.4
<u> </u>	2004-2007	67.2	63.8
Inadequate Social Support %	2005-2010	17	16
Health Service Access			
Adults with Any Health Insurance age-adjusted %	2006-2009 2004-2007	79.2 77.6	83.6 82.8
age adjusted //	2004-2007	•••	5.1
Adults in OHP age-adjusted %	2004-2007	4.0	6.2
	2013	55	45
Pregnant Women Served by WIC %	2012	60	46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	95.0	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	92.7	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	55.2	61.2
Preventable Hospital Stays per 1,000	2012	32	38
(Ambulatory Care Sensitive Conditions)	2011	33	42
Primary Care Physicians ratio to population	2012	1:491	1:1105
	2011 2013	1:511	1:1115
Dentists ratio to population	2013	1:872 1:869	1:1363 1:1399
Mental Health Providers ratio to population	2012	1:420	1:299
Could Not See Doctor Due to Cost %	2006-2012	1.420	1.233
	2014	4.1	6.0
Inadequate Prenatal Care %	2013	4.7	5.7

Indicator	Year(s)	Hood River	Oregon
Improved a Very Olds 0/	2013	65.8	58.2
Immunized 2-Year-Olds %	2012	66.5	60.6
Improved Conjugate article 0/	2006-2009	68.4	69.2
Immunized Seniors crude %	2004-2007	75.2	70.5
Citized According to 1/CALIN Deals accord	2014	25	561
Critical Access Hospital (CAH) Beds count	2013	25	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	9.7	8.9
particulate matter in micrograms per cubic meter	2000	0.0	0.1
(PM2.5) in a county	2008	9.9	9.1
Acute Pesticide Exposure:	2009-2011	1	171
"Likely" Illnesses 6-year count	2007 2011	'	171
Nitrate Risk in at Least One Public	2011	yes	yes
Water System	2011	,	,
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	15.9	17.2
Overweight age-adjusted %	2008-2011	35.0	35.5
overweight age adjusted //	2006-2009	38.8	36.1
Obese age-adjusted %	2008-2011	19.7 26.5	24.8 24.5
, -	2006-2009 2006-2009	33.7	55.8
Physical Activity age-adjusted %	2004-2007	52.3	57.9
Eat Recommended Amount of Fruits &	2006-2009	28.5*	27.0
Vegetables age-adjusted %	2004-2007	37.8	26.6
	2008-2011	9.5*	16.3
Current Smokers age-adjusted %	2006-2009	8.6	17.1
Dinga Dvinking and adjusted 0/ of males	2006-2009	45.5	18.7
Binge Drinking age-adjusted % of males	2004-2007	33.8	19.7
Diana Daiahina ana adiwatad 0/ affamala	2006-2009	•••	10.8
Binge Drinking age-adjusted % of females	2004-2007	3.7	8.7
Arthritis age-adjusted %	2008-2011	21.2	25.4
Artifilis age-adjusted %	2006-2009	24.2	25.8
Asthma age-adjusted %	2008-2011	2.2*	9.9
3 ,	2006-2009 2008-2011	•••	9.7 3.3
Heart Attack age-adjusted %	2006-2011	5.8*	3.3
	2008-2011	•••	3.5
Angina age-adjusted %	2006-2009	3.6*	3.4
Stroke age-adjusted %	2008-2011	•••	2.3
Shore age adjusted 70	2006-2009	•••	2.3
Diabetes age-adjusted %	2008-2011	5.3*	7.2
	2006-2009	4.4*	6.8
High Blood Pressure age-adjusted %	2008-2011	20.6	26.6
5	2006-2009 2008-2011	23.2 12.1	25.8 32.2
High Blood Cholesterol age-adjusted %	2006-2011	13.4*	33.0
	2000 2007	13.1	55.0

Hood River County

Indicator	Year(s)	Hood River	Oregon
C1't 100,000	2007-2011	442.4	455.9
Cancer age-adjusted new cases per 100,000	2005-2009	431.1	464.6
Teen Pregnancy per 1,000	2013	23.7	28.4
reen riegilancy per 1,000	2010	31	38.6
Life Expectancy at Birth male	2009-2013	79.1	77.4
Life Expectancy at birth male	2004-2008	76.9	76.4
Life Expectancy at Birth female	2009-2013	82.4	81.8
Life Expectancy at birth ternale	2004-2008	82.7	80.8
Infant Mortality Rate per 1,000	2013	3.5	5.0
initiality Note per 1,000	2012	•••	5.3
Low Birth Weight Rate per 1,000	2014	42.8	62.5
Low birth weight hate per 1,000	2013	60.3	63.0
Years of Potential Life Lost (YPLL)	2010-2012	4,674	5,958
age-adjusted per 100,000	2008-2010	5,399	6,076
HIV new cases	2014	0	146
THY HEW CASES	2013	1	218
Suicide Deaths age-adjusted rate per 100,000	2011-2013	18.3 (Cr,G, HR,J,S,W,Wh)	16.9
	2008-2010	15.4 (Cr,G, HR,J,S,W,Wh)	16.0
C Davida a	2013	1	461
Firearm Deaths count	2012	1	442
Car Creak as assure	2013	269	49,510
Car Crashes count	2012	286	49,798
Car Crash Deaths count	2013	2	313
Car Crash Deaths Count	2012	5	336
Work-Related Deaths count	2012	0	47
Work-Related Deaths Count	2011	0	59
Portugic count	2013	0	485
Pertussis count	2012	8	911
Influenza count	2013	0	84
Illinderiza Codrit	2012	0	67
Salmonella count	2013	4	375
Salitionella Count	2012	2	404
Chlamydia count	2013	48	14,265
Critarriyata Court	2012	73	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	4.5*	9.6
Male I a constitution of	2013	1	123
Methamphetamine-Related Deaths count	2012	0	93
Children with Developmental	2013	•••	5,625
Disabilities count	2012	•••	5,191

Jackson County



Jackson County Snapshot

Population Estimate	208,375
Life Expectancy at Birth male	76.8
Life Expectancy at Birth female	81.7
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	6,475
Low Birth Weight Rate per 1,000	69.2
Infant Mortality Rate per 1,000	3.9
Chronic Absenteeism %	23.5

Indicator	Year(s)	Jackson	Oregon
Population Estimate (Certified)	2014	208,375	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.45	0.45
Minority Income as a % of White Income	2009-2013	54.5	57.2
Children in Poverty %	2013	26.7	21.6
	2012	26.8	22.7
Violent Crime per 100,000	2010-2012	298	249
	2009-2011	272	251
Median Household Income	2013	43,393	50,228
	2012	44,392	49,090
Unemployment %	2014	8.6	6.9
	2013	9.5	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:1466	1:1514
Home Ownership %	2009-2013	62.2	62.0
	2000	66.5	64.3
High Housing Costs %	2009-2013	45	40
	2007-2011	45	39
Homelessness count	2011	1,029	22,116
	2010	912	19,208
High School Graduates %	2009-2013	89.1	88.6
College Degree %	2009-2013	24.8	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	0.3	22.2
Access to Exercise Opportunities %	2010 & 2013	85	89
	2010 & 2012	67	81

Jackson County


Indicator	Year(s)	Jackson	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	61.7	N/A
Lunch %	2012-2013 AY	59.5	N/A
Limited Access to Healthy Foods %	2012	5	5
Fast Food: % living within 1/2 mile	2012	27.7	33.4
Supermarkets: % living within 1/2 mile	2012	13.8	19.4
Alcohol Outlets count	2015 (February)	740	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	133	2,679
Firearm Dealer Licenses count	2015 (February)	96	1,928
Firediff Dealer Elections Count	2014 (February)	43	1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	45	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009 2004-2007	86.0 85.9	86.9 85.4
,	2004-2007	61.5	63.6
Good Physical Health age-adjusted %	2004-2007	62.5	62.3
	2006-2009	64.4	66.4
Good Mental Health age-adjusted %	2004-2007	65.9	63.8
Inadequate Social Support %	2005-2010	17	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	80.7	83.6
age-adjusted %	2004-2007	80.3	82.8
Adults in OHP age-adjusted %	2006-2009	4.8	5.1
,	2004-2007	5.9	6.2
Pregnant Women Served by WIC %	2013	56 58	45 46
Mammography within the past 2 years			
(women 50-74) age-adjusted %	2008-2011	76.8	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	82.7	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	57.8	61.2
Preventable Hospital Stays per 1,000	2012	40	38
(Ambulatory Care Sensitive Conditions)	2011	39	42
Primary Care Physicians ratio to population	2012	1:1104	1:1105
	2011 2013	1:1125 1:1400	1:1115 1:1363
Dentists ratio to population	2013	1:1404	1:1399
Mental Health Providers ratio to population	2014	1:416	1:299
Could Not See Doctor Due to Cost %	2006-2012	18	14
	2014	6.2	6.0
Inadequate Prenatal Care %	2013	6.6	5.7

Indicator	Year(s)	Jackson	Oregon
Immunized 2-Year-Olds %	2013	58.2	58.2
mmamzea z rear olas //	2012	59.7	60.6
Immunized Seniors crude %	2006-2009	65.5	69.2
	2004-2007	67.8	70.5
Critical Access Hospital (CAH) Beds count	2014	no CAH	561
Environmental Health	2013	no CAH	551
Environmental Health	2011	0.2	0.0
Air Pollution days: The average daily measure of fine particulate matter in micrograms per cubic meter (PM2.5) in a county	2011 2008	8.2 9.2	8.9 9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	9	171
Nitrate Risk in at Least One Public Water System	2011	no	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	23.5	17.2
Overweight age-adjusted %	2008-2011	35.7	35.5
Overweight age-adjusted 70	2006-2009	38.2	36.1
Obese age-adjusted %	2008-2011 2006-2009	20.7 21.0	24.8 24.5
	2006-2009	57.5	55.8
Physical Activity age-adjusted %	2004-2007	58.7	57.9
Eat Recommended Amount of Fruits &	2006-2009	33.2	27.0
Vegetables age-adjusted %	2004-2007	28.8	26.6
Current Smokers age-adjusted %	2008-2011	21.2 21.9	16.3 17.1
<i>J</i> .	2006-2009	17.4	17.1
Binge Drinking age-adjusted % of males	2000-2009	17.4	19.7
	2006-2009	11.7	10.8
Binge Drinking age-adjusted % of females	2004-2007	8.3	8.7
A .l l l. 0/	2008-2011	25.3	25.4
Arthritis age-adjusted %	2006-2009	25.4	25.8
Asthma age-adjusted %	2008-2011	9.1	9.9
	2006-2009 2008-2011	8.3 3.1	9.7 3.3
Heart Attack age-adjusted %	2006-2009	2.9	3.3
Angina age-adjusted %	2008-2011	3.2	3.5
Arigina age-adjusted 70	2006-2009	2.9	3.4
Stroke age-adjusted %	2008-2011 2006-2009	2.1 2.2	2.3 2.3
	2008-2009	7.8	7.2
Diabetes age-adjusted %	2006-2009	6.4	6.8
High Diagram Disease was a second of the disease of the second of the se	2008-2011	29.0	26.6
High Blood Pressure age-adjusted %	2006-2009	26.8	25.8
High Blood Cholesterol age-adjusted %	2008-2011	34.0	32.2
J ,	2006-2009	35.5	33.0

Jackson County

Indicator	Year(s)	Jackson	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	454.3	455.9
carreer age adjusted new cases per 100,000	2005-2009	482.5	464.6
Teen Pregnancy per 1,000	2013	33.9	28.4
recording per 1,000	2010	39.4	38.6
Life Expectancy at Birth male	2009-2013	76.8	77.4
Life Expectation de Situri Hale	2004-2008	76.2	76.4
Life Expectancy at Birth female	2009-2013	81.7	81.8
and any action of action and	2004-2008	81.2	80.8
Infant Mortality Rate per 1,000	2013	3.9	5.0
	2012	3.5	5.3
Low Birth Weight Rate per 1,000	2014	69.2	62.5
,	2013	59.6	63.0
Years of Potential Life Lost (YPLL)	2010-2012	6,475	5,958
age-adjusted per 100,000	2008-2010	6,141	6,076
HIV new cases	2014	10	146
	2013	7	218 16.9
Suicide Deaths age-adjusted rate per 100,000	2011-2013 2008-2010	20.8 20.2	16.9
Figure Death accept	2013	36	461
Firearm Deaths count	2012	33	442
Car Crash as sount	2013	2,388	49,510
Car Crashes count	2012	2,234	49,798
Car Crash Deaths count	2013	15	313
Cal Clasif Deaths Count	2012	14	336
Work-Related Deaths count	2012	3	47
WOIK-Helated Deaths Count	2011	4	59
Pertussis count	2013	23	485
Tertussis Courit	2012	4	911
Influenza count	2013	10	84
imacriza court	2012	5	67
Salmonella count	2013	16	375
Sumoneila Count	2012	18	404
Chlamydia count	2013	740	14,265
Chiamydia Count	2012	599	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	7.6	9.6
Methamphetamine-Related Deaths count	2013	5	123
Mediamphedimine helated beaths count	2012	11	93
Children with Developmental	2013	359	5,625
Disabilities count	2012	306	5,191

Jefferson County



Jefferson County Snapshot

Population Estimate	22,205
Life Expectancy at Birth male	74.6
Life Expectancy at Birth female	78.4
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	9,124
Low Birth Weight Rate per 1,000	94.2
Infant Mortality Rate per 1,000	10.0
Chronic Absenteeism %	26.8

Indicator	Year(s)	Jefferson	Oregon
Population Estimate (Certified)	2014	22,205	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.45	0.45
Minority Income as a % of White Income	2009-2013	46.4	57.2
Children in Poverty %	2013	33.9	21.6
	2012	34.1	22.7
Violent Crime per 100,000	2010-2012	82	249
	2009-2011	106	251
Median Household Income	2013	41,107	50,228
	2012	41,426	49,090
Unemployment %	2014	9.4	6.9
	2013	10.7	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:889	1:1514
Home Ownership %	2009-2013	65.4	62.0
	2000	71.3	64.3
High Housing Costs %	2009-2013	32	40
	2007-2011	36	39
Homelessness count	2011	271	22,116
	2010	329	19,208
High School Graduates %	2009-2013	84.7	88.6
College Degree %	2009-2013	17.3	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	7.4	22.2
Access to Exercise Opportunities %	2010 & 2013	71	89
	2010 & 2012	59	81

Jefferson County

Indicator	Year(s)	Jefferson	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	81	N/A
Lunch %	2012-2013 AY	81.3	N/A
Limited Access to Healthy Foods %	2012	11	5
Fast Food: % living within 1/2 mile	2012	26.5	33.4
Supermarkets: % living within 1/2 mile	2012	21.6	19.4
Alcohol Outlets count	2015 (February)	71	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	19	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	24 22	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	58	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009	86.6	86.9
dood deficial fieditifuge adjusted 70	2004-2007	82.0	85.4
Good Physical Health age-adjusted %	2006-2009 2004-2007	65.6 65.6	63.6 62.3
	2004-2007	69.3	66.4
Good Mental Health age-adjusted %	2000-2007	71.3	63.8
Inadequate Social Support %	2005-2010	14	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	87.2	83.6
age-adjusted %	2004-2007	80.4	82.8
Adults in OHP age-adjusted %	2006-2009	10.2*	5.1
riadits in orin age adjusted 70	2004-2007	8.8	6.2
Pregnant Women Served by WIC %	2013 2012	76 76	45 46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	80.1	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011		84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	51.2	61.2
Preventable Hospital Stays per 1,000	2012	34	38
(Ambulatory Care Sensitive Conditions)	2011	47	42
Primary Care Physicians ratio to population	2012	1:2175	1:1105
, , , , , , , , , , , , , , , , , , , ,	2011	1:1814	1:1115
Dentists ratio to population	2013 2012	1:2115 1:2175	1:1363
Mental Health Providers ratio to population	2012	1:2175	1:1399 1:299
Could Not See Doctor Due to Cost %	2006-2012	1.1173	1.299
Codid Not See Doctor Due to Cost /0	2000-2012	14.8	6.0
Inadequate Prenatal Care %	2013	9.4	5.7

Indicator	Year(s)	Jefferson	Oregon
Immunized 2-Year-Olds %	2013	71.6	58.2
	2012	71.3	60.6
Immunized Seniors crude %	2006-2009	65.4	69.2
	2004-2007	52.9	70.5
Critical Access Hospital (CAH) Beds count	2014 2013	25 25	561 551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	8.9	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	9.1	9.1
Acute Pesticide Exposure:	2000 2011	0	171
"Likely" Illnesses 6-year count	2009-2011	0	171
Nitrate Risk in at Least One Public Water System	2011	no	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	26.8	17.2
Overweight age-adjusted %	2008-2011	39.9	35.5
Overweight age-adjusted %	2006-2009	41.9	36.1
Obese age-adjusted %	2008-2011 2006-2009	28.7 25.3	24.8 24.5
	2006-2009	51.4	55.8
Physical Activity age-adjusted %	2004-2007	57.1	57.9
Eat Recommended Amount of Fruits &	2006-2009	32.5*	27.0
Vegetables age-adjusted %	2004-2007	29.9	26.6
Current Smokers age-adjusted %	2008-2011	15.4	16.3
current smokers age adjusted 70	2006-2009	15.9	17.1
Binge Drinking age-adjusted % of males	2006-2009	21.3*	18.7
3 3 3 7	2004-2007	25.1	19.7
Binge Drinking age-adjusted % of females	2006-2009	•••	10.8
	2004-2007	6.4 35*	8.7
Arthritis age-adjusted %	2008-2011 2006-2009	47.5	25.4 25.8
	2008-2011	9.2*	9.9
Asthma age-adjusted %	2006-2009	6.6*	9.7
Heart Attack age-adjusted %	2008-2011	4.7*	3.3
ricart /ttackage adjusted //	2006-2009	3.0*	3.3
Angina age-adjusted %	2008-2011 2006-2009	2.0 2.8*	3.5 3.4
C. 1 1. 10/	2008-2011	1.4*	2.3
Stroke age-adjusted %	2006-2009	1.9*	2.3
Diabetes age-adjusted %	2008-2011	5.3*	7.2
Diabetes age adjusted 70	2006-2009	6.5	6.8
High Blood Pressure age-adjusted %	2008-2011	17.6	26.6
J	2006-2009 2008-2011	16.9 24.0	25.8 32.2
High Blood Cholesterol age-adjusted %	2006-2011	20.2*	33.0
	=:00 =000		

Jefferson County

Indicator	Year(s)	Jefferson	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	373.8	455.9
earreer age adjusted rie it cases per 100,000	2005-2009	435.7	464.6
Teen Pregnancy per 1,000	2013	56.6	28.4
	2010	68.9	38.6
Life Expectancy at Birth male	2009-2013 2004-2008	74.6 74.0	77.4 76.4
	2004-2008	74.0	81.8
Life Expectancy at Birth female	2009-2013	76. 4 79.1	80.8
	2013	10.0	5.0
Infant Mortality Rate per 1,000	2012	•••	5.3
	2014	94.2	62.5
Low Birth Weight Rate per 1,000	2013	69.8	63.0
Years of Potential Life Lost (YPLL)	2010-2012	9,124	5,958
age-adjusted per 100,000	2008-2010	10,819	6,076
HIV new cases	2014	0	146
THIV TIEW Cases	2013	1	218
	2011-2013	18.3 (Cr,G, HR,J,S,W,Wh)	16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	15.4 (Cr,G,	16.0
	2013	HR,J,S,W,Wh)	461
Firearm Deaths count	2013	2	442
	2013	199	49,510
Car Crashes count	2012	217	49,798
Co. Cook Dooth	2013	9	313
Car Crash Deaths count	2012	4	336
Work-Related Deaths count	2012	0	47
Work-helated Death's Count	2011	2	59
Pertussis count	2013	1	485
T CITASSIS COUNTY	2012	0	911
Influenza count	2013	1	84
	2012	1	67
Salmonella count	2013	2	375
	2012	1	404
Chlamydia count	2013 2012	87 128	14,265 13,501
Smokeless Tobacco Use Among 11th	2012	120	13,301
Grade Males %	2013	16	9.6
Methamphetamine-Related Deaths count	2013	•••	123
methamphetamine helated Deaths count	2012	•••	93
Children with Developmental	2013	23	5,625
Disabilities count	2012	23	5,191



Josephine County Snapshot

Population Estimate	83,105
Life Expectancy at Birth male	74.5
Life Expectancy at Birth female	80.0
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	7,907
Low Birth Weight Rate per 1,000	67.4
Infant Mortality Rate per 1,000	9.6
Chronic Absenteeism %	17.9

Indicator	Year(s)	Josephine	Oregon
Population Estimate (Certified)	2014	83,105	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.46	0.45
Minority Income as a % of White Income	2009-2013	58.0	57.2
Children in Poverty %	2013	30.7	21.6
	2012	33.9	22.7
Violent Crime per 100,000	2010-2012	210	249
	2009-2011	167	251
Median Household Income	2013	37,619	50,228
	2012	35,109	49,090
Unemployment %	2014	9.6	6.9
	2013	10.9	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:1725	1:1514
Home Ownership %	2009-2013	66.2	62.0
	2000	70.1	64.3
High Housing Costs %	2009-2013	41	40
	2007-2011	41	39
Homelessness count	2011	1,175	22,116
	2010	846	19,208
High School Graduates %	2009-2013	88.4	88.6
College Degree %	2009-2013	17.0	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	0.1	22.2
Access to Exercise Opportunities %	2010 & 2013	82	89
	2010 & 2012	59	81

Josephine County

Josephine County


Indicator	Year(s)	Josephine	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	63.5	N/A
Lunch %	2012-2013 AY	63.8	N/A
Limited Access to Healthy Foods %	2012	6	5
Fast Food: % living within 1/2 mile	2012	14.8	33.4
Supermarkets: % living within 1/2 mile	2012	11.1	19.4
Alcohol Outlets count	2015 (February)	275	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	80	2,679
Firearm Dealer Licenses count	2015 (February)	50	1,928
T. O.C. Will Life in the state of	2014 (February)	53	1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	52	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009 2004-2007	83.8 78.9	86.9 85.4
	2004-2007	66.7	63.6
Good Physical Health age-adjusted %	2004-2007	60.0	62.3
Cool Montell Look book and to tool 0/	2006-2009	67.0	66.4
Good Mental Health age-adjusted %	2004-2007	60.6	63.8
Inadequate Social Support %	2005-2010	19	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	74.4	83.6
age-adjusted %	2004-2007	76.9	82.8
Adults in OHP age-adjusted %	2006-2009	7.8	5.1
· ,	2004-2007	10.8	6.2
Pregnant Women Served by WIC %	2013 2012	62 66	45 46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	69.0	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	85.6	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	53.1	61.2
Preventable Hospital Stays per 1,000	2012	38	38
(Ambulatory Care Sensitive Conditions)	2011	41	42
Primary Care Physicians ratio to population	2012	1:1220	1:1105
	2011 2013	1:1220 1:1388	1:1115
Dentists ratio to population	2013	1:1430	1:1363 1:1399
Mental Health Providers ratio to population	2012	1:231	1:299
Could Not See Doctor Due to Cost %	2006-2012	21	1.200
	2000-2012	7.7	6.0
Inadequate Prenatal Care %	2013	6.9	5.7

Indicator	Year(s)	Josephine	Oregon
Immunized 2-Year-Olds %	2013	64.3	58.2
IIIIIIuiiizeu z-ieai-Oius %	2012	64.3	60.6
Immunized Seniors crude %	2006-2009	63.9	69.2
IIIIIIuiiizea Seiliois Ciade %	2004-2007	65.7	70.5
Critical Access Hospital (CAH) Beds count	2014	no CAH	561
Citical Access Hospital (CAH) beds Count	2013	no CAH	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	7.9	8.9
particulate matter in micrograms per cubic meter	2008	9.5	9.1
(PM2.5) in a county	2000	7.5	2.1
Acute Pesticide Exposure:	2009-2011	3	171
"Likely" Illnesses 6-year count			
Nitrate Risk in at Least One Public	2011	no	yes
Water System			
Additional Major Health Indicators	2012 2014 41/	17.0	47.0
Chronic Absenteeism %	2013-2014 AY	17.9	17.2
Overweight age-adjusted %	2008-2011 2006-2009	40.0 35.6	35.5 36.1
	2008-2011	19.7	24.8
Obese age-adjusted %	2006-2009	22.3	24.5
Physical Activity age-adjusted %	2006-2009	59.3	55.8
rifysical Activity age-adjusted 70	2004-2007	59.8	57.9
Eat Recommended Amount of Fruits &	2006-2009	22.7	27.0
Vegetables age-adjusted %	2004-2007	20.5	26.6
Current Smokers age-adjusted %	2008-2011 2006-2009	21.3 25.0	16.3 17.1
,	2006-2009	19.6	17.1
Binge Drinking age-adjusted % of males	2000-2009	23.6	19.7
	2004-2007	13.6	10.8
Binge Drinking age-adjusted % of females	2000-2009	9.8	8.7
	2004-2007	27.9	25.4
Arthritis age-adjusted %	2006-2009	26.4	25.8
Asthma age-adjusted %	2008-2011	10.6	9.9
Astrina age-adjusted %	2006-2009	11.6	9.7
Heart Attack age-adjusted %	2008-2011	4.9	3.3
, , , , , , , , , , , , , , , , , , ,	2006-2009 2008-2011	3.4 4.7	3.3 3.5
Angina age-adjusted %	2006-2011	4.0	3.4
C. 1 1. 10/	2008-2011	2.4	2.3
Stroke age-adjusted %	2006-2009	3.3	2.3
Diabetes age-adjusted %	2008-2011	7.6	7.2
Diabetes age-adjusted 70	2006-2009	5.8	6.8
High Blood Pressure age-adjusted %	2008-2011	29.7	26.6
g 5.000 Freduction age adjusted 70	2006-2009	34.3	25.8
High Blood Cholesterol age-adjusted %	2008-2011 2006-2009	26.0 43.7	32.2 33.0
	2000 2009	73.7	33.0

Josephine County

Indicator	Year(s)	Josephine	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	485.6	455.9
carreer age adjusted her eases per 100,000	2005-2009	484.7	464.6
Teen Pregnancy per 1,000	2013	35.2	28.4
	2010	47.7	38.6
Life Expectancy at Birth male	2009-2013	74.5	77.4
,	2004-2008	73.8	76.4
Life Expectancy at Birth female	2009-2013	80.0	81.8
	2004-2008	79.6	80.8
Infant Mortality Rate per 1,000	2013	9.6	5.0
	2012 2014	12.2 67.4	5.3 62.5
Low Birth Weight Rate per 1,000	2014	52.6	63.0
V(D-1	2010-2012	7,907	5,958
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	2010-2012	8,311	6,076
age adjusted per 100,000	2008-2010	3	146
HIV new cases	2014	1	218
C : : D . 100.000	2011-2013	23.4	16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	17.1	16.0
Firearm Deaths count	2013	18	461
Thedin Beating Count	2012	10	442
Car Crashes count	2013	935	49,510
car crashes count	2012	1019	49,798
Car Crash Deaths count	2013	12	313
	2012	18	336
Work-Related Deaths count	2012	1	47
	2011	2	59
Pertussis count	2013	56	485
	2012	4	911
Influenza count	2013	3	84
	2012	3	67
Salmonella count	2013 2012	5 7	375 404
	2012	255	14,265
Chlamydia count	2013	174	13,501
Cmakalass Tabassa Usa Amang 11th	2012	174	13,301
Smokeless Tobacco Use Among 11th Grade Males %	2013	15.9	9.6
Methamphetamine-Related Deaths count	2013	3	123
menamphetamine helated beaths count	2012	1	93
Children with Developmental	2013	241 (Co,Cu,Jo)	5,625
Disabilities count	2012	223 (Co,Jo)	5,191

Klamath County



Klamath County Snapshot

Population Estimate	66,910
Life Expectancy at Birth, male	74.5
Life Expectancy at Birth, female	79.3
Years of Potential Life Lost (YPLL), age-adjusted, per 100,000	8,696
Low Birth Weight Rate, per 1,000	81.1
Infant Mortality Rate, per 1,000	6.4
Chronic Absenteeism %	16.8

Indicator	Year(s)	Klamath	Oregon
Population Estimate (Certified)	2014	66,910	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.44	0.45
Minority Income as a % of White Income	2009-2013	56.9	57.2
Children in Poverty %	2013	26.8	21.6
	2012	26.1	22.7
Violent Crime per 100,000	2010-2012	234	249
	2009-2011	248	251
Median Household Income	2013	37,542	50,228
	2012	38,193	49,090
Unemployment %	2014	9.7	6.9
	2013	10.7	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:2517	1:1514
Home Ownership %	2009-2013	65.8	62.0
	2000	68.0	64.3
High Housing Costs %	2009-2013	39	40
	2007-2011	35	39
Homelessness count	2011	428	22,116
	2010	539	19,208
High School Graduates %	2009-2013	87.7	88.6
College Degree %	2009-2013	19.7	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	0.0	22.2
Access to Exercise Opportunities %	2010 & 2013	70	89
	2010 & 2012	61	81

Klamath County


Indicator	Year(s)	Klamath	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	68.6	N/A
Lunch %	2012-2013 AY	71.1	N/A
Limited Access to Healthy Foods %	2012	13	5
Fast Food: % living within 1/2 mile	2012	23.7	33.4
Supermarkets: % living within 1/2 mile	2012	9.4	19.4
Alcohol Outlets count	2015 (February)	204	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	69	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	45 49	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	39	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009	81.6	86.9
assa ceneral regularity	2004-2007 2006-2009	82.1 66.1	85.4 63.6
Good Physical Health age-adjusted %	2006-2009	66.2	62.3
	2004-2007	66.9	66.4
Good Mental Health age-adjusted %	2004-2007	63.8	63.8
Inadequate Social Support %	2005-2010	13	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	75.2	83.6
age-adjusted %	2004-2007	80.6	82.8
Adults in OHP age-adjusted %	2006-2009	7.0	5.1
, , , , , , , , , , , , , , , , , , ,	2004-2007	9.1	6.2
Pregnant Women Served by WIC %	2013 2012	64 69	45 46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	75.1	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	83.7	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	58.0	61.2
Preventable Hospital Stays per 1,000	2012	39	38
(Ambulatory Care Sensitive Conditions)	2011	38	42
Primary Care Physicians ratio to population	2012	1:1268	1:1105
	2011	1:1326	1:1115
Dentists ratio to population	2013 2012	1:1221 1:1345	1:1363 1:1399
Mental Health Providers ratio to population	2012	1:451	1:299
Could Not See Doctor Due to Cost %	2006-2012	19	1.299
	2000-2012	6.4	6.0
Inadequate Prenatal Care %	2013	4.7	5.7

Indicator	Year(s)	Klamath	Oregon
Immunized 2-Year-Olds %	2013	72.0	58.2
IIIIIIuiiizeu z-ieai-Olas 70	2012	63.0	60.6
Immunized Seniors crude %	2006-2009	57.8	69.2
IIIIIIuiiizea Seiliois Ciade 70	2004-2007	54.2	70.5
Critical Access Hospital (CAH) Beds count	2014	no CAH	561
Critical Access Flospital (CAF) beds count	2013	no CAH	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	8.4	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	9	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	6	171
Nitrate Risk in at Least One Public Water System	2011	no	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	16.8	17.2
Overware in his area and in case of 0/	2008-2011	34.5	35.5
Overweight age-adjusted %	2006-2009	34.6	36.1
Obese age-adjusted %	2008-2011	29.4	24.8
obese age adjusted //	2006-2009	26.0	24.5
Physical Activity age-adjusted %	2006-2009 2004-2007	58.7 55.8	55.8 57.9
Eat Recommended Amount of Fruits &	2004-2007	28.3	27.0
Vegetables age-adjusted %	2004-2007	27.1	26.6
	2008-2011	20.6	16.3
Current Smokers age-adjusted %	2006-2009	22.0	17.1
Pinga Drinking aga adjusted 0/ of malas	2006-2009	13.3	18.7
Binge Drinking age-adjusted % of males	2004-2007	18.3	19.7
Ringa Drinking aga adjusted 0/ of famalas	2006-2009	6.8*	10.8
Binge Drinking age-adjusted % of females	2004-2007	10.7	8.7
Arthritis age-adjusted %	2008-2011	33.3	25.4
Artifilis age-adjusted 70	2006-2009	32.5	25.8
Asthma age-adjusted %	2008-2011	14.1	9.9
<i>3</i> ,	2006-2009 2008-2011	11.5 5.6	9.7 3.3
Heart Attack age-adjusted %	2006-2011	6.0	3.3
Anging aga adjusted 0/	2008-2011	3.3	3.5
Angina age-adjusted %	2006-2009	3.7	3.4
Stroke age-adjusted %	2008-2011	3.2	2.3
, , , , , , , , , , , , , , , , , , ,	2006-2009	2.3*	2.3
Diabetes age-adjusted %	2008-2011	7.0	7.2
	2006-2009 2008-2011	7.3 30.6	6.8 26.6
High Blood Pressure age-adjusted %	2008-2011	30.6 29.4	26.6 25.8
	2008-2011	39.7	32.2
High Blood Cholesterol age-adjusted %	2006-2009	34.3	33.0

Klamath County

Indicator	Year(s)	Klamath	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	449.2	455.9
Carreer age adjusted new cases per 100,000	2005-2009	454.3	464.6
Teen Pregnancy per 1,000	2013	46	28.4
	2010	59.4	38.6
Life Expectancy at Birth male	2009-2013	74.5	77.4
,	2004-2008	73.3	76.4
Life Expectancy at Birth female	2009-2013	79.3	81.8
' '	2004-2008	77.9	80.8
Infant Mortality Rate per 1,000	2013	6.4	5.0
<u> </u>	2012	15.6	5.3
Low Birth Weight Rate per 1,000	2014	81.1	62.5
	2013	72.9	63.0
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	2010-2012	8,696	5,958
age-aujusteu per 100,000	2008-2010	8,451	6,076 146
HIV new cases	2014 2013	1	218
	2013	19.8 (K,L)	16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	28.7 (K,L)	16.0
Firearm Deaths count	2013	17	461
Tireatiii Deatiis count	2012	14	442
Car Crashes count	2013	783	49,510
Car crashes count	2012	831	49,798
Car Crash Deaths count	2013	14	313
	2012	9	336
Work-Related Deaths count	2012	3	47
	2011	0	59
Pertussis count	2013	51	485
	2012	0	911
Influenza count	2013	1	84
	2012	1	67
Salmonella count	2013	4	375
	2012	8	404
Chlamydia count	2013	271	14,265
Constitution Talances Lies Avenue v 11th	2012	217	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	21.7	9.6
Methamphetamine-Related Deaths count	2013	2	123
Methamphetamine helated Deaths count	2012	3	93
Children with Developmental	2013	157	5,625
Disabilities count	2012	155	5,191

Lake County



Lake County Snapshot

Population Estimate	7,990
Life Expectancy at Birth male	79.0
Life Expectancy at Birth female	80.5
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	6,955
Low Birth Weight Rate per 1,000	125.0
Chronic Absenteeism %	18.1

Indicator	Year(s)	Lake	Oregon
Population Estimate (Certified)	2014	7,990	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.46	0.45
Minority Income as a % of White Income	2009-2013	44.8	57.2
Children in Poverty %	2013	29	21.6
	2012	27.2	22.7
Violent Crime per 100,000	2010-2012	329	249
	2009-2011	329	251
Median Household Income	2013	37,856	50,228
	2012	38,668	49,090
Unemployment %	2014	9.6	6.9
	2013	11.1	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	•••	1:1514
Home Ownership %	2009-2013	66.2	62.0
	2000	68.9	64.3
High Housing Costs %	2009-2013	31	40
	2007-2011	26	39
Homelessness count	2011	52	22,116
	2010	11	19,208
High School Graduates %	2009-2013	83.7	88.6
College Degree %	2009-2013	18.6	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	75.4	22.2
Access to Exercise Opportunities %	2010 & 2013	72	89
	2010 & 2012	17	81

Lake County

Indicator	Year(s)	Lake	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	51.8	N/A
Lunch %	2012-2013 AY	46	N/A
Limited Access to Healthy Foods %	2012	22	5
Fast Food: % living within 1/2 mile	2012	27.2	33.4
Supermarkets: % living within 1/2 mile	2012	17.5	19.4
Alcohol Outlets count	2015 (February)	41	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	10	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	19 23	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	36	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009	91.4	86.9
Good General Flediti age dajusted 70	2004-2007	84.5	85.4
Good Physical Health age-adjusted %	2006-2009 2004-2007	65.2 58.4	63.6 62.3
	2004-2007	79.0	66.4
Good Mental Health age-adjusted %	2000-2009	73.8	63.8
Inadequate Social Support %	2005-2010	,,,	16
Health Service Access	2000 2010		
Adults with Any Health Insurance	2006-2009	81.8	83.6
age-adjusted %	2004-2007	73.6	82.8
Adulta in OUD and adjusted 0/	2006-2009	•••	5.1
Adults in OHP age-adjusted %	2004-2007	•••	6.2
Pregnant Women Served by WIC %	2013	48	45
riegnant women served by wic 70	2012	51	46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	•••	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011		84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	44.5	61.2
Preventable Hospital Stays per 1,000	2012	53	38
(Ambulatory Care Sensitive Conditions)	2011	72	42
Primary Care Physicians ratio to population	2012	1:1554	1:1105
, , , , , , , , , , , , , , , , , , , ,	2011	1:1582	1:1115
Dentists ratio to population	2013	1:3910	1:1363
Montal Hoolth Draviders ratio to population	2012	1:3886	1:1399
Mental Health Providers ratio to population	2014	1:978	1:299
Could Not See Doctor Due to Cost %	2006-2012	12.7	14
Inadequate Prenatal Care %	2014	12.7	6.0 5.7
	2013	7.4	5.7


Indicator	Year(s)	Lake	Oregon
Immunized 2-Year-Olds %	2013	68.7	58.2
IIIIIIIIIIZCU Z ICUI Olus //	2012	61.1	60.6
Immunized Seniors crude %	2006-2009	66.5	69.2
mmanized Semons crade 70	2004-2007	87.0	70.5
Critical Access Hospital (CAH) Beds count	2014	24	561
	2013	24	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	8.8	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	9.1	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	0	171
Nitrate Risk in at Least One Public Water System	2011	no	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	18.1	17.2
	2008-2011	37.3	35.5
Overweight age-adjusted %	2006-2009	41.3	36.1
Obese age-adjusted %	2008-2011	27.1	24.8
	2006-2009 2006-2009	18.8 60.0	24.5 55.8
Physical Activity age-adjusted %	2004-2007	78.2	57.9
Eat Recommended Amount of Fruits &	2006-2009	35.0*	27.0
Vegetables age-adjusted %	2004-2007	28.4	26.6
	2008-2011	19.2*	16.3
Current Smokers age-adjusted %	2006-2009	19.9	17.1
Binge Drinking age-adjusted % of males	2006-2009	13.6*	18.7
blinge brilling age adjusted 70 of finales	2004-2007	17.9	19.7
Binge Drinking age-adjusted % of females	2006-2009	•••	10.8
blinge brilling age adjusted 70 of fernales	2004-2007	9.7	8.7
Arthritis age-adjusted %	2008-2011 2006-2009	34.1 25.2*	25.4
<i>,</i>	2008-2011	7.2*	25.8 9.9
Asthma age-adjusted %	2006-2009	7.2*	9.7
Heart Attack and adjusted 0/	2008-2011	5.1*	3.3
Heart Attack age-adjusted %	2006-2009	•••	3.3
Angina age-adjusted %	2008-2011 2006-2009	3.3	3.5 3.4
Stroke age-adjusted %	2008-2011 2006-2009	•••	2.3 2.3
Did to the	2008-2011	4.9*	7.2
Diabetes age-adjusted %	2006-2009	•••	6.8
High Pland Procesure and a divisted of	2008-2011	22.1	26.6
High Blood Pressure age-adjusted %	2006-2009	30.2	25.8
High Blood Cholesterol age-adjusted %	2008-2011	51.0	32.2
J	2006-2009	45.1	33.0

Lake County

Indicator	Year(s)	Lake	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	427.9	455.9
carreer age adjusted new cases per 100,000	2005-2009	505.0	464.6
Teen Pregnancy per 1,000	2013	24.2	28.4
recorregiancy per 1,000	2010	•••	38.6
Life Expectancy at Birth male	2009-2013	79.0	77.4
	2004-2008	75.0	76.4
Life Expectancy at Birth female	2009-2013	80.5	81.8
,	2004-2008	77.6	80.8
Infant Mortality Rate per 1,000	2013	•••	5.0
, ,	2012	•••	5.3
Low Birth Weight Rate per 1,000	2014	125.0	62.5
, , , , , , , , , , , , , , , , , , ,	2013	85.4	63.0
Years of Potential Life Lost (YPLL)	2010-2012	6,955	5,958
age-adjusted per 100,000	2008-2010	8,044	6,076
HIV new cases	2014	0	146
	2013 2011-2013	0 19.8 (K.L)	218 16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	28.7 (K,L)	16.9
Firearm Deaths count	2013	1	461
rifearii Deatris Count	2012	2	442
Car Crashes count	2013	79	49,510
Car Crasnes Count	2012	93	49,798
Car Crash Deaths count	2013	2	313
Cai Crasii Deatris Courit	2012	4	336
Work-Related Deaths count	2012	0	47
Work-helated Deaths Count	2011	0	59
Pertussis count	2013	0	485
i ei tussis courit	2012	0	911
Influenza count	2013	0	84
mindenza codife	2012	0	67
Salmonella count	2013	0	375
Samonena Coarre	2012	2	404
Chlamydia count	2013	16	14,265
Critarity and Courte	2012	7	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	•••	9.6
Methamphetamine-Related Deaths count	2013	•••	123
Methamphetamine helated beating count	2012	2	93
Children with Developmental	2013	10 (H,L)	5,625
Disabilities count	2012	12 (H,L)	5,191

Lane

Lane County



Lane County Snapshot

Population Estimate	358,805
Life Expectancy at Birth male	77.4
Life Expectancy at Birth female	81.5
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	6,160
Low Birth Weight Rate per 1,000	70.9
Infant Mortality Rate per 1,000	6.5
Chronic Absenteeism %	10.5

Indicator	Year(s)	Lane	Oregon
Population Estimate (Certified)	2014	358,805	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.47	0.45
Minority Income as a % of White Income	2009-2013	59.4	57.2
Children in Poverty %	2013	24.4	21.6
	2012	25.7	22.7
Violent Crime per 100,000	2010-2012	262	249
	2009-2011	291	251
Median Household Income	2013	43,778	50,228
	2012	41,123	49,090
Unemployment %	2014	6.8	6.9
	2013	7.6	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:1735	1:1514
Home Ownership %	2009-2013	59.6	62.0
	2000	62.3	64.3
High Housing Costs %	2009-2013	42	40
	2007-2011	41	39
Homelessness count	2011	2,136	22,116
	2010	3,467	19,208
High School Graduates %	2009-2013	91.1	88.6
College Degree %	2009-2013	27.7	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	2.9	22.2
Access to Exercise Opportunities %	2010 & 2013	91	89
	2010 & 2012	85	81

Lane County

Indicator	Year(s)	Lane	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	54.6	N/A
Lunch %	2012-2013 AY	52.2	N/A
Limited Access to Healthy Foods %	2012	5	5
Fast Food: % living within 1/2 mile	2012	29.9	33.4
Supermarkets: % living within 1/2 mile	2012	16.4	19.4
Alcohol Outlets count	2015 (February)	1,086	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	259	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	159 161	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	52	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009 2004-2007	87.3 86.1	86.9 85.4
Good Physical Health age-adjusted %	2006-2009	62.9	63.6
Good Frigoreal Frederinage adjusted 70	2004-2007	59.6	62.3
Good Mental Health age-adjusted %	2006-2009	64.1	66.4
Inadequate Cosial Cumpart IV	2004-2007 2005-2010	60.1	63.8
Inadequate Social Support % Health Service Access	2005-2010	16	16
	2006-2009	81.0	83.6
Adults with Any Health Insurance age-adjusted %	2004-2007	81.2	82.8
Adults in OHP age-adjusted %	2006-2009	6.2	5.1
, , , , , , , , , , , , , , , , , , ,	2004-2007	7.3	6.2
Pregnant Women Served by WIC %	2013 2012	47 49	45 46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	82.4	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	79.9	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	62.4	61.2
Preventable Hospital Stays per 1,000	2012	36	38
(Ambulatory Care Sensitive Conditions)	2011	41	42
Primary Care Physicians ratio to population	2012	1:1136	1:1105
, , ,	2011	1;1104	1:1115
Dentists ratio to population	2013 2012	1:1542 1:1555	1:1363 1:1399
Mental Health Providers ratio to population	2012	1:169	1:1399
Could Not See Doctor Due to Cost %	2006-2012	1.109	1.299
Codid Not See Doctor Due to Cost /0	2000-2012	6.6	6.0
Inadequate Prenatal Care %	2013	6.2	5.7
			,


Arthritis age-adjusted % Asthma age-adjusted % Asthma age-adjusted % Heart Attack age-adjusted % Angina age-adjusted % Stroke age-adjusted % Diabetes age-adjusted % High Blood Pressure age-adjusted % 2006-2009 27.1 25.8 2008-2011 3.1 3.3 2008-2011 3.1 3.5 2008-2011 3.1 3.5 2008-2011 2.1 2.3 2008-2011 2.1 2.3 2008-2011 2.1 2.3 2008-2011 2.1 2.3 2008-2011 2.1 2.3 2008-2011 2.1 2.3 2008-2011 2.1 2.3 2008-2011 2.1 2.3 2008-2011 2.1 2.3 2008-2011 2.1 2.3 2008-2011 2.5 2008-2011 2.5 2008-2011 2.6 2008-2011 2.6 2008-2009 2.7 2008-2011 2008-2011 2008-2011 2008-2011 2008-2011 2008-2011 2008-2011 2008-2011 2008-2011 2008-2011 2008-2011 2008-2011 2008-2011 2008-2011 2008-2011 2008-2011 2008-2009 27.3 25.8	Indicator	Year(s)	Lane	Oregon
Martin M	Immunized 2-Year-Olds %			
Critical Access Hospital (CAH) Beds count 2014 35 561 2013 35 551	Titinatilized 2 Tear Glas /8			
Critical Access Hospital (CAH) Beds count 2014 35 561 Environmental Health Air Pollution days: The average daily measure of fine particulate matter in micrograms per cubic meter (PM2.5) in a county 2008 8.8 9.1 Acute Pesticide Exposure: 2009-2011 18 171 Nitrate Risk in at Least One Public Water System 2011 2011 yes yes Additional Major Health Indicators Chronic Absenteeism % 2013-2014 AY 10.5 17.2 Overweight age-adjusted % 2008-2011 33.7 35.5 Overweight age-adjusted % 2008-2011 26.5 24.8 Physical Activity age-adjusted % 2006-2009 25.0 24.5 Physical Activity age-adjusted % 2006-2009 26.7 27.0 Eat Recommended Amount of Fruits & 2006-2009 26.7 27.0 Vegetables age-adjusted % 2004-2007 24.3 26.6 Current Smokers age-adjusted % 2008-2011 18.1 16.3 Current Smokers age-adjusted % of males 2004-2007 22.2 19.7 Binge Drinking age-adjusted % of females 2004-2007 22.2 19.7 Arthritis age-adjusted % 2008-2011 3.1 10.8 Arthritis age-adjusted % 2008-2011 3.1 3.0 Arthritis age-adjusted % 2008-2011 3.1 3.3 Angina age-adjusted % 2008-2011 2.1 2.3 Eliab Plead Chelesteral age adjusted % 2008-2011 26.8 26.6 High Blood Chelesteral age adjusted % 2008-2011 26.8 26.6 High Blood Chelesteral age adjusted % 2008-2011 26.8 26.6	Immunized Seniors crude %	2006-2009	71.4	69.2
Environmental Health	mmamzed semons crade /o		74.2	70.5
Air Pollution days: The average daily measure of fine particulate matter in micrograms per cubic meter (PM2.5) in a county 2008 8.8 9.1 Acute Pesticide Exposure: Tikely' Illnesses 6-year count 2009-2011 18 171 Nitrate Risk in at Least One Public Water System 2011 yes yes Additional Major Health Indicators 2013-2014 AY 10.5 17.2 Chronic Absenteeism % 2013-2014 AY 10.5 17.2 Overweight age-adjusted % 2006-2011 33.7 35.5 Overweight age-adjusted % 2006-2009 35.1 36.1 Obese age-adjusted % 2008-2011 26.5 24.8 Obese age-adjusted % 2006-2009 25.0 24.5 Physical Activity age-adjusted % 2006-2009 26.7 27.0 Eat Recommended Amount of Fruits & 2006-2009 26.7 27.0 Vegetables age-adjusted % 2004-2007 24.3 26.6 Current Smokers age-adjusted % 2006-2009 18.4 17.1 Binge Drinking age-adjusted % of females 2006-2009 11.3 10.8	Critical Access Hospital (CAH) Beds count			
particulate matter in micrograms per cubic meter (PMZ-5) in a county 2008 8.8 9.1 Acute Pesticide Exposure: "Likely" Illnesses 6-year count 2009-2011 18 171 Nitrate Risk in at Least One Public Water System 2011 yes yes Additional Major Health Indicators Chronic Absenteeism % 2013-2014 AY 10.5 17.2 Overweight age-adjusted % 2008-2011 33.7 35.5 Obese age-adjusted % 2006-2009 35.1 36.1 Obese age-adjusted % 2006-2009 25.0 24.5 Physical Activity age-adjusted % 2006-2009 59.5 55.8 Physical Activity age-adjusted % 2004-2007 59.9 57.9 Eat Recommended Amount of Fruits & 2006-2009 26.7 27.0 Vegetables age-adjusted % 2004-2007 24.3 26.6 Current Smokers age-adjusted % 2008-2011 18.1 16.3 Binge Drinking age-adjusted % of males 2006-2009 18.4 17.1 Binge Drinking age-adjusted % of females 2004-2007 8.7	Environmental Health			
particulate matter in micrograms per cubic meter (PM2.5) In a country 2008 8.8 9.1 Acute Pesticide Exposure: Tilkely! Illnesses 6-year count 2009-2011 18 171 Nitrate Risk in at Least One Public Water System 2011 yes yes Additional Major Health Indicators 2008-2011 33.7 35.5 Chronic Absenteeism % 2013-2014 AY 10.5 17.2 Overweight age-adjusted % 2008-2011 33.7 35.5 Obese age-adjusted % 2008-2011 26.5 24.8 Obese age-adjusted % 2006-2009 25.0 24.5 Physical Activity age-adjusted % 2006-2009 25.0 24.5 Physical Activity age-adjusted % 2006-2009 26.7 27.0 Eat Recommended Amount of Fruits & 2006-2009 26.7 27.0 Vegetables age-adjusted % 2004-2007 24.3 26.6 Current Smokers age-adjusted % 2008-2011 18.1 16.3 Binge Drinking age-adjusted % of males 2006-2009 11.3 10.8 Binge Drinking age-adjusted %	Air Pollution days: The average daily measure of fine	2011	8	8.9
*Likely"Illnesses 6-year count Nitrate Risk in at Least One Public Water System Additional Major Health Indicators Chronic Absenteeism % Overweight age-adjusted % Dibese age-adjusted % Physical Activity age-adjusted % Current Smokers age-adjusted % Dibese Drinking age-adjusted % of females Binge Drinking age-adjusted % of females Phase age-adjusted % of females Arthritis age-adjusted % Dibese age-adjusted	particulate matter in micrograms per cubic meter	2008	8.8	9.1
Water System 2011 yes yes Additional Major Health Indicators Chronic Absenteeism % 2013-2014 AY 10.5 17.2 Overweight age-adjusted % 2008-2011 33.7 35.5 Obese age-adjusted % 2008-2011 26.5 24.8 Obese age-adjusted % 2006-2009 25.0 24.5 Physical Activity age-adjusted % 2006-2009 59.5 55.8 Physical Activity age-adjusted % 2006-2009 26.7 27.0 Vegetables age-adjusted % 2006-2009 26.7 27.0 Vegetables age-adjusted % 2004-2007 24.3 26.6 Current Smokers age-adjusted % 2006-2009 18.4 17.1 Binge Drinking age-adjusted % of males 2006-2009 19.6 18.7 Binge Drinking age-adjusted % of females 2004-2007 2.2 19.7 Arthritis age-adjusted % 2006-2009 11.3 10.8 Asthma age-adjusted % 2008-2011 25.3 25.4 Asthma age-adjusted % 2008-2011 3.		2009-2011	18	171
Additional Major Health Indicators Chronic Absenteeism % 2013-2014 AY 10.5 17.2 Overweight age-adjusted % 2008-2011 33.7 35.5 2006-2009 35.1 36.1 Obese age-adjusted % 2008-2011 26.5 24.8 2006-2009 25.0 24.5 Physical Activity age-adjusted % 2006-2009 59.5 55.8 2006-2009 26.7 27.0 Vegetables age-adjusted % 2006-2009 26.7 27.0 Vegetables age-adjusted % 2004-2007 24.3 26.6 Current Smokers age-adjusted % 2008-2011 18.1 16.3 2008-2011 18.1 16.3 2008-2011 18.1 16.3 Binge Drinking age-adjusted % of males 2006-2009 19.6 18.7 Binge Drinking age-adjusted % of females 2004-2007 22.2 19.7 Arthritis age-adjusted % 2008-2011 25.3 25.4 Asthma age-adjusted % 2008-2011 11.7 9.9 4 <td< td=""><td></td><td>2011</td><td>yes</td><td>yes</td></td<>		2011	yes	yes
Chronic Absenteeism % 2013-2014 AY 10.5 17.2 Overweight age-adjusted % 2008-2011 33.7 35.5 2006-2009 35.1 36.1 2008-2011 26.5 24.8 2006-2009 25.0 24.5 Physical Activity age-adjusted % 2006-2009 59.5 Eat Recommended Amount of Fruits & 2006-2009 26.7 27.0 Vegetables age-adjusted % 2004-2007 24.3 26.6 Current Smokers age-adjusted % 2008-2011 18.1 16.3 Binge Drinking age-adjusted % of males 2006-2009 18.4 17.1 Binge Drinking age-adjusted % of females 2006-2009 11.3 10.8 Arthritis age-adjusted % of females 2006-2009 11.3 10.8 Asthma age-adjusted % 2008-2011 25.3 25.4 Asthma age-adjusted % 2008-2011 3.4 3.3 Angina age-adjusted % 2008-2011 3.4 3.3 Angina age-adjusted % 2008-2011 3.1 3.5 Stroke age				
Overweight age-adjusted % 2008-2011 33.7 35.5 2006-2009 35.1 36.1 2008-2011 26.5 24.8 2006-2009 25.0 24.5 2006-2009 59.5 55.8 Physical Activity age-adjusted % 2004-2007 59.9 57.9 Eat Recommended Amount of Fruits & 2006-2009 26.7 27.0 Vegetables age-adjusted % 2004-2007 24.3 26.6 Current Smokers age-adjusted % 2008-2011 18.1 16.3 2006-2009 18.4 17.1 Binge Drinking age-adjusted % of males 2006-2009 19.6 18.7 Binge Drinking age-adjusted % of females 2006-2009 11.3 10.8 Arthritis age-adjusted % 2008-2011 25.3 25.4 Arthritis age-adjusted % 2008-2011 25.3 25.4 Asthma age-adjusted % 2008-2011 11.7 9.9 Heart Attack age-adjusted % 2008-2011 3.1 3.5 Angina age-adjusted % 2008-2011 3.1 3.5 Stroke age-adjusted % 2008-2011 <		2013-2014 AY	10.5	17.2
Obese age-adjusted % 2008-2011 26.5 24.8 2006-2009 25.0 24.5 2006-2009 25.0 24.5 2006-2009 59.5 55.8 2004-2007 59.9 57.9 2004-2007 59.9 57.9 2004-2007 59.9 57.9 2004-2007 24.3 26.6 2004-2007 24.3 26.6 2004-2007 24.3 26.6 2004-2007 24.3 26.6 2004-2007 24.3 26.6 2004-2007 24.3 26.6 2008-2011 18.1 16.3 2006-2009 18.4 17.1 2006-2009 19.6 18.7 2006-2009 19.6 18.7 2006-2009 19.6 18.7 2006-2009 19.6 18.7 2004-2007 22.2 19.7 2006-2009 11.3 10.8 2004-2007 22.2 19.7 2006-2009 11.3 10.8 2004-2007 25.3 25.4 2008-2011 25.3 25.4 2008-2011 25.3 25.4 2008-2011 25.3 25.4 2008-2011 25.3 25.4 2008-2011 31.7 9.9 2008-2011 31.4 3.3 2008-2011 31.3 3.5 2008-2011 31.3 3.5 2008-2011 31.3 3.5 2008-2011 31.3 3.5 2008-2011 31.3 3.5 2008-2011 31.3 3.5 2008-2011 31.3 3.5 2008-2011 21.2 23 2008-2011 22.8 26.6 2008-2011 26.8		2008-2011	33.7	
Obese age-adjusted % 2006-2009 25.0 24.5 Physical Activity age-adjusted % 2006-2009 59.5 55.8 Eat Recommended Amount of Fruits & 2006-2009 26.7 27.0 Vegetables age-adjusted % 2004-2007 24.3 26.6 Current Smokers age-adjusted % 2008-2011 18.1 16.3 Binge Drinking age-adjusted % of males 2006-2009 19.6 18.7 Binge Drinking age-adjusted % of females 2004-2007 22.2 19.7 Arthritis age-adjusted % of females 2006-2009 11.3 10.8 Asthma age-adjusted % 2008-2011 25.3 25.4 Asthma age-adjusted % 2008-2011 11.7 9.9 Heart Attack age-adjusted % 2008-2011 11.7 9.9 Heart Attack age-adjusted % 2008-2011 3.1 3.5 Angina age-adjusted % 2008-2011 3.1 3.5 Stroke age-adjusted % 2008-2011 2.1 2.3 Diabetes age-adjusted % 2008-2011 2.1 2.3 Diabetes age-adjusted % 2008-2009 2.2 2.3	Overweight age-adjusted %	2006-2009	35.1	36.1
Physical Activity age-adjusted % 2006-2009 59.5 55.8 2004-2007 59.9 57.9 57.9 57.9 57.9 57.9 57.9 57.	Ohese age-adjusted %			
Physical Activity age-adjusted % 2004-2007 59.9 57.9 Eat Recommended Amount of Fruits & 2006-2009 26.7 27.0 Vegetables age-adjusted % 2004-2007 24.3 26.6 2008-2011 18.1 16.3 2006-2009 18.4 17.1 18.1 16.3 2006-2009 18.4 17.1 18.1 16.3 2006-2009 19.6 18.7 2006-2009 19.6 18.7 2004-2007 22.2 19.7 2004-2007 22.2 19.7 2006-2009 11.3 10.8 2004-2007 22.2 19.7 2006-2009 11.3 10.8 2004-2007 22.2 19.7 2008-2011 25.3 25.4 2008-2011 25.3 25.4 2008-2011 25.3 25.4 2008-2011 11.7 9.9 2006-2009 27.1 25.8 2008-2011 11.7 9.9 2006-2009 10.6 9.7 2008-2011 3.4 3.3 2006-2009 3.1 3.3 2006-2009 3.1 3.3 2006-2009 3.1 3.3 2006-2009 3.5 3.4 2006-2009 3.5 3.5 200	obese age adjusted //			
Eat Recommended Amount of Fruits & 2006-2009 26.7 27.0 Vegetables age-adjusted % 2004-2007 24.3 26.6 Current Smokers age-adjusted % 2008-2011 18.1 16.3 2006-2009 18.4 17.1 Binge Drinking age-adjusted % of males 2004-2007 22.2 19.7 Binge Drinking age-adjusted % of females 2004-2007 22.2 19.7 Arthritis age-adjusted % of females 2008-2011 25.3 25.4 2008-2011 25.3 25.4 2008-2011 25.3 25.4 2008-2011 11.7 9.9 Asthma age-adjusted % 2008-2011 11.7 9.9 2006-2009 10.6 9.7 Heart Attack age-adjusted % 2008-2011 3.4 3.3 Angina age-adjusted % 2008-2011 3.1 3.5 2008-2011 3.1 3.5 Stroke age-adjusted % 2008-2011 2.1 2.3 2008-2011 2.1 2.1 2.3 2008-2011 2.1 2.1 2.3 2008-2011 2.1 2.1 2.3 2008-2011 2.1 2.1 2.3 2008-2011 2.1 2.1 2.3 2008-2011 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2.1 2	Physical Activity age-adjusted %			
Vegetables age-adjusted % 2004-2007 24.3 26.6 Current Smokers age-adjusted % 2008-2011 18.1 16.3 2006-2009 18.4 17.1 Binge Drinking age-adjusted % of males 2006-2009 19.6 18.7 Binge Drinking age-adjusted % of females 2004-2007 22.2 19.7 Binge Drinking age-adjusted % of females 2006-2009 11.3 10.8 Arthritis age-adjusted % 2008-2011 25.3 25.4 Asthma age-adjusted % 2008-2011 11.7 9.9 Asthma age-adjusted % 2008-2011 3.4 3.3 Angina age-adjusted % 2008-2011 3.1 3.5 Stroke age-adjusted % 2008-2011 3.1 3.5 Stroke age-adjusted % 2008-2011 2.1 2.3 Diabetes age-adjusted % 2008-2011 6.9 7.2 Diabetes age-adjusted % 2008-2011 6.8 26.6 High Blood Pressure age-adjusted % 2008-2011 3.7 32.2 High Blood Chalacteral age adjusted % 2008-2011 33.7 32.2	Fat Recommended Amount of Fruits &			
Current Smokers age-adjusted % 2008-2011 18.1 16.3 2006-2009 18.4 17.1 Binge Drinking age-adjusted % of males 2006-2009 19.6 18.7 Binge Drinking age-adjusted % of females 2004-2007 22.2 19.7 Arthritis age-adjusted % 2006-2009 11.3 10.8 Arthritis age-adjusted % 2008-2011 25.3 25.4 Asthma age-adjusted % 2008-2011 11.7 9.9 Heart Attack age-adjusted % 2008-2011 3.4 3.3 Angina age-adjusted % 2008-2011 3.1 3.5 Stroke age-adjusted % 2008-2011 3.1 3.5 Stroke age-adjusted % 2008-2011 6.9 7.2 Diabetes age-adjusted % 2008-2011 6.9 7.2 Diabetes age-adjusted % 2008-2011 6.8 26.6 High Blood Chalasteral age adjusted % 2008-2011 26.8 26.6 High Blood Chalasteral age adjusted % 2008-2011 33.7 32.2		2004-2007	24.3	26.6
Binge Drinking age-adjusted % of males 2006-2009 19.6 18.7 2004-2007 22.2 19.7 2006-2009 11.3 10.8 2004-2007 8.7 8.7 2008-2011 25.3 25.4 2008-2011 25.3 25.4 2008-2011 11.7 9.9 2006-2009 10.6 9.7 2008-2011 3.4 3.3 2008-2011 3.4 3.3 2008-2011 3.4 3.3 2008-2011 3.4 3.3 2008-2011 3.1 3.5		2008-2011	18.1	16.3
Binge Drinking age-adjusted % of males Binge Drinking age-adjusted % of females 2004-2007 Binge Drinking age-adjusted % of females 2004-2007 8.7 8.7 8.7 Arthritis age-adjusted % 2008-2011 25.3 25.4 2008-2011 25.3 25.4 2006-2009 27.1 25.8 Asthma age-adjusted % 2008-2011 11.7 9.9 2008-2011 11.7 9.9 4.1 4.2 4.2 4.2 4.2 4.2 4.2 4.2	Current Smokers age-adjusted %	2006-2009	18.4	17.1
Binge Drinking age-adjusted % of females 2006-2009 Arthritis age-adjusted % Arthritis age-adjusted % Asthma age-adjusted % Asthma age-adjusted % 2008-2011 25.3 25.4 2008-2011 25.3 25.8 Asthma age-adjusted % 2008-2011 11.7 9.9 2008-2011 11.7 9.9 4008-2009 10.6 9.7 4008-2011 3.1 3.3 Angina age-adjusted % 2008-2011 3.1 3.5 Stroke age-adjusted % 2008-2011 2008-2011 2.1 2.3 2008-2011 2.1 2.3 Diabetes age-adjusted % 2008-2011 6.9 7.2 1008-2009 1008-2011 1008-2009 1008-2011 1008-2009 1008-2011 1008-2009 1008-2008	Ringo Drinking ago adjusted % of malos	2006-2009	19.6	18.7
Binge Drinking age-adjusted % of females 2004-2007 8.7 8.7 2008-2011 25.3 25.4 2006-2009 27.1 25.8 Asthma age-adjusted % Asthma age-adjusted % 2008-2011 11.7 9.9 2006-2009 10.6 9.7 2008-2011 3.4 3.3 2008-2011 3.4 3.3 2008-2011 3.1 3.5 Angina age-adjusted % 2008-2011 3.1 3.5 2008-2011 3.1 3.5 Stroke age-adjusted % 2008-2011 2.1 2.3 2008-2011 2.1 2.3 2008-2011 2.1 2.3 Diabetes age-adjusted % 2008-2011 6.9 7.2 Diabetes age-adjusted % 2008-2011 6.9 7.2 Aligh Blood Pressure age-adjusted % 2008-2011 26.8 26.6 2008-2009 27.3 25.8 High Blood Cholestered age adjusted % 2008-2011 33.7 32.2	bilige Dillikilig age-adjusted % of Illales	2004-2007	22.2	19.7
Arthritis age-adjusted % Asthma age-adjusted % Angina age-adjusted % Angina age-adjusted % Stroke age-adjusted % Diabetes age-adjusted % Diabetes age-adjusted % Angina age-adjusted % Diabetes age-adjusted %	Ringo Drinking ago adjusted % of fomales	2006-2009	11.3	10.8
Arthritis age-adjusted % Asthma age-adjusted % Asthma age-adjusted % Heart Attack age-adjusted % Angina age-adjusted % Stroke age-adjusted % Diabetes age-adjusted % High Blood Chelesterel age adjusted % 2008-2011 2008-2011 3.4 3.3 2008-2011 3.1 3.5 2008-2011 3.1 3.5 2008-2011 2.1 2.3 2008-2011 2.1 2.3 2008-2011 3.6 4 2008-2011 2.1 2.3 2008-2011 2.1 2.3 2008-2011 2.1 2.3 2008-2011 2.1 2.3 2008-2011 2.3 2008-2011 2.6 2008-2019 2.7 2008-2011 26.8 26.6 2008-2009 27.3 25.8 High Blood Chelesterel age adjusted % 2008-2011 2008-2011 33.7 32.2	brige Drinking age-adjusted 70 of females		8.7	8.7
Asthma age-adjusted % Asthma age-adjusted % Heart Attack age-adjusted % Angina age-adjusted % Angina age-adjusted % Stroke age-adjusted % Diabetes age-adjusted % Diabetes age-adjusted % High Blood Pressure age-adjusted % 2008-2011	Arthritis age-adjusted %			
Asthma age-adjusted % Heart Attack age-adjusted % Angina age-adjusted % 2008-2011 3.4 3.3 2006-2009 3.1 3.3 Angina age-adjusted % 2008-2011 3.1 3.5 2006-2009 3.5 3.4 Stroke age-adjusted % 2008-2011 2.1 2.3 2008-2011 2.1 2.3 Diabetes age-adjusted % 2008-2011 6.9 7.2 2008-2011 6.9 7.2 High Blood Pressure age-adjusted % 2008-2011 26.8 26.6 2008-2011 26.8 26.6 2008-2011 26.8 26.6 2008-2011 26.8 25.8 High Blood Chalesterel age adjusted % 2008-2011 33.7 32.2	, warnes age asjacted /c			
Heart Attack age-adjusted % 2008-2011 3.4 3.3 2006-2009 3.1 3.3 3.5 Angina age-adjusted % 2008-2011 3.1 3.5 2006-2009 3.5 3.4 2006-2009 3.5 3.4 2006-2009 2.2 2.3 2006-2009 2.2 2.3 2006-2009 2.2 2.3 2006-2009 2.2 2.3 2006-2009 2.2 2.3 2006-2009 2.2 2.3 2006-2009 2.2 2.3 2006-2009 2.3 25.8 26.6 2006-2009 27.3 25.8 26.6 2006-2009 27.3 25.8 26.6 2008-2011 33.7 32.2	Asthma age-adjusted %			
Angina age-adjusted % 2008-2011 3.1 3.5 2006-2009 3.5 3.4 2006-2009 3.5 3.4 2008-2011 2.1 2.3 2006-2009 2.2 2.3 2008-2011 6.9 7.2 2008-2011 26.8 26.6 2008-2011 26.8 26.6 2006-2009 27.3 25.8 2008-2011 33.7 32.2	11			
Angina age-adjusted % 2006-2009 3.5 3.4 Stroke age-adjusted % 2008-2011 2.1 2.3 2006-2009 2.2 2.3 Diabetes age-adjusted % 2008-2011 6.9 7.2 2006-2009 6.3 6.8 High Blood Pressure age-adjusted % 2008-2011 26.8 2008-2011 26.8 2006-2009 27.3 25.8 High Blood Chalacteral age adjusted % 2008-2011 33.7 32.2	Heart Attack age-adjusted %	2006-2009	3.1	3.3
Stroke age-adjusted % 2008-2011 2.1 2.3 2006-2009 2.2 2.3 Diabetes age-adjusted % 2008-2011 6.9 7.2 2006-2009 6.3 6.8 High Blood Pressure age-adjusted % 2008-2011 26.8 26.6 2006-2009 27.3 25.8 High Blood Chalacteral aga adjusted % 2008-2011 33.7 32.2	Angina age-adjusted %			
Stroke age-adjusted % 2006-2009 2.2 2.3 Diabetes age-adjusted % 2008-2011 6.9 7.2 2006-2009 6.3 6.8 High Blood Pressure age-adjusted % 2008-2011 26.8 26.8 2006-2009 27.3 25.8 High Blood Chalacteral age adjusted % 2008-2011 33.7 32.2	7 migina age adjusted 70			
Diabetes age-adjusted % 2008-2011 6.9 7.2 2006-2009 6.3 6.8 High Blood Pressure age-adjusted % 2008-2011 26.8 26.8 2006-2009 27.3 25.8 High Blood Chalacteral age adjusted % 2008-2011 33.7 32.2	Stroke age-adjusted %			
Diabetes age-adjusted % 2006-2009 6.3 6.8 High Blood Pressure age-adjusted % 2008-2011 26.8 26.6 2006-2009 27.3 25.8 High Blood Chalacteral age adjusted % 2008-2011 33.7 32.2				
High Blood Pressure age-adjusted % 2008-2011 26.8 26.6 2006-2009 27.3 25.8 4 2008-2011 33.7 32.2	Diabetes age-adjusted %			
High Blood Pressure age-adjusted % 2006-2009 27.3 25.8 High Blood Chalacteral age adjusted % 2008-2011 33.7 32.2	11: 1 01 10			
High Rlood (holostoral ago adjusted %	High Blood Pressure age-adjusted %			
2006-2009 33.6 33.0	High Blood Cholesterol age-adjusted %			
	g blood choicsteror age adjusted /0	2006-2009	33.6	33.0

Lane County

Indicator	Year(s)	Lane	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	434.9	455.9
3 ,	2005-2009	452.9	464.6
Teen Pregnancy per 1,000	2013	22.5	28.4
	2010	31.2	38.6
Life Expectancy at Birth male	2009-2013 2004-2008	77.4 76.0	77.4 76.4
	2004-2008	81.5	81.8
Life Expectancy at Birth female	2009-2013	80.8	80.8
1 6 14 1 1 D	2013	6.5	5.0
Infant Mortality Rate per 1,000	2012	4.6	5.3
D. J. M. J. D	2014	70.9	62.5
Low Birth Weight Rate per 1,000	2013	74.3	63.0
Years of Potential Life Lost (YPLL)	2010-2012	6,160	5,958
age-adjusted per 100,000	2008-2010	6,301	6,076
LIIV/ nouv cocce	2014	3	146
HIV new cases	2013	7	218
Suicide Deaths age-adjusted rate per 100,000	2011-2013 2008-2010	18.5 18.2	16.9 16.0
	2013	45	461
Firearm Deaths count	2012	32	442
	2013	3,846	49,510
Car Crashes count	2012	3,820	49,798
Cay Craala Daatha aassat	2013	33	313
Car Crash Deaths count	2012	32	336
Work-Related Deaths count	2012	3	47
Work-helated Deaths Count	2011	3	59
Pertussis count	2013	114	485
r Crtussis Courit	2012	25	911
Influenza count	2013	9	84
mindenza count	2012	7	67
Salmonella count	2013	32	375
	2012	37	404
Chlamydia count	2013	1368	14,265
,	2012	1479	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	6.5	9.6
Methamphetamine-Related Deaths count	2013	13	123
menamphetamine helated beaths count	2012	10	93
Children with Developmental	2013	524	5,625
Disabilities count	2012	458	5,191

Lincoln

Lincoln County



Lincoln County Snapshot

Population	Estimate	46,890
Life Expect	ancy at Birth male	75.5
Life Expect	ancy at Birth female	80.9
	tential Life Lost (YPLL) ed per 100,000	7,692
Low Birth V	Veight Rate per 1,000	72.6
Infant Mort	tality Rate per 1,000	2.4
Chronic Ab	senteeism %	27.4


Indicator	Year(s)	Lincoln	Oregon
Population Estimate (Certified)	2014	46,890	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.43	0.45
Minority Income as a % of White Income	2009-2013	59.6	57.2
Children in Poverty %	2013	33	21.6
	2012	29.0	22.7
Violent Crime per 100,000	2010-2012	365	249
	2009-2011	336	251
Median Household Income	2013	39,801	50,228
	2012	39,738	49,090
Unemployment %	2014	7.6	6.9
	2013	8.2	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:1608	1:1514
Home Ownership %	2009-2013	65.5	62.0
	2000	65.7	64.3
High Housing Costs %	2009-2013	39	40
	2007-2011	38	39
Homelessness count	2011	41	22,116
	2010	82	19,208
High School Graduates %	2009-2013	89.9	88.6
College Degree %	2009-2013	24.4	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	0.0	22.2
Access to Exercise Opportunities %	2010 & 2013	91	89
	2010 & 2012	86	81

Lincoln County

Children Eligible for Free and Reduced Lunch % Lunch % Limited Access to Healthy Foods % Fast Food: % living within 1/2 mile Supermarkets: % living within 1/2 mile Alcohol Outlets count Excluding age-restricted establishments) Firearm Dealer Licenses count Town & City Walkability: intersections per net square mile within urban growth boundaries Self-Assessment 2013-2014 AY 2012 66 5 5 5 5 5 6 7 8 8 8 8 8 8 8 8 8 8 8 8
Limited Access to Healthy Foods % 2012 6 5 Fast Food: % living within 1/2 mile 2012 25.0 33.4 Supermarkets: % living within 1/2 mile 2012 23.2 19.4 Alcohol Outlets count 2015 (February) 317 13,303 Tobacco Outlets count (excluding age-restricted establishments) 2015 (March) 50 2,679 Firearm Dealer Licenses count 2015 (February) 34 1,928 Town & City Walkability: intersections per net square mile within urban growth boundaries 2013 50 55 Self-Assessment 2006-2009 85.4 86.9
Fast Food: % living within 1/2 mile Supermarkets: % living within 1/2 mile Alcohol Outlets count Tobacco Outlets count (excluding age-restricted establishments) Firearm Dealer Licenses count Town & City Walkability: intersections per net square mile within urban growth boundaries Self-Assessment 2012 23.2 19.4 2015 (February) 317 13,303 2015 (March) 50 2,679 2015 (February) 34 1,928 2014 (February) 34 1,823 55 Self-Assessment
Supermarkets: % living within 1/2 mile 2012 23.2 19.4 Alcohol Outlets count 2015 (February) 317 13,303 Tobacco Outlets count (excluding age-restricted establishments) 2015 (March) 50 2,679 Firearm Dealer Licenses count 2015 (February) 34 1,928 Town & City Walkability: intersections per net square mile within urban growth boundaries 2013 50 55 Self-Assessment 2006-2009 85.4 86.9
Alcohol Outlets count Tobacco Outlets count (excluding age-restricted establishments) Pirearm Dealer Licenses count Town & City Walkability: intersections per net square mile within urban growth boundaries 2015 (February) 2015 (March) 2015 (March) 317 317 318,303 2015 (March) 50 2,679 2014 (February) 34 1,928 2014 (February) 35 50 55 Self-Assessment
Tobacco Outlets count (excluding age-restricted establishments) Firearm Dealer Licenses count Town & City Walkability: intersections per net square mile within urban growth boundaries 2015 (February) 2015 (February) 301
(excluding age-restricted establishments) Firearm Dealer Licenses count 2015 (February) 2014 (February) 34 1,823 Town & City Walkability: intersections per net square mile within urban growth boundaries 2015 (March) 50 2,679 2,679 2015 (February) 34 1,823 50 55 Self-Assessment 2006-2009 85.4 86.9
Town & City Walkability: intersections per net square mile within urban growth boundaries 2014 (February) 34 1,823 Town & City Walkability: intersections per net square mile within urban growth boundaries 55 Self-Assessment 2006-2009 85.4 86.9
mile within urban growth boundaries Self-Assessment 2006-2009 85.4 86.9
2006-2009 85.4 86.9
2006-2009 85.4 86.9
Good Gonoral Hoalth ago adjusted %
2004-2007 79.5 65.4
Good Physical Health age-adjusted % 2006-2009 61.3 63.6 2004-2007 60.2 62.3
2006-2009 66.6 66.4
Good Mental Health age-adjusted % 2004-2007 65.9 63.8
Inadequate Social Support % 2005-2010 16 16
Health Service Access
Adults with Any Health Insurance 2006-2009 74.1 83.6
age-adjusted % 2004-2007 72.9 82.8
Adults in OHP age-adjusted % 2006-2009 6.6 5.1
2004-2007 9.2 6.2
Pregnant Women Served by WIC % 2013 62 45 2012 62 46
Mammography within the past 2 years 2008-2011 68.7 79.7
(women 50-74) age-adjusted %
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted % 2008-2011 73.6 84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude % 2008-2011 57.8 61.2
Preventable Hospital Stays per 1,000 2012 40 38
(Ambulatory Care Sensitive Conditions) 2011 48 42
Primary Care Physicians ratio to population 2012 1:1775 1:1105
2011 1:1640 1:1115
Dentists ratio to population 2013 1:1854 1:1363 2012 1:1846 1:1399
Mental Health Providers ratio to population 2014 1:400 1:299
Could Not See Doctor Due to Cost % 2006-2012 19 14
2014 5.5 6.0
Inadequate Prenatal Care % 2013 6.9 5.7

Indicator	Year(s)	Lincoln	Oregon
Immunized 2-Year-Olds %	2013	53.0	58.2
IIIIIIuiiizeu z-ieai-Oius 70	2012	53.1	60.6
Immunized Seniors crude %	2006-2009	76.4	69.2
IIIIIIuiiized Seiliois Cidde 70	2004-2007	69.8	70.5
Critical Access Hospital (CAH) Beds count	2014	50	561
Critical Access Flospital (CALI) beds count	2013	50	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	8.7	8.9
particulate matter in micrograms per cubic meter	2008	9.5	9.1
(PM2.5) in a county	2000	9.5	9.1
Acute Pesticide Exposure:	2009-2011	0	171
"Likely" Illnesses 6-year count			
Nitrate Risk in at Least One Public	2011	no	yes
Water System			
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	27.4	17.2
Overweight age-adjusted %	2008-2011	35.4	35.5
	2006-2009 2008-2011	37.2 26.6	36.1 24.8
Obese age-adjusted %	2006-2011	26.2	24.6
	2006-2009	55.7	55.8
Physical Activity age-adjusted %	2004-2007	56.3	57.9
Eat Recommended Amount of Fruits &	2006-2009	25.6	27.0
Vegetables age-adjusted %	2004-2007	30.0	26.6
Current Smokers age-adjusted %	2008-2011	27.4	16.3
Current smokers age-adjusted 70	2006-2009	26.9	17.1
Binge Drinking age-adjusted % of males	2006-2009	30.7	18.7
bringe Brinking age adjusted 70 of males	2004-2007	18.7	19.7
Binge Drinking age-adjusted % of females	2006-2009	11.9*	10.8
bringe brinking age adjusted 70 of ferriales	2004-2007	5.4	8.7
Arthritis age-adjusted %	2008-2011	30.9	25.4
The man age adjusted 70	2006-2009 2008-2011	27.9 9.6	25.8 9.9
Asthma age-adjusted %	2006-2011	9.6 11.2	9.9 9.7
	2008-2011	2.8	3.3
Heart Attack age-adjusted %	2006-2009	3.9	3.3
Angina age-adjusted %	2008-2011	2.7	3.5
Angina age-adjusted %	2006-2009	2.5*	3.4
Stroke age-adjusted %	2008-2011	2.8*	2.3
	2006-2009	2.8*	2.3
Diabetes age-adjusted %	2008-2011	7.8	7.2
	2006-2009	8.9	6.8
High Blood Pressure age-adjusted %	2008-2011 2006-2009	35.1 36.2	26.6 25.8
	2008-2011	34.8	32.2
High Blood Cholesterol age-adjusted %	2006-2009	41.0	33.0

Indicator	Year(s)	Lincoln	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	461.6	455.9
carried age adjusted new cases per 100,000	2005-2009	474.7	464.6
Teen Pregnancy per 1,000	2013	28.2	28.4
recitive gridine, per 1,000	2010	49.9	38.6
Life Expectancy at Birth male	2009-2013	75.5	77.4
	2004-2008	74.2	76.4
Life Expectancy at Birth female	2009-2013	80.9	81.8
Ziio Zi,poetaile) de ziitai remaie	2004-2008	80.3	80.8
Infant Mortality Rate per 1,000	2013	2.4	5.0
mane mortality nate per 1,000	2012	4.3	5.3
Low Birth Weight Rate per 1,000	2014	72.6	62.5
2011 2 11 11 1 1 2 1 1 1 2 2 2 2 2 2 2 2	2013	75.8	63.0
Years of Potential Life Lost (YPLL)	2010-2012	7,692	5,958
age-adjusted per 100,000	2008-2010	7,489	6,076
HIV new cases	2014	0	146
The field cases	2013	1	218
	2011-2013	19.7 (Cl,Col,Li,T)	16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	17.3	16.0
		(Cl,Col,Li,T)	
Firearm Deaths count	2013	8	461
	2012	7	442
Car Crashes count	2013	625	49,510
	2012	620	49,798
Car Crash Deaths count	2013	10	313
	2012	5	336
Work-Related Deaths count	2012	2	47
	2011	1	59
Pertussis count	2013	1	485
	2012	6	911
Influenza count	2013	2	84
	2012	1	67
Salmonella count	2013	4	375
	2012	3	404
Chlamydia count	2013	100	14,265
	2012	131	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	14.7	9.6
Methamphetamine-Related Deaths count	2013	1	123
Methamphetamine-neiated Death's Count	2012	2	93
Children with Developmental	2013	96	5,625
Disabilities count	2012	99	5,191



Linn County Snapshot

Population Estimate	119,705
Life Expectancy at Birth male	76.8
Life Expectancy at Birth female	80.1
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	6,046
Low Birth Weight Rate per 1,000	65.0
Infant Mortality Rate per 1,000	6.3
Chronic Absenteeism %	19.4

Indicator	Year(s)	Linn	Oregon
Population Estimate (Certified)	2014	119,705	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.40	0.45
Minority Income as a % of White Income	2009-2013	57.2	57.2
Children in Poverty %	2013 2012	26.3 24.9	21.6 22.7
Violent Crime per 100,000	2010-2012	118	249
violent chime per 100,000	2009-2011	123	251
Median Household Income	2013	44,941	50,228
median no decine a medine	2012	43,837	49,090
Unemployment %	2014	8.5	6.9
onemployment //	2013	9.7	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:938	1:1514
Home Ownership %	2009-2013	66.8	62.0
rionie owneisnip /o	2000	67.9	64.3
High Housing Costs %	2009-2013	37	40
	2007-2011 2011	34 135	22,116
Homelessness count	2011	245	19,208
High School Graduates %	2009-2013	89.1	88.6
College Degree %	2009-2013	16.9	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
Huonuateu vvater 70	2006	82.0	22.2
Access to Exercise Opportunities %	2010 & 2013	75	89
necess to Exercise Opportunities //	2010 & 2012	70	81

Linn County


Indicator	Year(s)	Linn	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	45.5	N/A
Lunch %	2012-2013 AY	46.9	N/A
Limited Access to Healthy Foods %	2012	9	5
Fast Food: % living within 1/2 mile	2012	19.9	33.4
Supermarkets: % living within 1/2 mile	2012	13.3	19.4
Alcohol Outlets count	2015 (February)	264	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	87	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	77 73	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	46	55
Self-Assessment Self-Assessment			
Good General Health age-adjusted %	2006-2009	83.7	86.9
adout deficial freditifuge adjusted 70	2004-2007	81.8	85.4
Good Physical Health age-adjusted %	2006-2009	61.9	63.6
	2004-2007 2006-2009	63.7 67.3	62.3 66.4
Good Mental Health age-adjusted %	2000-2009	63.1	63.8
Inadequate Social Support %	2005-2010	16	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	81.2	83.6
age-adjusted %	2004-2007	82.9	82.8
Adults in OLID and adjusted 0/	2006-2009	5.2	5.1
Adults in OHP age-adjusted %	2004-2007	5.7	6.2
Pregnant Women Served by WIC %	2013	49	45
,	2012	50	46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	75.3	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	81.6	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	61.2	61.2
Preventable Hospital Stays per 1,000	2012	49	38
(Ambulatory Care Sensitive Conditions)	2011	56	42
Primary Care Physicians ratio to population	2012	1:1557	1:1105
, , , , , , , , , , , , , , , , , , , ,	2011	1:1596	1:1115
Dentists ratio to population	2013	1:1799	1:1363
Mental Health Providers ratio to population	2012 2014	1:1849 1:907	1:1399 1:299
Could Not See Doctor Due to Cost %	2006-2012	1.907	1.299
Could NOt See Doctor Due to Cost %	2006-2012	3.6	6.0
Inadequate Prenatal Care %	2014	4.4	5.7

Indicator	Year(s)	Linn	Oregon
Immunized 2-Year-Olds %	2013	44.0	58.2
mmanized z real olds //	2012	43.1	60.6
Immunized Seniors crude %	2006-2009	68.6	69.2
mmanized Semons crade 70	2004-2007	69.4	70.5
Critical Access Hospital (CAH) Beds count	2014	49	561
	2013	25	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	8.6	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	9.2	9.1
Acute Pesticide Exposure:	2009-2011	8	171
"Likely" Illnesses 6-year count			
Nitrate Risk in at Least One Public Water System	2011	yes	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	19.4	17.2
Overweight age-adjusted %	2008-2011	37.3	35.5
Overweight age adjusted 70	2006-2009	38.4	36.1
Obese age-adjusted %	2008-2011 2006-2009	30.6 29.6	24.8 24.5
	2006-2009	51.6	55.8
Physical Activity age-adjusted %	2004-2007	52.3	57.9
Eat Recommended Amount of Fruits &	2006-2009	15.8	27.0
Vegetables age-adjusted %	2004-2007	22.1	26.6
Current Smokers age-adjusted %	2008-2011	19.0	16.3
	2006-2009	21.0	17.1
Binge Drinking age-adjusted % of males	2006-2009	27.4	18.7
	2004-2007	23.0	19.7
Binge Drinking age-adjusted % of females	2006-2009	7.7	10.8
	2004-2007 2008-2011	9.3 28.9	8.7 25.4
Arthritis age-adjusted %	2006-2009	29.5	25.8
Acthma ago adjusted 04	2008-2011	9.9	9.9
Asthma age-adjusted %	2006-2009	10.5	9.7
Heart Attack age-adjusted %	2008-2011 2006-2009	3.3 4.5	3.3 3.3
, , , , , , , , , , , , , , , , , , ,	2008-2009	4.5	3.5
Angina age-adjusted %	2006-2009	4.2	3.4
Stroke age-adjusted %	2008-2011	3.6	2.3
Stroke age-adjusted %	2006-2009	3.7	2.3
Diabetes age-adjusted %	2008-2011	7.3	7.2
	2006-2009	7.9	6.8
High Blood Pressure age-adjusted %	2008-2011 2006-2009	26.3 27.7	26.6 25.8
	2008-2009	27.7	32.2
High Blood Cholesterol age-adjusted %	2006-2009	29.6	33.0

Linn County

Cancer age-adjusted new cases per 100,000 2007-2011 2005 469.4 464.6 464.6 Teen Pregnancy per 1,000 2013 31.1 28.4 2010 42.6 38.6 Life Expectancy at Birth male 2009-2013 76.8 77.4 76.4 Life Expectancy at Birth female 2009-2013 80.1 81.8 81.8 Life Expectancy at Birth female 2009-2013 80.1 81.8 81.8 Infant Mortality Rate per 1,000 2013 6.3 5.0 5.0 Low Birth Weight Rate per 1,000 2012 0.7 5.3 63.0 Years of Potential Life Lost (YPLL) 2010-2012 6,046 55.958 64.0 63.0 Years of Potential Life Lost (YPLL) 2010-2012 6,046 5.958 6.829 6,076 HIV new cases 2014 3 15.4 16.9 Suicide Deaths age-adjusted rate per 100,000 2008-2010 15.7 16.0 5.18 Suicide Deaths age-adjusted rate per 100,000 2008-2010 15.7 16.0 15.7 16.0 Firearm Deaths count 2013 15 461 401 Car Crash Deaths count 2013 15 461 401 Car Crash Deaths count 2013 16 313 313 Work-Related Deaths count 2011 3 6 84 404 Value 2012 1 1 3 36 404 Value 2013 1 1 375 404 Value 2013 3 1 4,24	Indicator	Year(s)	Linn	Oregon
Teen Pregnancy per 1,000 Teen Pregnancy at Birth male Teen Pregnancy at Birth male Teen Expectancy at Birth female Teen Expectancy at Birth female Teen Expectancy at Birth female Teen Pregnancy per 1,000 Teen Pregnancy	Cancer age-adjusted new cases per 100 000			
Teen Pregnancy per 1,000 2010 42.6 38.6 Life Expectancy at Birth male 2009-2013 76.8 77.4 Life Expectancy at Birth female 2004-2008 75.0 76.4 Life Expectancy at Birth female 2009-2013 80.1 81.8 Life Expectancy at Birth female 20013 6.3 5.0 Infant Mortality Rate per 1,000 2011 6.3 5.0 Low Birth Weight Rate per 1,000 2013 64.0 63.0 Years of Potential Life Lost (YPLL) 2010-2012 6,046 5,958 age-adjusted per 100,000 20013 5 218 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.4 16.9 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.4 461 Firearm Deaths count 2013 15.7 16.0	carreer age adjusted new cases per 100,000			
Life Expectancy at Birth male 2009-2013 76.8 77.4 2009-2013 76.8 77.6 2004-2008 75.0 76.4 2009-2013 80.1 81.8 2009-2013 80.1 81.8 2004-2008 79.6 80.8 80.8 16.5 2004-2008 79.6 80.8 80.8 16.5 2004-2008 79.6 80.8 80.8 16.5 2004-2008 79.6 80.8 80.8 16.5 2004-2008 79.6 80.8 80.8 16.5 2004-2008 79.6 80.8 80.8 16.5 2004-2008 79.6 80.8 80.8 16.5 2004-2008 79.6 80.8 80.8 16.5 2004-2008 79.6 80.8 80.8 16.5 2004-2008 79.6 80.8 80.8 16.5 2004-2008 79.6 80.8 80.8 16.5 20012 70.7 5.3 16.0 20012 70.7 5.3 16.0 2008-2010 6.829 6.076 80.9 80.9 80.9 80.9 80.9 80.9 80.9 80.9	Teen Pregnancy per 1,000			
Life Expectancy at Birth male 2004-2008 75.0 76.4 Life Expectancy at Birth female 2009-2013 80.1 81.8 Infant Mortality Rate per 1,000 2013 6.3 5.0 Low Birth Weight Rate per 1,000 2014 65.0 62.5 Low Birth Weight Rate per 1,000 2014 65.0 62.5 Years of Potential Life Lost (YPLL) 2010-2012 6,046 5,958 age-adjusted per 100,000 2008-2010 6,829 6,076 HIV new cases 2013 5 218 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.7 16.0 Firearm Deaths count 2013 15.7 16.0 Firearm Deaths count 2013 15.7 142 Car Crashes Count 2013 15.7 142 Car Crash Deaths count 2013 16. 313 Work-Related Deaths count 2013 16. 313 Work-Related Deaths count 2012 2.5 911 Influenza count 2013 6				
Life Expectancy at Birth female 2009-2013 80.1 81.8 Life Expectancy at Birth female 2004-2008 79.6 80.8 Infant Mortality Rate per 1,000 2012 0.7 5.3 Low Birth Weight Rate per 1,000 2013 64.0 63.0 Years of Potential Life Lost (YPLL) 2010-2012 6,046 5.958 age-adjusted per 100,000 2008-2010 6,829 6,076 HIV new cases 2014 3 14.6 Suicide Deaths age-adjusted rate per 100,000 2013-2013 15.4 16.9 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.4 16.9 Suicide Deaths age-adjusted rate per 100,000 2008-2010 15.7 16.0 Firearm Deaths count 2012 7 442 Car Crashes count 2012 7 442 Car Crashes count 2012 1,438 49,798 Car Crash Deaths count 2012 1,438 49,798 Work-Related Deaths count 2012 1 336 Work-Related Deaths count 2012 1 485 Pertussis count 2012 1 67 Salmonella count 2012 1 67 Salmonella count 2012 1 67 Chilamydia count 2013 353 14,265 Smokeless Tobacco Use Among 11th Grade Males % Methamphetamine-Related Deaths count 2013 6 123 Methamphetamine-Related Deaths count 2013 7 9 5,625	Life Expectancy at Birth male			
Life Expectancy at Birth female 2004-2008 79.6 80.8 Infant Mortality Rate per 1,000 2012 0.7 5.3 Low Birth Weight Rate per 1,000 2014 65.0 62.5 Low Birth Weight Rate per 1,000 2013 64.0 63.0 Years of Potential Life Lost (YPLL) age-adjusted per 100,000 2008-2010 6,829 6,076 HIV new cases 2014 3 146 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.4 16.9 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.4 16.9 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.4 16.9 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.4 16.9 Firearm Deaths count 2013 15.7 16.0 Car Crash Deaths count 2013 14.24 49,510 Car Crash Deaths count 2012 14.38 49,798 Pertussis count 2012 1 48 Salmonella count 2012 1 67				
Infant Mortality Rate per 1,000 2003 6.3 5.0 Low Birth Weight Rate per 1,000 2012 0.7 5.3 Low Birth Weight Rate per 1,000 2014 65.0 62.5 years of Potential Life Lost (YPLL) 2010-2012 6,046 5,958 age-adjusted per 100,000 2008-2010 6,829 6,076 HIV new cases 2014 3 146 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.4 16.0 Firearm Deaths count 2013 15 461 Firearm Deaths count 2013 15 461 Car Crashes count 2013 15 461 Car Crash Deaths count 2012 7 442 Work-Related Deaths count 2013 16 313 Work-Related Deaths count 2011 3 59 Pertussis count 2012 1 485 Salmonella count 2013 1 6 Salmonella count 2013 1 404 Chlamydia coun	Life Expectancy at Birth female			
Infant Mortality Rate per 1,000 2012 0.7 5.3 Low Birth Weight Rate per 1,000 2014 65.0 62.5 Years of Potential Life Lost (YPLL) 2010-2012 6,046 5,958 age-adjusted per 100,000 2008-2010 6,829 6,076 HIV new cases 2014 3 146 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.4 16.9 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.7 16.0 Firearm Deaths count 2013 15.7 16.0 Firearm Deaths count 2012 7 442 Car Crashes count 2013 1,424 49,510 Car Crash Deaths count 2013 16 313 Work-Related Deaths count 2012 11 336 Work-Related Deaths count 2012 0 47 Pertussis count 2013 21 485 Salmonella count 2013 6 84 Chlamydia count 2013 359 13,501	Ene Expectancy at Sharrenaic		79.6	80.8
Low Birth Weight Rate per 1,000 2014 65.0 62.5 Years of Potential Life Lost (YPLL) 2010-2012 6,046 5,958 age-adjusted per 100,000 2008-2010 6,829 6,076 HIV new cases 2014 3 146 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.4 16.9 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.4 16.9 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.4 16.9 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.4 16.9 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.4 16.9 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.7 16.0 Firearm Deaths age-adjusted rate per 100,000 2011-2013 15.7 16.0 Firearm Deaths age-adjusted rate per 100,000 2011-2013 15.7 16.0 Firearm Deaths age-adjusted rate per 100,000 2011-2013 14.24 49.510 Car Crash Deaths count 2012 14.24 49.510 19.3	Infant Mortality Rate per 1 000	2013		
Low Birth Weight Rate per 1,000 2013 64.0 63.0 Years of Potential Life Lost (YPLL) 2010-2012 6,046 5,958 age-adjusted per 100,000 2008-2010 6,829 6,076 HIV new cases 2014 3 146 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.4 16.9 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.4 16.9 Firearm Deaths count 2013 15.7 16.0 Firearm Deaths count 2013 1,424 49,510 Car Crashs Deaths count 2013 16 313 Work-Related Deaths count 2012 11 336 Work-Related Deaths count 2012 0 47 Pertussis count 2013 21 485 Salmonella count 2013 6 84 Influenza count 2013 6 84 Chlamydia count 2013 353 14,265 Salmonella count 2013 353 14,265	mane more and have per 1,000	2012		
Years of Potential Life Lost (YPLL) age-adjusted per 100,000 2010-2012 age-adjusted per 100,000 6,046 bg.99 age-adjusted per 100,000 5,958 age-adjusted per 100,000 HIV new cases 2014 3 146 3 146 3 154 16.9 2013 5 218 3 15.4 16.9 2008-2010 15.7 16.0 2008-2010 15.7 2008-2010 15.7 2008-2010 15.7 2008-2010 15.7 2008-2010 15.7 2008-2010 15.7 2008-2010 15.7 2008-2010 15.7 2008-2010 15.7 2008-2010 15.7 2008-2010 15.7 2008-2010 15.7 2008-2010 2008-2010 15.7 2008-2010 2008-2010 2008-2010 2008-2010 2008-2010 2008-2010 2008-	Low Rirth Weight Rate per 1 000	2014	65.0	62.5
age-adjusted per 100,000 2008-2010 6,829 6,076 HIV new cases 2014 3 146 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.4 16.9 Firearm Deaths count 2013 15.7 16.0 Firearm Deaths count 2013 15.4 461 Car Crashes count 2012 7 442 Car Crashes count 2013 1,424 49,510 Car Crash Deaths count 2013 16 313 Work-Related Deaths count 2012 11 336 Work-Related Deaths count 2012 0 47 Pertussis count 2013 21 485 Pertussis count 2013 21 485 Salmonella count 2013 6 84 Chlamydia count 2013 11 375 Smokeless Tobacco Use Among 11th Grade Males % 2013 6 123 Methamphetamine-Related Deaths count 2013 6 123 Children with Developmental 2013 229 5,625	Low birth weight hate per 1,000	2013	64.0	63.0
HIV new cases 2014 3 146 2013 5 218 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.4 16.9 Firearm Deaths count 2013 15.7 16.0 Firearm Deaths count 2013 15.7 461 Car Crashes count 2012 7 442 Car Crashes count 2013 1,424 49,510 Car Crash Deaths count 2012 1,438 49,798 Car Crash Deaths count 2013 16 313 Work-Related Deaths count 2012 0 47 Pertussis count 2013 21 485 Pertussis count 2013 21 485 Salmonella count 2013 6 84 Chlamydia count 2013 11 375 Smokeless Tobacco Use Among 11th Grade Males % 2013 6 123 Methamphetamine-Related Deaths count 2013 6 123 Children with Developmental 2013 229 5,625		2010-2012	6,046	5,958
HIV new cases 2013 5 218 Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.4 16.9 Firearm Deaths count 2013 15.7 16.0 Firearm Deaths count 2013 15 461 Car Crashes count 2012 7 442 Car Crashes count 2013 1,424 49,510 Car Crash Deaths count 2012 1,438 49,798 Car Crash Deaths count 2013 16 313 Work-Related Deaths count 2012 0 47 Pertussis count 2011 3 59 Pertussis count 2013 21 485 Pertussis count 2013 21 485 Salmonella count 2013 6 84 Chlamydia count 2013 11 375 Chlamydia count 2013 353 14,265 Smokeless Tobacco Use Among 11th Grade Males % 2013 6 123 Methamphetamine-Related Deaths count 2013 6 123 Children with Developmental 2013 <t< td=""><td>age-adjusted per 100,000</td><td>2008-2010</td><td>6,829</td><td>6,076</td></t<>	age-adjusted per 100,000	2008-2010	6,829	6,076
Suicide Deaths age-adjusted rate per 100,000 2011-2013 15.4 16.9 2008-2010 15.7 16.0 Firearm Deaths count 2012 7 442 2013 1,424 49,510 2012 1,438 49,798 2013 16 313 2012 11 336 2012 11 336 2012 2013 2013 2014 2015 2015 2015 2015 2015 2015 2015 2015	HIV pow cases	2014	3	146
Suicide Deaths age-adjusted rate per 100,000 2008-2010 15.7 16.0 Firearm Deaths count 2013 15 461 Car Crashes count 2012 7 442 Car Crashes count 2013 1,424 49,510 Car Crash Deaths count 2012 1,438 49,798 Car Crash Deaths count 2013 16 313 Work-Related Deaths count 2012 0 47 Pertussis count 2013 21 485 Pertussis count 2013 21 485 Influenza count 2013 6 84 Influenza count 2013 11 375 Salmonella count 2013 11 375 Chlamydia count 2013 353 14,265 Smokeless Tobacco Use Among 11th 2013 59 13,501 Methamphetamine-Related Deaths count 2013 6 123 Methamphetamine-Related Deaths count 2013 6 123 Children with Developmental	FILV HEW Cases	2013	5	218
Firearm Deaths count 2013 15 461 2012 7 442 Car Crashes count 2013 1,424 49,510 Car Crash Deaths count 2012 1,438 49,798 Car Crash Deaths count 2012 11 336 Work-Related Deaths count 2011 3 59 Pertussis count 2013 21 485 Pertussis count 2013 21 485 Influenza count 2013 6 84 Influenza count 2013 11 375 Salmonella count 2013 11 375 Salmonella count 2013 11 375 Salmonella count 2013 353 14,265 Chlamydia count 2013 353 14,265 Smokeless Tobacco Use Among 11th 2012 359 13,501 Smokeless Tobacco Use Among 11th 2013 36 123 Methamphetamine-Related Deaths count 2013 6 123 Methamphetamine-Related Deaths count 2013 6 123 Children with Developmental 2013 229 5,625	Suicide Deaths age-adjusted rate per 100.000			
Firearm Deaths count 2012 7 442 Car Crashes count 2013 1,424 49,510 2012 1,438 49,798 2012 11 336 Work-Related Deaths count 2012 0 47 Work-Related Deaths count 2011 3 59 Pertussis count 2013 21 485 Pertussis count 2013 21 485 Influenza count 2013 6 84 Salmonella count 2013 11 375 Chlamydia count 2013 11 375 Smokeless Tobacco Use Among 11th Grade Males % 2013 353 14,265 Methamphetamine-Related Deaths count 2013 6 123 Methamphetamine-Related Deaths count 2013 6 123 Children with Developmental 2013 229 5,625				
Car Crashes count 2013 1,424 49,510 2012 1,438 49,798 2013 16 313 2012 11 336 Work-Related Deaths count 2012 0 47 2011 3 59 Pertussis count 2013 21 485 2012 25 911 Influenza count 2013 6 84 2012 1 67 Salmonella count 2013 11 375 Chlamydia count 2013 353 14,265 2012 359 13,501 Smokeless Tobacco Use Among 11th Grade Males % 2013 6 123 Methamphetamine-Related Deaths count 2013 6 123 Children with Developmental 2013 229 5,625	Firearm Deaths count			
Car Crash Deaths count 2012 1,438 49,798 Car Crash Deaths count 2013 16 313 Work-Related Deaths count 2012 11 336 Work-Related Deaths count 2012 0 47 Pertussis count 2011 3 59 Pertussis count 2013 21 485 Influenza count 2013 6 84 Salmonella count 2013 11 375 Salmonella count 2013 11 375 Chlamydia count 2013 353 14,265 Smokeless Tobacco Use Among 11th 2013 359 13,501 Smokeless Tobacco Use Among 11th Grade Males % 2013 6 123 Methamphetamine-Related Deaths count 2013 6 123 Children with Developmental 2013 229 5,625			•	
Car Crash Deaths count 2013 16 313 Work-Related Deaths count 2012 11 336 Work-Related Deaths count 2012 0 47 2011 3 59 Pertussis count 2013 21 485 2012 25 911 Influenza count 2013 6 84 2012 1 67 Salmonella count 2013 11 375 Chlamydia count 2013 353 14,265 2012 359 13,501 Smokeless Tobacco Use Among 11th 2013 9.6 Methamphetamine-Related Deaths count 2013 6 123 Methamphetamine-Related Deaths count 2013 6 123 Children with Developmental 2013 229 5,625	Car Crashes count			
Car Crash Deaths count 2012 11 336 Work-Related Deaths count 2012 0 47 2011 3 59 Pertussis count 2013 21 485 2012 25 911 Influenza count 2013 6 84 2012 1 67 Salmonella count 2013 11 375 Chlamydia count 2013 353 14,265 2012 359 13,501 Smokeless Tobacco Use Among 11th Grade Males % 2013 6 123 Methamphetamine-Related Deaths count 2013 6 123 Children with Developmental 2013 229 5,625				
Work-Related Deaths count 2012 0 47 2011 3 59 Pertussis count 2013 21 485 2012 25 911 Influenza count 2013 6 84 2012 1 67 Salmonella count 2013 11 375 Chlamydia count 2013 353 14,265 2012 359 13,501 Smokeless Tobacco Use Among 11th Grade Males % 2013 6 123 Methamphetamine-Related Deaths count 2013 6 123 Children with Developmental 2013 229 5,625	Car Crash Deaths count			
Work-Related Deaths count 2011 3 59 Pertussis count 2013 21 485 2012 25 911 Influenza count 2013 6 84 2012 1 67 Salmonella count 2013 11 375 Salmonella count 2012 13 404 Chlamydia count 2013 353 14,265 2012 359 13,501 Smokeless Tobacco Use Among 11th Grade Males % 2013 6 123 Methamphetamine-Related Deaths count 2013 6 123 Children with Developmental 2013 229 5,625				
Pertussis count 2013 21 485 2012 25 911 Influenza count 2013 6 84 2012 1 67 Salmonella count 2013 11 375 Chlamydia count 2012 13 404 Chlamydia count 2013 353 14,265 Smokeless Tobacco Use Among 11th Grade Males % 2013 9.6 Methamphetamine-Related Deaths count 2013 6 123 Children with Developmental 2013 229 5,625	Work-Related Deaths count			
Pertussis count 2012 25 911 Influenza count 2013 6 84 2012 1 67 Salmonella count 2013 11 375 2012 13 404 Chlamydia count 2013 353 14,265 2012 359 13,501 Smokeless Tobacco Use Among 11th Grade Males % 2013 9.6 Methamphetamine-Related Deaths count 2013 6 123 2012 1 93 Children with Developmental 2013 229 5,625				
Salmonella count 2012 25 911	Pertussis count			
Influenza count 2012 1 67 Salmonella count 2013 11 375 2012 13 404 Chlamydia count 2013 353 14,265 2012 359 13,501 Smokeless Tobacco Use Among 11th Grade Males % 2013 ••• 9.6 Methamphetamine-Related Deaths count 2013 6 123 2012 1 93 Children with Developmental 2013 229 5,625			25	911
Salmonella count 2012 1 67 Salmonella count 2013 11 375 2012 13 404 Chlamydia count 2013 353 14,265 2012 359 13,501 Smokeless Tobacco Use Among 11th Grade Males % 2013 ••• 9.6 Methamphetamine-Related Deaths count 2013 6 123 Children with Developmental 2013 229 5,625	Influenza count		6	
Salmonella count 2012 13 404 Chlamydia count 2013 353 14,265 2012 359 13,501 Smokeless Tobacco Use Among 11th Grade Males % 2013 ••• 9.6 Methamphetamine-Related Deaths count 2013 6 123 2012 1 93 Children with Developmental 2013 229 5,625			1	67
2012 13 404	Salmonella count		11	
Chlamydia count 2012 359 13,501 Smokeless Tobacco Use Among 11th Grade Males % 2013 ••• 9.6 Methamphetamine-Related Deaths count 2013 6 123 2012 1 93 Children with Developmental 2013 229 5,625	Surrioriena Courte	2012	13	404
Smokeless Tobacco Use Among 11th Grade Males % 2013 9.6	Chlamydia count	2013	353	14,265
Grade Males % 2013 6 123 Methamphetamine-Related Deaths count 2013 6 123 2012 1 93 Children with Developmental 2013 229 5,625	Charry dia Court	2012	359	13,501
Methamphetamine-Related Deaths count 2012 1 93 Children with Developmental 2013 229 5,625		2013		9.6
Children with Developmental 2013 229 5,625	Mathamphatamine Polated Dooths count	2013	6	123
Cimaren With Bevelopmental	methamphetamhe-neiateu Deaths Count	2012	1	93
	Children with Developmental	2013	229	5,625
		2012	191	5,191

Malheur County



Malheur County Snapshot

Population Estimate	31,470
Life Expectancy at Birth male	77.9
Life Expectancy at Birth female	80.1
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	6,314
Low Birth Weight Rate per 1,000	54.1
Chronic Absenteeism %	15.4

Indicator	Year(s)	Malheur	Oregon
Population Estimate (Certified)	2014	31,470	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.45	0.45
Minority Income as a % of White Income	2009-2013	52.9	57.2
Children in Poverty %	2013	38.8	21.6
	2012	34.9	22.7
Violent Crime per 100,000	2010-2012	220	249
	2009-2011	193	251
Median Household Income	2013	34,565	50,228
	2012	33,994	49,090
Unemployment %	2014	8.3	6.9
	2013	8.7	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:2909	1:1514
Home Ownership %	2009-2013	61.6	62.0
	2000	63.8	64.3
High Housing Costs %	2009-2013	37	40
	2007-2011	29	39
Homelessness count	2011	53	22,116
	2010	108	19,208
High School Graduates %	2009-2013	80.4	88.6
College Degree %	2009-2013	13.1	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	87.3	22.2
Access to Exercise Opportunities %	2010 & 2013	65	89
	2010 & 2012	51	81

Malheur County

Indicator	Year(s)	Malheur	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	71.9	N/A
Lunch %	2012-2013 AY	71	N/A
Limited Access to Healthy Foods %	2012	6	5
Fast Food: % living within 1/2 mile	2012	31.2	33.4
Supermarkets: % living within 1/2 mile	2012	27.0	19.4
Alcohol Outlets count	2015 (February)	92	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	22	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	25 26	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	51	55
Self-Assessment Self-Assessment			
Good General Health age-adjusted %	2006-2009	83.8	86.9
adjusted //	2004-2007	82.4	85.4
Good Physical Health age-adjusted %	2006-2009 2004-2007	67.6 66.3	63.6 62.3
	2004-2007	81.3	66.4
Good Mental Health age-adjusted %	2004-2009	78.4	63.8
Inadequate Social Support %	2005-2010	19	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	77.8	83.6
age-adjusted %	2004-2007	75.4	82.8
Adults in OHP age-adjusted %	2006-2009	5.9	5.1
Addits in Officage adjusted 70	2004-2007	7.9	6.2
Pregnant Women Served by WIC %	2013 2012	67 74	45 46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	56.6	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	70.4	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	64.0	61.2
Preventable Hospital Stays per 1,000	2012	39	38
(Ambulatory Care Sensitive Conditions)	2011	53	42
Primary Care Physicians ratio to population	2012	1:2188	1:1105
	2011	1:1942	1:1115
Dentists ratio to population	2013 2012	1:1451 1:1532	1:1363 1:1399
Mental Health Providers ratio to population	2012	1:328	1:299
Could Not See Doctor Due to Cost %	2006-2012	1.326	1.299
Codia Not See Doctor Due to Cost 70	2006-2012	11.1	6.0
Inadequate Prenatal Care %	2014	12.4	5.7

Indicator	Year(s)	Malheur	Oregon
Immunized 2-Year-Olds %	2013	69.6	58.2
minumized z real olds //	2012	58.1	60.6
Immunized Seniors crude %	2006-2009	67.2	69.2
minianized Semois erade 70	2004-2007	64.7	70.5
Critical Access Hospital (CAH) Beds count	2014	no CAH	561
	2013	no CAH	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	9.4	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	8.8	9.1
Acute Pesticide Exposure:			
"Likely" Illnesses 6-year count	2009-2011	1	171
Nitrate Risk in at Least One Public			
Water System	2011	yes	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	15.4	17.2
Overveight and adjusted 0/	2008-2011	36.2	35.5
Overweight age-adjusted %	2006-2009	37.6	36.1
Obese age-adjusted %	2008-2011	27.9	24.8
	2006-2009 2006-2009	33.3 56.9	24.5 55.8
Physical Activity age-adjusted %	2004-2007	48.4	57.9
Eat Recommended Amount of Fruits &	2006-2009	19.5*	27.0
Vegetables age-adjusted %	2004-2007	14.9	26.6
Current Smokers age-adjusted %	2008-2011	22.9	16.3
Current Smokers age-adjusted 70	2006-2009	16.8	17.1
Binge Drinking age-adjusted % of males	2006-2009	•••	18.7
	2004-2007	13.2	19.7
Binge Drinking age-adjusted % of females	2006-2009	10.2*	10.8
	2004-2007	4.2	8.7
Arthritis age-adjusted %	2008-2011 2006-2009	15.8 27.1	25.4 25.8
	2008-2011	9.3	9.9
Asthma age-adjusted %	2006-2009	8.4	9.7
Heart Attack age-adjusted %	2008-2011	3.1*	3.3
Treat Mitaek age adjusted 70	2006-2009	3.4*	3.3
Angina age-adjusted %	2008-2011 2006-2009	4.0* 1.7*	3.5 3.4
	2008-2011	1.4*	2.3
Stroke age-adjusted %	2006-2009	2.6*	2.3
Dislocation and additional Of	2008-2011	10.3	7.2
Diabetes age-adjusted %	2006-2009	7.6	6.8
High Blood Pressure age-adjusted %	2008-2011	26.0	26.6
riight blood riessure age adjusted 70	2006-2009	27.8	25.8
High Blood Cholesterol age-adjusted %	2008-2011 2006-2009	21.7 37.5	32.2 33.0
	2000-2009	57.5	33.0

Malheur County

Indicator	Year(s)	Malheur	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	428.6	455.9
Caricer age-adjusted new cases per 100,000	2005-2009	416.4	464.6
Teen Pregnancy per 1,000	2013	51.4	28.4
recrifice frames per 1,000	2010	70.4	38.6
Life Expectancy at Birth male	2009-2013	77.9	77.4
Life Expectation at Sitti Hadie	2004-2008	76.0	76.4
Life Expectancy at Birth female	2009-2013	80.1	81.8
	2004-2008	80.6	80.8
Infant Mortality Rate per 1,000	2013	•••	5.0
	2012	5.1	5.3
Low Birth Weight Rate per 1,000	2014	54.1	62.5
	2013	57.4	63.0
Years of Potential Life Lost (YPLL)	2010-2012	6,314	5,958
age-adjusted per 100,000	2008-2010	6,197	6,076
HIV new cases	2014	0	146
	2013	2	218
C : : D .	2011-2013	16.5 (Ba,Gr,H, Mal,Mo,U,Un,Wa)	16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	19.0 (Ba,Gr,H,	16.0
	2013	Mal,Mo,U,Un,Wa)	461
Firearm Deaths count	2013	6 4	442
	2012	425	49,510
Car Crashes count	2013	389	49,798
	2012	8	313
Car Crash Deaths count	2013	6	336
	2012	1	47
Work-Related Deaths count	2012	2	59
	2013	1	485
Pertussis count	2012	11	911
	2013	2	84
Influenza count	2012	0	67
	2013	4	375
Salmonella count	2012	4	404
	2013	125	14,265
Chlamydia count	2012	113	13,501
Smokeless Tobacco Use Among 11th			
Grade Males %	2013	•••	9.6
	2013	2	123
Methamphetamine-Related Deaths count	2012	•••	93
Children with Developmental	2013	39	5,625
Disabilities count	2012	39	5,191

Marion County

Clarico Columbia Maderican Monde Clarkamas Wasco Clarkamas Gaset Gaset Manual M

Marion County Snapshot

Population Estimate	326,150
Life Expectancy at Birth male	77.0
Life Expectancy at Birth female	81.3
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	6,444
Low Birth Weight Rate per 1,000	55.1
Infant Mortality Rate per 1,000	4.9
Chronic Absenteeism %	18.6

Indicator	Year(s)	Marion	Oregon
Population Estimate (Certified)	2014	326,150	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.43	0.45
Minority Income as a % of White Income	2009-2013	47.8	57.2
Children in Poverty %	2013	27.9	21.6
	2012	28.3	22.7
Violent Crime per 100,000	2010-2012	232	249
	2009-2011	242	251
Median Household Income	2013	46,919	50,228
	2012	45,631	49,090
Unemployment %	2014	7.3	6.9
	2013	8.4	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:722	1:1514
Home Ownership %	2009-2013	60.3	62.0
	2000	62.9	64.3
High Housing Costs %	2009-2013	41	40
	2007-2011	41	39
Homelessness count	2011	943	22,116
	2010	1,152	19,208
High School Graduates %	2009-2013	83.2	88.6
College Degree %	2009-2013	21.2	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	81.0	22.2
Access to Exercise Opportunities %	2010 & 2013	83	89
	2010 & 2012	77	81

Marion County

Indicator	Year(s)	Marion	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	60.4	N/A
Lunch %	2012-2013 AY	58.7	N/A
Limited Access to Healthy Foods %	2012	5	5
Fast Food: % living within 1/2 mile	2012	33.2	33.4
Supermarkets: % living within 1/2 mile	2012	13.1	19.4
Alcohol Outlets count	2015 (February)	795	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	187	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	120 123	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	55	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009	85.9	86.9
Good General regality age adjusted 78	2004-2007	85.6	85.4
Good Physical Health age-adjusted %	2006-2009 2004-2007	64.2 64.3	63.6 62.3
	2004-2007	68.6	66.4
Good Mental Health age-adjusted %	2004-2007	66.4	63.8
Inadequate Social Support %	2005-2010	17	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	84.0	83.6
age-adjusted %	2004-2007	81.4	82.8
Adults in OHP age-adjusted %	2006-2009	5.8	5.1
, add to the dige day acted /s	2004-2007	6.7	6.2
Pregnant Women Served by WIC %	2013 2012	57 60	45 46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	83.5	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	83.9	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	61.2	61.2
Preventable Hospital Stays per 1,000	2012	33	38
(Ambulatory Care Sensitive Conditions)	2011	39	42
Primary Care Physicians ratio to population	2012	1:1379	1:1105
	2011	1:1424	1:1115
Dentists ratio to population	2013 2012	1:1332 1:1373	1:1363 1:1399
Mental Health Providers ratio to population	2012	1:372	1:299
Could Not See Doctor Due to Cost %	2006-2012	1.57.2	1.233
	2014	6.3	6.0
Inadequate Prenatal Care %	2013	5.9	5.7

Indicator	Year(s)	Marion	Oregon
Immunized 2-Year-Olds %	2013	43.9	58.2
	2012	56.0	60.6
Immunized Seniors crude %	2006-2009 2004-2007	70.4	69.2
	2004-2007	69.9 no CAH	70.5 561
Critical Access Hospital (CAH) Beds count	2014	no CAH	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	9.1	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	9.6	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	29	171
Nitrate Risk in at Least One Public Water System	2011	yes	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	18.6	17.2
Overweight age-adjusted %	2008-2011	35.4	35.5
everweight age adjusted //	2006-2009 2008-2011	36.5 28.0	36.1 24.8
Obese age-adjusted %	2006-2011	28.6	24.8
District Activity and adjusted 0/	2006-2009	53.0	55.8
Physical Activity age-adjusted %	2004-2007	53.6	57.9
Eat Recommended Amount of Fruits &	2006-2009	29.1	27.0
Vegetables age-adjusted %	2004-2007	25.1	26.6
Current Smokers age-adjusted %	2008-2011 2006-2009	14.4 15.5	16.3 17.1
	2006-2009	14.4	18.7
Binge Drinking age-adjusted % of males	2004-2007	15.4	19.7
	2006-2009	9.9	10.8
Binge Drinking age-adjusted % of females	2004-2007	7.9	8.7
Arthritis age-adjusted %	2008-2011	24.8	25.4
Artifilis age-adjusted 70	2006-2009	25	25.8
Asthma age-adjusted %	2008-2011 2006-2009	9.2 11.3	9.9 9.7
	2008-2009	3.6	3.3
Heart Attack age-adjusted %	2006-2009	4.0	3.3
Angina age-adjusted %	2008-2011 2006-2009	4.1 3.8	3.5 3.4
Stroke age-adjusted %	2008-2011 2006-2009	2.8 2.3	2.3 2.3
Diabetes age-adjusted %	2008-2011	7.6	7.2
	2006-2009 2008-2011	8.3 27.2	6.8 26.6
High Blood Pressure age-adjusted %	2006-2011	27.2	25.8
High Blood Cholesterol age-adjusted %	2008-2011	29.8	32.2
mgm blood cholesterol age-adjusted 70	2006-2009	29.1	33.0

Marion County

Indicator	Year(s)	Marion	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	480.7	455.9
carreer age adjusted their eases per respect	2005-2009	482.3	464.6
Teen Pregnancy per 1,000	2013	35.9	28.4
	2010	55.6	38.6
Life Expectancy at Birth male	2009-2013	77.0	77.4
Zine Expectation at Birdininale	2004-2008	75.9	76.4
Life Expectancy at Birth female	2009-2013	81.3	81.8
Life Expectation at Birth Terriale	2004-2008	80.3	80.8
Infant Mortality Rate per 1,000	2013	4.9	5.0
mant Mortality Nate per 17000	2012	6.4	5.3
Low Birth Weight Rate per 1,000	2014	55.1	62.5
Low birth weight hate per 1,000	2013	67.7	63.0
Years of Potential Life Lost (YPLL)	2010-2012	6,444	5,958
age-adjusted per 100,000	2008-2010	6,704	6,076
110/2004	2014	11	146
HIV new cases	2013	13	218
Suicide Deaths age-adjusted rate per 100,000	2011-2013	13.7	16.9
Suicide Deaths age adjusted rate per 100,000	2008-2010	13.9	16.0
Firearm Deaths count	2013	26	461
	2012	36	442
Car Crashes count	2013	4,181	49,510
	2012	4,010	49,798
Car Crash Deaths count	2013	14	313
cui ciusii Deutiis count	2012	20	336
Work-Related Deaths count	2012	1	47
Work helated Death's count	2011	5	59
Pertussis count	2013	53	485
reitussis courit	2012	55	911
Influence count	2013	4	84
Influenza count	2012	10	67
	2013	35	375
Salmonella count	2012	38	404
	2013	1,359	14,265
Chlamydia count	2012	1,421	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	11	9.6
Mathamata S. L. 10 d	2013	5	123
Methamphetamine-Related Deaths count	2012	10	93
Children with Developmental	2013	610	5,625
Disabilities count	2012	588	5,191



Morrow County Snapshot

Population Estimate	11,525
Life Expectancy at Birth male	77.2
Life Expectancy at Birth female	82.6
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	5,600
Low Birth Weight Rate per 1,000	79.8
Infant Mortality Rate per 1,000	7.8
Chronic Absenteeism %	4.8

Indicator	Year(s)	Morrow	Oregon
Population Estimate (Certified)	2014	11,525	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.40	0.45
Minority Income as a % of White Income	2009-2013	49.5	57.2
Children in Poverty %	2013	24.5	21.6
	2012	23.3	22.7
Violent Crime per 100,000	2010-2012	178	249
	2009-2011	217	251
Median Household Income	2013	51,289	50,228
	2012	50,246	49,090
Unemployment %	2014	7.2	6.9
	2013	7.8	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:4426	1:1514
Home Ownership %	2009-2013	73.2	62.0
	2000	73.1	64.3
High Housing Costs %	2009-2013	30	40
	2007-2011	31	39
Homelessness count	2011	10	22,116
	2010	241	19,208
High School Graduates %	2009-2013	75.5	88.6
College Degree %	2009-2013	9.7	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	2.0	22.2
Access to Exercise Opportunities %	2010 & 2013	36	89
	2010 & 2012	36	81

Morrow County


Morrow County

Indicator	Year(s)	Morrow	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	71.2	N/A
Lunch %	2012-2013 AY	71.6	N/A
Limited Access to Healthy Foods %	2012	11	5
Fast Food: % living within 1/2 mile	2012	0.2	33.4
Supermarkets: % living within 1/2 mile	2012	12.5	19.4
Alcohol Outlets count	2015 (February)	30	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	10	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	10 11	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	32	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009	85.7	86.9
dood deficial ficallit age-adjusted 70	2004-2007	81.2	85.4
Good Physical Health age-adjusted %	2006-2009	67.4	63.6
, 3 ,	2004-2007	62.8	62.3
Good Mental Health age-adjusted %	2006-2009	74.8	66.4
Inadequate Social Support %	2004-2007 2005-2010	72.0 15	63.8
Health Service Access	2003 2010	13	10
	2006-2009	89.1	83.6
Adults with Any Health Insurance age-adjusted %	2004-2007	82.0	82.8
A L II - CUID - 11 - 104	2006-2009	•••	5.1
Adults in OHP age-adjusted %	2004-2007	•••	6.2
Pregnant Women Served by WIC %	2013 2012	64 (Mo,U,Wh) 67 (Mo,U,Wh)	45 46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	•••	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	93.9	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	40.5	61.2
Preventable Hospital Stays per 1,000	2012	30	38
(Ambulatory Care Sensitive Conditions)	2011	49	42
Primary Care Physicians ratio to population	2012 2011	1:3748 1:2792	1:1105 1:1115
Dentists ratio to population	2013 2012	•••	1:1363 1:1399
Mental Health Providers ratio to population	2014	1:453	1:299
Could Not See Doctor Due to Cost %	2006-2012	•••	14
	2014	7.5	6.0
Inadequate Prenatal Care %	2013	9.4	5.7

Indicator	Year(s)	Morrow	Oregon
Immunized 2-Year-Olds %	2013	69.6	58.2
	2012	70.1	60.6
Immunized Seniors crude %	2006-2009	•••	69.2
	2004-2007	•••	70.5
Critical Access Hospital (CAH) Beds count	2014 2013	21 21	561 551
Environmental Health	2013	21	331
Air Pollution days: The average daily measure of fine	2011	9.7	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	9.5	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	0	171
Nitrate Risk in at Least One Public Water System	2011	yes	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	4.8	17.2
Overweight age-adjusted %	2008-2011	43.0	35.5
Overweight age-adjusted 70	2006-2009	29.9	36.1
Obese age-adjusted %	2008-2011 2006-2009	29.7 36.0	24.8 24.5
	2006-2009	52.3	55.8
Physical Activity age-adjusted %	2004-2007	56.5	57.9
Eat Recommended Amount of Fruits &	2006-2009	•••	27.0
Vegetables age-adjusted %	2004-2007	13.6	26.6
Current Smokers age-adjusted %	2008-2011	14.7	16.3
current smokers age adjusted 70	2006-2009	18.2	17.1
Binge Drinking age-adjusted % of males	2006-2009	•••	18.7
3 3 3	2004-2007	16.6	19.7
Binge Drinking age-adjusted % of females	2006-2009	18.6*	10.8
3 3 3 ,	2004-2007 2008-2011	12.9	8.7
Arthritis age-adjusted %	2006-2011	33.2 24.3*	25.4 25.8
	2008-2011	6.6*	9.9
Asthma age-adjusted %	2006-2009	8.2*	9.7
Heart Attack age-adjusted %	2008-2011	3.7*	3.3
Treat Mitaek age adjusted 70	2006-2009	•••	3.3
Angina age-adjusted %	2008-2011 2006-2009	5.6* 6.5*	3.5 3.4
Stroke age-adjusted %	2008-2011 2006-2009	•••	2.3 2.3
Diabetes age-adjusted %	2008-2011	6.6*	7.2
	2006-2009 2008-2011	6.8* 22.9	6.8 26.6
High Blood Pressure age-adjusted %	2006-2011	16.1	25.8
III b District Chalantania	2008-2011	27.5	32.2
High Blood Cholesterol age-adjusted %	2006-2009	23.1*	33.0

Morrow County

Indicator	Year(s)	Morrow	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	472.8	455.9
	2005-2009	448.6	464.6
Teen Pregnancy per 1,000	2013 2010	26.3 48.9	28.4 38.6
	2009-2013	77.2	77.4
Life Expectancy at Birth male	2004-2008	77.2	76.4
LICE TO A DIVISION OF	2009-2013	82.6	81.8
Life Expectancy at Birth female	2004-2008	83.2	80.8
Infant Mortality Rate per 1,000	2013	7.8	5.0
illiant Mortainty Nate per 1,000	2012	6.3	5.3
Low Birth Weight Rate per 1,000	2014	79.8	62.5
	2013	69.8	63.0
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	2010-2012	5,600	5,958
age-adjusted per 100,000	2008-2010	6,710 0	6,076 146
HIV new cases	2014	0	218
	2011-2013	16.5 (Ba,Gr,H,	16.9
Suicide Deaths age-adjusted rate per 100,000		Mal,Mo,U,Un,Wa) 19.0 (Ba,Gr,H,	
	2008-2010	Mal,Mo,U,Un,Wa)	16.0
Firearm Deaths count	2013	•••	461
	2012	1	442
Car Crashes count	2013	108	49,510
	2012 2013	104	49,798 313
Car Crash Deaths count	2013	1	336
	2012	0	47
Work-Related Deaths count	2011	0	59
Partuesis sount	2013	0	485
Pertussis count	2012	1	911
Influenza count	2013	0	84
imacriza courit	2012	0	67
Salmonella count	2013	1	375
	2012	3	404
Chlamydia count	2013	25	14,265
Constitution Talances Has Assess at 11th	2012	27	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	•••	9.6
Methamphetamine-Related Deaths count	2013	•••	123
Methamphetamhe-neiated Deaths Count	2012	•••	93
Children with Developmental	2013	14	5,625
Disabilities count	2012	12	5,191



Multnomah County Snapshot

Population Estimate	765,775
Life Expectancy at Birth male	76.5
Life Expectancy at Birth female	81.7
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	6,108
Low Birth Weight Rate per 1,000	62.5
Infant Mortality Rate per 1,000	4.8
Chronic Absenteeism %	14.4

Indicator	Year(s)	Multnomah	Oregon
Population Estimate (Certified)	2014	765,775	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.48	0.45
Minority Income as a % of White Income	2009-2013	52.8	57.2
Children in Poverty %	2013 2012	23 24.1	21.6 22.7
Violent Crime per 100,000	2010-2012 2009-2011	487 497	249 251
Median Household Income	2013	53,624	50,228
	2012	51,580	49,090
Unemployment %	2014 2013	6.1 6.9	6.9 7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:1563	1:1514
Home Ownership %	2009-2013 2000	54.2 56.9	62.0 64.3
High Housing Costs %	2009-2013 2007-2011	43 43	40 39
Homelessness count	2011 2010	5,059 3,199	22,116 19,208
High School Graduates %	2009-2013	89.7	88.6
College Degree %	2009-2013	39.9	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	0.0	22.2
Access to Exercise Opportunities %	2010 & 2013 2010 & 2012	99 96	89 81

Multnomah County

Multnomah County

Indicator	Year(s)	Multnomah	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	55.8	N/A
Lunch %	2012-2013 AY	55.8	N/A
Limited Access to Healthy Foods %	2012	4	5
Fast Food: % living within 1/2 mile	2012	61.3	33.4
Supermarkets: % living within 1/2 mile	2012	35.8	19.4
Alcohol Outlets count	2015 (February)	3,391	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	557	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	96 105	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	87	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009	87.9	86.9
Good General Flediti age dajusted 70	2004-2007	85.8	85.4
Good Physical Health age-adjusted %	2006-2009 2004-2007	61.2 60.2	63.6 62.3
	2004-2007	61.9	66.4
Good Mental Health age-adjusted %	2004-2007	60.0	63.8
Inadequate Social Support %	2005-2010	17	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	85.0	83.6
age-adjusted %	2004-2007	83.8	82.8
Adults in OLID ago adjusted 0/	2006-2009	4.8	5.1
Adults in OHP age-adjusted %	2004-2007	6.0	6.2
Pregnant Women Served by WIC %	2013	37	45
riegnant women served by wie 70	2012	37	46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	84.6	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	86.2	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	62.3	61.2
Preventable Hospital Stays per 1,000	2012	38	38
(Ambulatory Care Sensitive Conditions)	2011	40	42
Primary Care Physicians ratio to population	2012 2011	1:778 1:790	1:1105 1:1115
	2013	1:1115	1:1363
Dentists ratio to population	2012	1:1159	1:1399
Mental Health Providers ratio to population	2014	1:175	1:299
Could Not See Doctor Due to Cost %	2006-2012	12	14
Inadaguata Pranatal Cara (/	2014	6.6	6.0
Inadequate Prenatal Care %	2013	5.8	5.7

Indicator	Year(s)	Multnomah	Oregon
Immunized 2-Year-Olds %	2013	61.0	58.2
Thin an according to the second secon	2012	62.6	60.6
Immunized Seniors crude %	2006-2009	72.0	69.2
	2004-2007	72.1	70.5
Critical Access Hospital (CAH) Beds count	2014 2013	no CAH no CAH	561 551
Environmental Health	2013	ПО САП	331
	2011	9.7	8.9
Air Pollution days: The average daily measure of fine particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	10.1	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	29	171
Nitrate Risk in at Least One Public Water System	2011	yes	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	14.4	17.2
Overweight age-adjusted %	2008-2011	33.9	35.5
Overweight age adjusted //	2006-2009	33.8	36.1
Obese age-adjusted %	2008-2011 2006-2009	22.5 21.8	24.8 24.5
	2006-2009	55.1	55.8
Physical Activity age-adjusted %	2004-2007	59.1	57.9
Eat Recommended Amount of Fruits &	2006-2009	30.0	27.0
Vegetables age-adjusted %	2004-2007	29.8	26.6
Current Smokers age-adjusted %	2008-2011 2006-2009	14.5 15.3	16.3 17.1
	2006-2009	21.8	18.7
Binge Drinking age-adjusted % of males	2004-2007	22.1	19.7
	2006-2009	14.0	10.8
Binge Drinking age-adjusted % of females	2004-2007	11.2	8.7
Arthritis age-adjusted %	2008-2011	23.2	25.4
Artifilis age-adjusted %	2006-2009	24.3	25.8
Asthma age-adjusted %	2008-2011 2006-2009	8.9 9.2	9.9 9.7
	2008-2011	2.7	3.3
Heart Attack age-adjusted %	2006-2009	2.9	3.3
Angina age-adjusted %	2008-2011 2006-2009	3.7 3.0	3.5 3.4
Stroke age-adjusted %	2008-2011 2006-2009	2.0 1.8	2.3 2.3
Diabetes age-adjusted %	2008-2011 2006-2009	6.6 6.2	7.2 6.8
High Blood Pressure age-adjusted %	2008-2011	26.1	26.6
g., blood i ressure age adjusted /0	2006-2009	23.0	25.8
High Blood Cholesterol age-adjusted %	2008-2011 2006-2009	32.4 33.7	32.2 33.0
		55.7	55.0

Multnomah County

Indicator	Year(s)	Multnomah	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	464.9	455.9
	2005-2009	477.3	464.6
Teen Pregnancy per 1,000	2013 2010	30.3	28.4
	2009-2013	41.7 76.5	38.6 77.4
Life Expectancy at Birth male	2009-2013	76.3 75.4	76.4
	2009-2013	81.7	81.8
Life Expectancy at Birth female	2004-2008	80.3	80.8
Infant Mortality Pata par 1 000	2013	4.8	5.0
Infant Mortality Rate per 1,000	2012	5.1	5.3
Low Birth Weight Rate per 1,000	2014	62.5	62.5
Low Birth Weight hate per 1,000	2013	64.0	63.0
Years of Potential Life Lost (YPLL)	2010-2012	6,108	5,958
age-adjusted per 100,000	2008-2010	6,315	6,076
HIV new cases	2014	80	146
	2013 2011-2013	103 15.7	218 16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	13.9	16.0
Firearm Deaths count	2013	72	461
	2012	60	442
Car Crashes count	2013	13,158	49,510
	2012	13,700	49,798
Car Crash Deaths count	2013 2012	52 44	313
	2012	5	336 47
Work-Related Deaths count	2012	5	59
	2013	55	485
Pertussis count	2012	257	911
Influence count	2013	13	84
Influenza count	2012	13	67
Salmonella count	2013	61	375
Sumonella Count	2012	87	404
Chlamydia count	2013	3,933	14,265
,	2012	3,418	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	4.3	9.6
Methamphetamine-Related Deaths count	2013	45	123
	2012	28	93
Children with Developmental Disabilities count	2013	1,348	5,625
Disabilities Courit	2012	1,216	5,191

Polk County Snapshot

Population Estimate	77,735
Life Expectancy at Birth male	78.2
Life Expectancy at Birth female	82.3
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	5,213
Low Birth Weight Rate per 1,000	54.0
Infant Mortality Rate per 1,000	7.1
Chronic Absenteeism %	13.4

Indicator	Year(s)	Polk	Oregon
Population Estimate (Certified)	2014	77,735	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.42	0.45
Minority Income as a % of White Income	2009-2013	52.6	57.2
Children in Poverty %	2013 2012	21.8 20.2	21.6 22.7
Violent Crime per 100,000	2010-2012	238	249
violent chine per 100,000	2009-2011	247	251
Median Household Income	2013	51,224	50,228
Wedain Household income	2012	49,636	49,090
Unemployment %	2014	6.5	6.9
	2013	7.6	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:1893	1:1514
Home Ownership %	2009-2013	65.4	62.0
	2000	68.4	64.3
High Housing Costs %	2009-2013 2007-2011	37 36	40 39
	2007-2011	122	22,116
Homelessness count	2010	23	19,208
High School Graduates %	2009-2013	89.8	88.6
College Degree %	2009-2013	29.0	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
Huohated Water 70	2006	65.3	22.2
Access to Exercise Opportunities %	2010 & 2013	93	89
10.000	2010 & 2012	79	81

Polk County


Polk County

Indicator	Year(s)	Polk	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	55	N/A
Lunch %	2012-2013 AY	53.7	N/A
Limited Access to Healthy Foods %	2012	8	5
Fast Food: % living within 1/2 mile	2012	22.9	33.4
Supermarkets: % living within 1/2 mile	2012	14.0	19.4
Alcohol Outlets count	2015 (February)	161	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	35	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	43 105	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	52	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009 2004-2007	86.4 85.0	86.9 85.4
Good Physical Health age-adjusted %	2006-2009	62.7	63.6
Good Frysical Flediti age dajusted /v	2004-2007	63.3	62.3
Good Mental Health age-adjusted %	2006-2009	66.2	66.4
<u> </u>	2004-2007	65.0	63.8
Inadequate Social Support %	2005-2010	19	16
Health Service Access			
Adults with Any Health Insurance age-adjusted %	2006-2009 2004-2007	88.5 85.1	83.6 82.8
Adults in OHP age-adjusted %	2006-2009 2004-2007	7.2 8.7	5.1 6.2
Pregnant Women Served by WIC %	2013 2012	45 45	45 46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	86.9	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	90.5	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	66.0	61.2
Preventable Hospital Stays per 1,000	2012	31	38
(Ambulatory Care Sensitive Conditions)	2011	36	42
Discour Con Division and to a secondarion	2012	1:1818	1:1105
Primary Care Physicians ratio to population	2011	1:1652	1:1115
Dentists ratio to population	2013	1:2743	1:1363
Definists fatio to population	2012	1:2633	1:1399
Mental Health Providers ratio to population	2014	1:489	1:299
Could Not See Doctor Due to Cost %	2006-2012	12	14
Inadequate Prenatal Care %	2014	5.5	6.0
madequate Frendial Care 70	2013	5.0	5.7

Indicator	Year(s)	Polk	Oregon
Immunized 2-Year-Olds %	2013	44.7	58.2
	2012	55.4	60.6
Immunized Seniors crude %	2006-2009	80.1	69.2
	2004-2007	76.1	70.5
Critical Access Hospital (CAH) Beds count	2014 2013	6 6	561 551
Environmental Health	2013	0	231
Air Pollution days: The average daily measure of fine	2011	9	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	9.7	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	3	171
Nitrate Risk in at Least One Public Water System	2011	yes	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	13.4	17.2
Overweight age-adjusted %	2008-2011	35.8	35.5
ever weight age adjusted //	2006-2009 2008-2011	37.1 27.2	36.1 24.8
Obese age-adjusted %	2006-2011	27.2	24.6
	2006-2009	52.0	55.8
Physical Activity age-adjusted %	2004-2007	58.5	57.9
Eat Recommended Amount of Fruits &	2006-2009	26.0	27.0
Vegetables age-adjusted %	2004-2007	24.5	26.6
Current Smokers age-adjusted %	2008-2011 2006-2009	14.2 14.3	16.3 17.1
	2006-2009	16.5	18.7
Binge Drinking age-adjusted % of males	2004-2007	16.1	19.7
	2006-2009	6.5	10.8
Binge Drinking age-adjusted % of females	2004-2007	5.6	8.7
Authorite and advantad 0/	2008-2011	29.7	25.4
Arthritis age-adjusted %	2006-2009	25.6	25.8
Asthma age-adjusted %	2008-2011	10.6	9.9
3 ,	2006-2009 2008-2011	9.1 6.4	9.7 3.3
Heart Attack age-adjusted %	2006-2009	5.2	3.3
Angina age-adjusted %	2008-2011	5.8	3.5
Alighia age adjusted 70	2006-2009	4.4	3.4
Stroke age-adjusted %	2008-2011 2006-2009	1.3* 2.2	2.3 2.3
Diabetes age-adjusted %	2008-2011	7.5	7.2
Diabetes age adjusted 70	2006-2009	6.0	6.8
High Blood Pressure age-adjusted %	2008-2011	24.4	26.6
3 - 1, 11 - 1	2006-2009 2008-2011	24.4 30.5	25.8 32.2
High Blood Cholesterol age-adjusted %	2006-2011	30.5	33.0

Indicator	Year(s)	Polk	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	478.3	455.9
carreer age adjusted them cases per 100,000	2005-2009	457.6	464.6
Teen Pregnancy per 1,000	2013	19.5	28.4
3 71 7	2010	37.8	38.6
Life Expectancy at Birth male	2009-2013	78.2	77.4
,	2004-2008	77.3	76.4
Life Expectancy at Birth female	2009-2013	82.3	81.8
'	2004-2008	83.2	80.8
Infant Mortality Rate per 1,000	2013	7.1	5.0
, , ,	2012	3.5	5.3
Low Birth Weight Rate per 1,000	2014	54.0	62.5
· ,	2013	51.8	63.0
Years of Potential Life Lost (YPLL)	2010-2012	5,213	5,958
age-adjusted per 100,000	2008-2010	5,729	6,076
HIV new cases	2014	1	146
	2013	8	218
Suicide Deaths age-adjusted rate per 100,000	2011-2013 2008-2010	12.7 (Be,P) 12.1 (Be,P)	16.9 16.0
	2013	7	461
Firearm Deaths count	2012	4	442
	2013	679	49,510
Car Crashes count	2012	666	49,798
	2013	9	313
Car Crash Deaths count	2012	11	336
W 181: 18 :	2012	0	47
Work-Related Deaths count	2011	1	59
	2013	6	485
Pertussis count	2012	25	911
	2013	4	84
Influenza count	2012	2	67
	2013	18	375
Salmonella count	2012	7	404
	2013	274	14,265
Chlamydia count	2012	232	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	•••	9.6
Mathamphatamina Palatad Dastha saviat	2013	2	123
Methamphetamine-Related Deaths count	2012	•••	93
Children with Developmental	2013	145	5,625
Disabilities count '	2012	129	5,191

Sherman County



Sherman County Snapshot

Population Estimate	1,785
Chronic Absenteeism	16.1
% range by district	10.1

Indicator	Year(s)	Sherman	Oregon
Population Estimate (Certified)	2014	1,785	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.44	0.45
Minority Income as a % of White Income	2009-2013	•••	57.2
Children in Poverty %	2013 2012	23.7 22.6	21.6 22.7
Violent Crime per 100,000	2010-2012 2009-2011	38 0	249 251
Median Household Income	2013 2012	52,679 52,251	50,228 49,090
Unemployment %	2014 2013	6.3 7.3	6.9 7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:938	1:1514
Home Ownership %	2009-2013 2000	64.9 70.5	62.0 64.3
High Housing Costs %	2009-2013 2007-2011	32 21	40 39
Homelessness count	2011 2010	 0	22,116 19,208
High School Graduates %	2009-2013	92.4	88.6
College Degree %	2009-2013	16.5	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
Access to Exercise Opportunities %	2006 2010 & 2013 2010 & 2012	0.0 61 57	22.2 89 81

Sherman County


Indicator	Year(s)	Sherman	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	57.7	N/A
Lunch %	2012-2013 AY	50.4	N/A
Limited Access to Healthy Foods %	2012	15	5
Fast Food: % living within 1/2 mile	2012	1.8	33.4
Supermarkets: % living within 1/2 mile	2012	7.8	19.4
Alcohol Outlets count	2015 (February)	13	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	9	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	160 6	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	44	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009 2004-2007	77.7 (G,S,W) 79.2 (S,W)	86.9 85.4
Good Physical Health age-adjusted %	2006-2009	65.4 (G,S,W)	63.6
doba i njoledi i lediti age adjusted //	2004-2007	63.8 (S,W)	62.3
Good Mental Health age-adjusted %	2006-2009	66.8 (G,S,W)	66.4
Inadequate Carial Cumpart IV	2004-2007 2005-2010	65.5 (S,W)	63.8
Inadequate Social Support % Health Service Access	2005-2010	•••	16
	2006-2009	77.1 (G,S,W)	83.6
Adults with Any Health Insurance age-adjusted %	2004-2007	75.9 (S,W)	82.8
,	2006-2009	6.4* (G,S,W)	5.1
Adults in OHP age-adjusted %	2004-2007	7.1 (S,W)	6.2
Pregnant Women Served by WIC %	2013	60 (G,S,W)	45
riegnant women served by WiC 70	2012	67 (G,S,W)	46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	•••	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	•••	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	•••	61.2
Preventable Hospital Stays per 1,000	2012	•••	38
(Ambulatory Care Sensitive Conditions)	2011	•••	42
Primary Care Physicians ratio to population	2012	0:1732	1:1105
, , , , , , , , , , , , , , , , , , , ,	2011	0:1718	1:1115
Dentists ratio to population	2013 2012	0:1731 1:1732	1:1363
Mental Health Providers ratio to population	2012	1:1/32	1:1399 1:299
Could Not See Doctor Due to Cost %	2006-2012	•••	1:299
Codid Not See Doctor Due to Cost 70	2000-2012	•••	6.0
Inadequate Prenatal Care %	2014	9.1	5.7

Indicator	Year(s)	Sherman	Oregon
Immunized 2-Year-Olds %	2013	70.1 (G,S,W)	58.2
iriiridriized z rear Olds //	2012	67.8 (G,S,W)	60.6
Immunized Seniors crude %	2006-2009	64.4 (G,S,W)	69.2
minumized Semons crade 70	2004-2007	68.6 (S,W)	70.5
Critical Access Hospital (CAH) Beds count	2014	no CAH	561
· ·	2013	no CAH	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	9.7	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	9.7	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	0	171
Nitrate Risk in at Least One Public Water System	2011	yes	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	16.1	17.2
Overweight age-adjusted %	2008-2011	•••	35.5
Overweight age-adjusted %	2006-2009	37.6 (G,S,W)	36.1
Obese age-adjusted %	2008-2011 2006-2009	31.1 (G,S,W)	24.8 24.5
<i>5</i> ,	2006-2009	57.1 (G,S,W)	55.8
Physical Activity age-adjusted %	2004-2007	60.4 (S,W)	57.9
Eat Recommended Amount of Fruits &	2006-2009	37.7 (G,S,W)	27.0
Vegetables age-adjusted %	2004-2007	23.5 (S,W)	26.6
Current Smokers age-adjusted %	2008-2011	•••	16.3
current smokers age adjusted 78	2006-2009	22.8 (G,S,W)	17.1
Binge Drinking age-adjusted % of males	2006-2009	17.0*(G,S,W)	18.7
3 3 7	2004-2007	21.7 (S,W)	19.7
Binge Drinking age-adjusted % of females	2006-2009	4.3* (G,S,W)	10.8
	2004-2007 2008-2011	3.8 (S,W)	8.7 25.4
Arthritis age-adjusted %	2006-2011	17.5 (G,S,W)	25.4
Authorities of the standard of	2008-2011	•••	9.9
Asthma age-adjusted %	2006-2009	6.5* (G,S,W)	9.7
Heart Attack age-adjusted %	2008-2011	4.6	3.3
	2006-2009 2008-2011	4.6 (G,S,W)	3.3 3.5
Angina age-adjusted %	2006-2011	5.0 (G,S,W)	3.4
Creation and all of the decorations	2008-2011	•••	2.3
Stroke age-adjusted %	2006-2009	1.8* (G,S,W)	2.3
Diabetes age-adjusted %	2008-2011	•••	7.2
Diabetes age adjusted /0	2006-2009	5.8 (G,S,W)	6.8
High Blood Pressure age-adjusted %	2008-2011	27.2 (5.540)	26.6
<i>y</i> , ,	2006-2009 2008-2011	27.3 (G,S,W)	25.8 32.2
High Blood Cholesterol age-adjusted %	2006-2011	25.7 (G,S,W)	33.0
		. (-,-,-,	

Sherman County

Indicator	Year(s)	Sherman	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	486.0	455.9
carreer age adjusted new cases per 100,000	2005-2009	545.7	464.6
Teen Pregnancy per 1,000	2013	23.8	28.4
recirring per 1,000	2010	•••	38.6
Life Expectancy at Birth male	2009-2013	•••	77.4
	2004-2008	•••	76.4
Life Expectancy at Birth female	2009-2013	•••	81.8
. , , , , , , , , , , , , , , , , , , ,	2004-2008	•••	80.8
Infant Mortality Rate per 1,000	2013	•••	5.0
	2012	•••	5.3
Low Birth Weight Rate per 1,000	2014	•••	62.5
	2013	•••	63.0
Years of Potential Life Lost (YPLL)	2010-2012	•••	5,958
age-adjusted per 100,000	2008-2010	•••	6,076
HIV new cases	2014	•••	146
	2013	18.3 (Cr,G,	218
Suicide Deaths age-adjusted rate per 100,000	2011-2013	HR,J,S,W,Wh)	16.9
Suicide Deaths age-adjusted fate per 100,000	2008-2010	15.4 (Cr,G, HR,J,S,W,Wh)	16.0
	2013	•••	461
Firearm Deaths count	2012	•••	442
	2013	59	49,510
Car Crashes count	2012	59	49,798
	2013	0	313
Car Crash Deaths count	2012	1	336
W D . D .	2012	0	47
Work-Related Deaths count	2011	1	59
Deutwaria agunt	2013	0	485
Pertussis count	2012	0	911
Influenza count	2013	0	84
Influenza count	2012	0	67
Salmonella count	2013	1	375
Sairrioriella Courit	2012	0	404
Chlamydia count	2013	5	14,265
Critarriyata Court	2012	5	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	•••	9.6
Mathamphatamina-Related Doaths count	2013	•••	123
Methamphetamine-Related Deaths count	2012	•••	93
Children with Developmental	2013	•••	5,625
Disabilities count	2012	•••	5,191

Tillamook County



Tillamook County Snapshot

Population Estimate	25,480
Life Expectancy at Birth male	77.4
Life Expectancy at Birth female	82.2
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	6,878
Low Birth Weight Rate per 1,000	39.2
Chronic Absenteeism %	14.1

Indicator	Year(s)	Tillamook	Oregon
Population Estimate (Certified)	2014	25,480	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.40	0.45
Minority Income as a % of White Income	2009-2013	50.4	57.2
Children in Poverty %	2013	26.1	21.6
	2012	24.7	22.7
Violent Crime per 100,000	2010-2012	71	249
	2009-2011	88	251
Median Household Income	2013	41,584	50,228
	2012	43,558	49,090
Unemployment %	2014	6.3	6.9
	2013	7.2	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:1837	1:1514
Home Ownership %	2009-2013	69.9	62.0
	2000	71.8	64.3
High Housing Costs %	2009-2013	38	40
	2007-2011	36	39
Homelessness count	2011	360	22,116
	2010	284	19,208
High School Graduates %	2009-2013	88.1	88.6
College Degree %	2009-2013	20.7	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	0.0	22.2
Access to Exercise Opportunities %	2010 & 2013	89	89
	2010 & 2012	83	81

Tillamook County

Indicator	Year(s)	Tillamook	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	60	N/A
Lunch %	2012-2013 AY	61.8	N/A
Limited Access to Healthy Foods %	2012	9	5
Fast Food: % living within 1/2 mile	2012	11.4	33.4
Supermarkets: % living within 1/2 mile	2012	14.6	19.4
Alcohol Outlets count	2015 (February)	155	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	32	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	14 15	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	75	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009	89.8	86.9
acoustic and the second	2004-2007	87.9	85.4
Good Physical Health age-adjusted %	2006-2009 2004-2007	64.4 69.6	63.6 62.3
	2004-2007	72.0	66.4
Good Mental Health age-adjusted %	2004-2007	67.1	63.8
Inadequate Social Support %	2005-2010	13	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	78.0	83.6
age-adjusted %	2004-2007	76.8	82.8
Adults in OHP age-adjusted %	2006-2009	4.5*	5.1
Addits in Orir age-adjusted 70	2004-2007	8.1	6.2
Pregnant Women Served by WIC %	2013	53	45
,	2012	54	46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	74.5	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	89.7	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	57.3	61.2
Preventable Hospital Stays per 1,000	2012	39	38
(Ambulatory Care Sensitive Conditions)	2011	45	42
Primary Care Physicians ratio to population	2012	1:1264	1:1105
, , , , , , , , , , , , , , , , , , , ,	2011	1:1270	1:1115
Dentists ratio to population	2013	1:2110	1:1363
Mental Health Providers ratio to population	2012 2014	1:2107 1:603	1:1399 1:299
Could Not See Doctor Due to Cost %			
Codid Not See Doctor Due to Cost %	2006-2012	19 5.7	6.0
Inadequate Prenatal Care %	2014	2.2	5.7
	2013	۷,۷	5.7

Indicator	Year(s)	Tillamook	Oregon
Immunized 2-Year-Olds %	2013	73.0	58.2
IIIIIIIIIIZEU Z-IEdi-Olus 70	2012	55.1	60.6
Immunized Seniors crude %	2006-2009	60.1	69.2
IIIIIIailizea Seiliois Ciade 70	2004-2007	74.0	70.5
Critical Access Hospital (CAH) Beds count	2014	25	561
Childa Access Hospital (CAH) beas count	2013	25	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	9.5	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	10.3	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	4	171
Nitrate Risk in at Least One Public Water System	2011	no	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	14.1	17.2
	2008-2011	41.2	35.5
Overweight age-adjusted %	2006-2009	42.3	36.1
Obese age-adjusted %	2008-2011	27.9	24.8
obese age adjusted /v	2006-2009 2006-2009	26.7 67.7	24.5 55.8
Physical Activity age-adjusted %	2004-2007	58.6	57.9
Eat Recommended Amount of Fruits &	2006-2009	24.2	27.0
Vegetables age-adjusted %	2004-2007	34.7	26.6
Current Consider and adjusted N	2008-2011	23.0	16.3
Current Smokers age-adjusted %	2006-2009	21.6	17.1
Binge Drinking age-adjusted % of males	2006-2009	16.2*	18.7
brige brinking age adjusted 70 of males	2004-2007	23.6	19.7
Binge Drinking age-adjusted % of females	2006-2009	17.2*	10.8
brige brinking age adjusted 70 of ferrales	2004-2007	17.5	8.7
Arthritis age-adjusted %	2008-2011	27.3	25.4
· · · · · · · · · · · · · · · · · · ·	2006-2009 2008-2011	28.7 6.4	25.8 9.9
Asthma age-adjusted %	2006-2011	8.2*	9.7
11	2008-2011	3.4	3.3
Heart Attack age-adjusted %	2006-2009	4.8*	3.3
Angina age-adjusted %	2008-2011	3.3	3.5
7 mgma age aajastea 70	2006-2009	3.9*	3.4
Stroke age-adjusted %	2008-2011 2006-2009	3.0* 2.0*	2.3 2.3
Diabetes age-adjusted %	2008-2011	11.2	7.2
- : atta aga agasta /v	2006-2009	8.3	6.8
High Blood Pressure age-adjusted %	2008-2011	20.4	26.6
	2006-2009 2008-2011	32.2 44.9	25.8 32.2
High Blood Cholesterol age-adjusted %	2006-2011	29.6	33.0

Indicator	Year(s)	Tillamook	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	440.9	455.9
adineer age adjusted herr eases per respect	2005-2009	439.9	464.6
Teen Pregnancy per 1,000	2013	31.4	28.4
	2010	38.6	38.6
Life Expectancy at Birth male	2009-2013	77.4	77.4
	2004-2008 2009-2013	75.7 82.2	76.4 81.8
Life Expectancy at Birth female	2009-2013	81.8	80.8
	2013	•••	5.0
Infant Mortality Rate per 1,000	2013	15.3	5.3
	2014	39.2	62.5
Low Birth Weight Rate per 1,000	2013	85.5	63.0
Years of Potential Life Lost (YPLL)	2010-2012	6,878	5,958
age-adjusted per 100,000	2008-2010	7,177	6,076
HIV new cases	2014	0	146
THIV FICEV Cases	2013	0	218
C. Salda Davida a canadi ata davida a canada 200.000	2011-2013	19.7 (Cl,Col,Li,T)	16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	17.3	16.0
	2013	(Cl,Col,Li,T) 2	461
Firearm Deaths count	2013	3	442
	2013	377	49,510
Car Crashes count	2012	371	49,798
Car Crash Deaths count	2013	6	313
Car Crash Deaths count	2012	6	336
Work-Related Deaths count	2012	1	47
Work Helated Death's Count	2011	1	59
Pertussis count	2013	0	485
	2012	1	911
Influenza count	2013	0	84
	2012	1	67
Salmonella count	2013 2012	2	375
	2012	3	404
Chlamydia count	2013	51 52	14,265 13,501
Smokeless Tobacco Use Among 11th	2012	18.0*	9.6
Grade Males %		10.0	
Methamphetamine-Related Deaths count	2013	1	123
	2012	0	93
Children with Developmental Disabilities count	2013	64	5,625
Disabilities Courit	2012	77	5,191

Umatilla County



Umatilla County Snapshot

Population Estimate	78,340
Life Expectancy at Birth male	76.9
Life Expectancy at Birth female	80.4
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	7,165
Low Birth Weight Rate per 1,000	52.2
Infant Mortality Rate per 1,000	5.2
Chronic Absenteeism %	14.9

Indicator	Year(s)	Umatilla	Oregon
Population Estimate (Certified)	2014	78,340	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.41	0.45
Minority Income as a % of White Income	2009-2013	51.9	57.2
Children in Poverty %	2013	22.8	21.6
	2012	24.3	22.7
Violent Crime per 100,000	2010-2012	230	249
	2009-2011	269	251
Median Household Income	2013	47,053	50,228
	2012	46,725	49,090
Unemployment %	2014	7.4	6.9
	2013	8.1	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:4234	1:1514
Home Ownership %	2009-2013	63.8	62.0
	2000	64.9	64.3
High Housing Costs %	2009-2013	30	40
	2007-2011	28	39
Homelessness count	2011	235	22,116
	2010	104	19,208
High School Graduates %	2009-2013	81.9	88.6
College Degree %	2009-2013	15.5	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	48.6	22.2
Access to Exercise Opportunities %	2010 & 2013	65	89
	2010 & 2012	47	81

Umatilla County

Indicator	Year(s)	Umatilla	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	65.5	N/A
Lunch %	2012-2013 AY	61.1	N/A
Limited Access to Healthy Foods %	2012	9	5
Fast Food: % living within 1/2 mile	2012	20.8	33.4
Supermarkets: % living within 1/2 mile	2012	14.2	19.4
Alcohol Outlets count	2015 (February)	228	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	62	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	66 62	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	38	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009	82.7	86.9
dood deficial fleatiff age-adjusted 70	2004-2007	82.8	85.4
Good Physical Health age-adjusted %	2006-2009	64.4	63.6
, , ,	2004-2007	66.7	62.3
Good Mental Health age-adjusted %	2006-2009	71.6	66.4
	2004-2007	65.8	63.8
Inadequate Social Support %	2005-2010	19	16
Health Service Access	2004 2000		
Adults with Any Health Insurance age-adjusted %	2006-2009 2004-2007	81.0 79.9	83.6 82.8
,	2004-2007	73.3	5.1
Adults in OHP age-adjusted %	2004-2007	8.4	6.2
D .W C II WICO	2013	64 (Mo,U,Wh)	45
Pregnant Women Served by WIC %	2012	67 (Mo,U,Wh)	46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	77.6	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	76.3	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	54.0	61.2
Preventable Hospital Stays per 1,000	2012	32	38
(Ambulatory Care Sensitive Conditions)	2011	39	42
Primary Care Physicians ratio to population	2012	1:2259	1:1105
, , , , , , , , , , , , , , , , , , , ,	2011	1:1871	1:1115
Dentists ratio to population	2013	1:1871	1:1363
Marstal Haalth Dravidays yetis to gasyulation	2012	1:1874	1:1399
Mental Health Providers ratio to population	2014	1:577	1:299
Could Not See Doctor Due to Cost %	2006-2012	16	14
Inadequate Prenatal Care %	2014 2013	7.5 6.9	6.0 5.7
	2013	0.9	5.7

Indicator	Year(s)	Umatilla	Oregon
Immunized 2-Year-Olds %	2013	59.8	58.2
IIIIIIIIIIZEU Z-IEAI-OIUS 70	2012	54.8	60.6
Immunized Seniors crude %	2006-2009	62.2	69.2
irimanized Schlors Clade 70	2004-2007	63.5	70.5
Critical Access Hospital (CAH) Beds count	2014	50	561
Childi Access Hospital (CAH) beds codiff	2013	50	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	9.9	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	9.5	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	1	171
Nitrate Risk in at Least One Public Water System	2011	yes	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	14.9	17.2
	2008-2011	39.9	35.5
Overweight age-adjusted %	2006-2009	34.4	36.1
Obese age-adjusted %	2008-2011	34.8	24.8
	2006-2009 2006-2009	36.0 59.8	24.5 55.8
Physical Activity age-adjusted %	2004-2009	50.2	57.9
Eat Recommended Amount of Fruits &	2006-2009	25.1	27.0
Vegetables age-adjusted %	2004-2007	21.7	26.6
	2008-2011	21.0	16.3
Current Smokers age-adjusted %	2006-2009	24.2	17.1
Binge Drinking age-adjusted % of males	2006-2009	17.5	18.7
brige brinking age adjusted 70 or males	2004-2007	15.9	19.7
Binge Drinking age-adjusted % of females	2006-2009	6.6*	10.8
brige brinking age adjusted 70 of fernales	2004-2007	7.5	8.7
Arthritis age-adjusted %	2008-2011 2006-2009	21.3 27.8	25.4 25.8
<i>5</i> ,	2008-2009	9.1	9.9
Asthma age-adjusted %	2006-2009	7.5	9.7
Heart Attack and adjusted 0/	2008-2011	3.6	3.3
Heart Attack age-adjusted %	2006-2009	3.0	3.3
Angina age-adjusted %	2008-2011 2006-2009	2.1 3.4	3.5 3.4
Stroke age-adjusted %	2008-2011 2006-2009	3.4 2.7	2.3 2.3
Diabetes age-adjusted %	2008-2011	9.4	7.2
Diabetes age adjusted //	2006-2009	9.3	6.8
High Blood Pressure age-adjusted %	2008-2011	32.1	26.6
<u> </u>	2006-2009 2008-2011	30.9 42.6	25.8 32.2
High Blood Cholesterol age-adjusted %	2006-2011	39.7	33.0
		33.7	33.0

Indicator	Year(s)	Umatilla	Oregon
Canada and a diversal and a second and 100,000	2007-2011	447.4	455.9
Cancer age-adjusted new cases per 100,000	2005-2009	447.2	464.6
Table Discussion 2 (1990)	2013	50.4	28.4
Teen Pregnancy per 1,000	2010	67.8	38.6
L'C. For extra control Distriction	2009-2013	76.9	77.4
Life Expectancy at Birth male	2004-2008	76.1	76.4
Life Forester and District County	2009-2013	80.4	81.8
Life Expectancy at Birth female	2004-2008	80.4	80.8
Infant Mantality Data you 1 000	2013	5.2	5.0
Infant Mortality Rate per 1,000	2012	7.2	5.3
Low Birth Weight Pate per 1 000	2014	52.2	62.5
Low Birth Weight Rate per 1,000	2013	66.3	63.0
Years of Potential Life Lost (YPLL)	2010-2012	7,165	5,958
age-adjusted per 100,000	2008-2010	7,836	6,076
LIN/ now cases	2014	0	146
HIV new cases	2013	1	218
	2011-2013	16.5 (Ba,Gr,H,	16.9
Suicide Deaths age-adjusted rate per 100,000	2000 2010	Mal,Mo,U,Un,Wa) 19.0 (Ba,Gr,H,	160
	2008-2010	Mal,Mo,U,Un,Wa)	16.0
Firearm Deaths count	2013	7	461
	2012	8	442
Car Crashes count	2013	889	49,510
	2012	892	49,798
Car Crash Deaths count	2013	11	313
	2012	27	336
Work-Related Deaths count	2012	5	47
	2011	5	59
Pertussis count	2013	0	485
	2012	21	911
Influenza count	2013	1	84
	2012	4	67
Salmonella count	2013	11	375
	2012	4	404
Chlamydia count	2013	289	14,265
,	2012	252	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	29.3	9.6
Methamphetamine-Related Deaths count	2013	3	123
Methamphetamine helated Deaths count	2012	•••	93
Children with Developmental	2013	58	5,625
Disabilities count	2012	65	5,191

Union

Union County Snapshot

Population Estimate	26,485
Life Expectancy at Birth male	77.4
Life Expectancy at Birth female	81.0
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	6,578
Low Birth Weight Rate per 1,000	62.9
Infant Mortality Rate per 1,000	3.1
Chronic Absenteeism %	16.8

Indicator	Year(s)	Union	Oregon
Population Estimate (Certified)	2014	26,485	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.46	0.45
Minority Income as a % of White Income	2009-2013	65.1	57.2
Children in Poverty %	2013	24.7	21.6
	2012	24.6	22.7
Violent Crime per 100,000	2010-2012	157	249
	2009-2011	143	251
Median Household Income	2013	41,331	50,228
	2012	41,504	49,090
Unemployment %	2014	7.3	6.9
	2013	8.2	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:5732	1:1514
Home Ownership %	2009-2013	63.4	62.0
	2000	66.5	64.3
High Housing Costs %	2009-2013	35	40
	2007-2011	33	39
Homelessness count	2011	21	22,116
	2010	37	19,208
High School Graduates %	2009-2013	90.6	88.6
College Degree %	2009-2013	22.5	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	1.6	22.2
Access to Exercise Opportunities %	2010 & 2013	78	89
	2010 & 2012	69	81

Union County

Indicator	Year(s)	Union	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	56.1	N/A
Lunch %	2012-2013 AY	54.8	N/A
Limited Access to Healthy Foods %	2012	17	5
Fast Food: % living within 1/2 mile	2012	35.8	33.4
Supermarkets: % living within 1/2 mile	2012	25.1	19.4
Alcohol Outlets count	2015 (February)	74	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	28	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	34 34	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	76	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009	87.0	86.9
dood deficial ficallitiage-adjusted 70	2004-2007	86.0	85.4
Good Physical Health age-adjusted %	2006-2009	66.1	63.6
, ,	2004-2007	64.8	62.3
Good Mental Health age-adjusted %	2006-2009	63.9	66.4
Inadequate Social Support %	2004-2007 2005-2010	65.4 15	63.8 16
Health Service Access	2003-2010	13	10
	2006-2009	88.1	83.6
Adults with Any Health Insurance age-adjusted %	2000-2009	85.4	82.8
,	2006-2009	8.4	5.1
Adults in OHP age-adjusted %	2004-2007	8.2	6.2
Duranta ant Marra are Carried In 1941/C 0/	2013	50	45
Pregnant Women Served by WIC %	2012	54	46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	83.7	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	91.3	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	41.3	61.2
Preventable Hospital Stays per 1,000	2012	59	38
(Ambulatory Care Sensitive Conditions)	2011	61	42
Primary Care Physicians ratio to population	2012	1:1227	1:1105
, , ,	2011	1:1290	1:1115
Dentists ratio to population	2013	1:1710	1:1363
Marstal Haalth Dravidayayatia ta yasaylatia	2012	1:1717	1:1399
Mental Health Providers ratio to population	2014	1:524	1:299
Could Not See Doctor Due to Cost %	2006-2012	15	14
Inadequate Prenatal Care %	2014 2013	5.6 3.8	6.0 5.7
	2013	٥.٥	5.7

Indicator	Year(s)	Union	Oregon
Immunized 2-Year-Olds %	2013	65.4	58.2
irimidilized z real Olds //	2012	57.0	60.6
Immunized Seniors crude %	2006-2009	58.4	69.2
mmanized Semons crade 70	2004-2007	66.1	70.5
Critical Access Hospital (CAH) Beds count	2014	25	561
	2013	25	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	9.7	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	9	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	0	171
Nitrate Risk in at Least One Public Water System	2011	yes	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	16.8	17.2
Overweight age adjusted %	2008-2011	35.1	35.5
Overweight age-adjusted %	2006-2009	42.8	36.1
Obese age-adjusted %	2008-2011	28.1	24.8
<i>5</i> ,	2006-2009 2006-2009	23.4 50.4	24.5 55.8
Physical Activity age-adjusted %	2004-2007	60.7	57.9
Eat Recommended Amount of Fruits &	2006-2009	27.5	27.0
Vegetables age-adjusted %	2004-2007	24.8	26.6
Current Smokers age-adjusted %	2008-2011	11.6	16.3
current smokers age adjusted 70	2006-2009	13.8	17.1
Binge Drinking age-adjusted % of males	2006-2009	•••	18.7
	2004-2007	20.6	19.7
Binge Drinking age-adjusted % of females	2006-2009	5.6*	10.8
	2004-2007 2008-2011	6.6	8.7
Arthritis age-adjusted %	2006-2011	27.7 31	25.4 25.8
	2008-2011	13.5	9.9
Asthma age-adjusted %	2006-2009	13.3	9.7
Heart Attack age-adjusted %	2008-2011	3.5*	3.3
ricart Attack age adjusted 70	2006-2009	4.0*	3.3
Angina age-adjusted %	2008-2011 2006-2009	3.4* 5.3	3.5 3.4
	2008-2011	2.3*	2.3
Stroke age-adjusted %	2006-2009	3.9*	2.3
Disheter ago adjusted 0/	2008-2011	8.6*	7.2
Diabetes age-adjusted %	2006-2009	6.5	6.8
High Blood Pressure age-adjusted %	2008-2011	28.8	26.6
riigii biood riessare age adjusted 70	2006-2009	22.6	25.8
High Blood Cholesterol age-adjusted %	2008-2011 2006-2009	40.0 36.1	32.2 33.0
	2000 2007	50.1	55.0


Data are from secondary sources; for information about calculations and original sources, please see the metadata.

Union County

Indicator	Year(s)	Union	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	458.2	455.9
carreer age adjusted her eases per 100,000	2005-2009	469.0	464.6
Teen Pregnancy per 1,000	2013	27.6	28.4
	2010	35.2	38.6
Life Expectancy at Birth male	2009-2013	77.4	77.4
1	2004-2008	76.4	76.4
Life Expectancy at Birth female	2009-2013	81.0	81.8
	2004-2008	81.6	80.8
Infant Mortality Rate per 1,000	2013	3.1	5.0
	2012	3.4	5.3
Low Birth Weight Rate per 1,000	2014	62.9	62.5
	2013	90.9	63.0
Years of Potential Life Lost (YPLL)	2010-2012	6,578	5,958
age-adjusted per 100,000	2008-2010	6,877	6,076
HIV new cases	2014	0	146
	2013	0 16 F (D= C=1)	218
Cuisida Daatha ana adiustad sata sas 100,000	2011-2013	16.5 (Ba,Gr,H, Mal,Mo,U,Un,Wa)	16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	19.0 (Ba,Gr,H, Mal,Mo,U,Un,Wa)	16.0
Firearm Deaths count	2013	2	461
rifeami Deaths Count	2012	6	442
Car Crashes count	2013	249	49,510
Car Crasnes Count	2012	299	49,798
Car Crash Deaths count	2013	2	313
Cai Ciasti Deattis Court	2012	1	336
Work-Related Deaths count	2012	1	47
Work-nelated Deaths Count	2011	1	59
Pertussis count	2013	1	485
T CITUSSIS COURT	2012	3	911
Influenza count	2013	0	84
illiactiza court	2012	2	67
Salmonella count	2013	1	375
Samonena Count	2012	2	404
Chlamydia count	2013	75	14,265
Charrydia Codrit	2012	78	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	34.9	9.6
Mathamah atamina Palatad Destina assist	2013	1	123
Methamphetamine-Related Deaths count	2012	•••	93
Children with Developmental	2013	38	5,625
Disabilities count .	2012	27	5,191

Wallowa

Wallowa County



Wallowa County Snapshot

Population Estimate	7,070
Life Expectancy at Birth male	77.6
Life Expectancy at Birth female	84.6
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	6,663
Low Birth Weight Rate per 1,000	53.6
Infant Mortality Rate per 1,000	14.7
Chronic Absenteeism %	20.6

Indicator	Year(s)	Wallowa	Oregon
Population Estimate (Certified)	2014	7,070	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.42	0.45
Minority Income as a % of White Income	2009-2013	63.2	57.2
Children in Poverty %	2013 2012	26.3 27.4	21.6 22.7
Violent Crime per 100,000	2010-2012 2009-2011	24 24	249 251
Median Household Income	2013 2012	42,751 40,554	50,228 49,090
Unemployment %	2014 2013	9.2 9.9	6.9 7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:2041	1:1514
Home Ownership %	2009-2013 2000	73.9 71.8	62.0 64.3
High Housing Costs %	2009-2013 2007-2011	35 32	40 39
Homelessness count	2011 2010	0 2	22,116 19,208
High School Graduates %	2009-2013	93.5	88.6
College Degree %	2009-2013	24.0	30.1
Environmental Access			
Fluoridated Water %	2012 2006	N/A 0.0	22.6 22.2
Access to Exercise Opportunities %	2010 & 2013 2010 & 2012	65 48	89 81


Wallowa County

Indicator	Year(s)	Wallowa	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	36.8	N/A
Lunch %	2012-2013 AY	37.6	N/A
Limited Access to Healthy Foods %	2012	10	5
Fast Food: % living within 1/2 mile	2012	38.3	33.4
Supermarkets: % living within 1/2 mile	2012	36.4	19.4
Alcohol Outlets count	2015 (February)	48	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	10	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	11 11	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	68	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009 2004-2007	88.8 89.6	86.9 85.4
	2006-2009	65.7	63.6
Good Physical Health age-adjusted %	2004-2007	58.9	62.3
	2006-2009	77.9	66.4
Good Mental Health age-adjusted %	2004-2007	71.9	63.8
Inadequate Social Support %	2005-2010	12	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	91.5	83.6
age-adjusted %	2004-2007	80.7	82.8
Adults in OHP age-adjusted %	2006-2009	3.7*	5.1
	2004-2007	3.5	6.2
Pregnant Women Served by WIC %	2013 2012	44 30	45 46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	•••	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	•••	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	70.4	61.2
Preventable Hospital Stays per 1,000	2012	46	38
(Ambulatory Care Sensitive Conditions)	2011	53	42
Primary Care Physicians ratio to population	2012	1:758	1:1105
, , , , , , , , , , , , , , , , , , , ,	2011	1:777	1:1115
Dentists ratio to population	2013 2012	1:3407 1:3411	1:1363 1:1399
Mental Health Providers ratio to population	2012	1:852	1:1399
Could Not See Doctor Due to Cost %	2006-2012	1.032	1.299
Codia Not See Doctor Due to Cost 70	2006-2012	3.6	6.0
Inadequate Prenatal Care %	2014	1.5	5.7

Indicator	Year(s)	Wallowa	Oregon
Immunized 2-Year-Olds %	2013	•••	58.2
iiiiiidiiized z-ieai-Olas //	2012	48.2	60.6
Immunized Seniors crude %	2006-2009	66.5	69.2
minumized Semiors crade 70	2004-2007	74.3	70.5
Critical Access Hospital (CAH) Beds count	2014	25	561
	2013	25	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	10	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	9.1	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	1	171
Nitrate Risk in at Least One Public Water System	2011	yes	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	20.6	17.2
Overweight age adjusted 0/	2008-2011	42.4	35.5
Overweight age-adjusted %	2006-2009	36.4	36.1
Obese age-adjusted %	2008-2011	18.1	24.8
, -	2006-2009 2006-2009	19.5 44.0	24.5 55.8
Physical Activity age-adjusted %	2004-2007	57.0	57.9
Eat Recommended Amount of Fruits &	2006-2009	55.2	27.0
Vegetables age-adjusted %	2004-2007	24.4	26.6
Current Smokers age-adjusted %	2008-2011	16.9*	16.3
Current smokers age-adjusted 70	2006-2009	17.9	17.1
Binge Drinking age-adjusted % of males	2006-2009	28.5*	18.7
	2004-2007	27.0	19.7
Binge Drinking age-adjusted % of females	2006-2009	43.1	10.8
	2004-2007	16.6	8.7
Arthritis age-adjusted %	2008-2011 2006-2009	26.9 38.2	25.4 25.8
	2008-2011	6.2*	9.9
Asthma age-adjusted %	2006-2009	6.2*	9.7
Heart Attack age-adjusted %	2008-2011	3.2*	3.3
ricalt Attack age adjusted 70	2006-2009	•••	3.3
Angina age-adjusted %	2008-2011 2006-2009	4.4* 5.4*	3.5 3.4
Stroke age-adjusted %	2008-2011 2006-2009	•••	2.3 2.3
Diabetes age-adjusted %	2008-2011	5.0*	7.2
Diabetes age adjusted //	2006-2009	2.4*	6.8
High Blood Pressure age-adjusted %	2008-2011	28.7	26.6
	2006-2009 2008-2011	18.8 35.2	25.8 32.2
High Blood Cholesterol age-adjusted %	2006-2011	32.4	33.0
		32,1	55.0

Data are from secondary sources; for information about calculations and original sources, please see the metadata.

Indicator Year(s) Wallowa (Oregon
Cancer age-adjusted new cases per 100,000 2007-2011 506.8	455.9
2005-2009 493.5	464.6
Teen Pregnancy per 1,000 2013 12.9	28.4
2010 •••	38.6
Life Evpectancy at Pirth male	77.4
Life Expectancy at Birth male 2004-2008 78.2	76.4
Life Eynectangy at Pirth female	81.8
Life Expectancy at Birth female 2004-2008 82.9	80.8
Infant Mortality Pate per 1 000	5.0
Infant Mortality Rate per 1,000 2012 •••	5.3
Low Pirth Weight Pate per 1 000	62.5
Low Birth Weight Rate per 1,000 2013 44.1	63.0
Years of Potential Life Lost (YPLL) 2010-2012 6,663	5,958
age-adjusted per 100,000 2008-2010 6,160	6,076
2014 0	146
HIV new cases 2013 0	218
Suicide Deaths age-adjusted rate per 100,000 16.5 (Ba,Gr,H, Mal,Mo,U,Un,Wa)	16.9
2008-2010 19.0 (Ba,Gr,H, Mal,Mo,U,Un,Wa)	16.0
Firearm Deaths count 2013 1	461
2012 4	442
Car Crashes count 2013 42	49,510
2012 71	49,798
Car Crash Deaths count	313
2012 2	336
Work-Related Deaths count	47
2011 0	59
Pertussis count 2013 0	485
2012 0	911
Influenza count 2013 0	84
2012 0	67
Salmonella count 2013 0	375
2012 0	404
Chlamydia count 2013 8	14,265
2012 3	13,501
Smokeless Tobacco Use Among 11th Grade Males % 2013	9.6
2013 •••	123
Methamphetamine-Related Deaths count 2012 •••	93
Children with Developmental 2013 9	5,625
Disabilities count 2012 8	5,191



Wasco County Snapshot

Population Estimate	26,105
Life Expectancy at Birth male	75.5
Life Expectancy at Birth female	80.0
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	7,759
Low Birth Weight Rate per 1,000	75.2
Infant Mortality Rate per 1,000	10.0
Chronic Absenteeism %	18.9

Indicator	Year(s)	Wasco	Oregon
Population Estimate (Certified)	2014	26,105	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.44	0.45
Minority Income as a % of White Income	2009-2013	42.7	57.2
Children in Poverty %	2013 2012	25.9 25.8	21.6 22.7
Violent Crime per 100,000	2010-2012	88	249
violent elimie per 100,000	2009-2011	78	251
Median Household Income	2013	42,461	50,228
Median Household Medine	2012	41,324	49,090
Unemployment %	2014	6.3	6.9
onemployment /	2013	7.1	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:2288	1:1514
Home Ownership %	2009-2013	64.9	62.0
Tiome of the same is	2000	68.4	64.3
High Housing Costs %	2009-2013	39	40
	2007-2011	33 401	39 22,116
Homelessness count	2011	225	19,208
High School Graduates %	2009-2013	85.1	88.6
College Degree %	2009-2013	20.1	30.1
Environmental Access			
	2012	N/A	22.6
Fluoridated Water %	2006	85.9	22.2
Access to Exercise Opportunities %	2010 & 2013	87	89
necess to exercise opportunities //	2010 & 2012	87	81

Wasco County

Indicator	Year(s)	Wasco	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	66.1	N/A
Lunch %	2012-2013 AY	64.7	N/A
Limited Access to Healthy Foods %	2012	15	5
Fast Food: % living within 1/2 mile	2012	19.5	33.4
Supermarkets: % living within 1/2 mile	2012	13.7	19.4
Alcohol Outlets count	2015 (February)	110	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	28	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	17 17	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	63	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009	77.7 (G,S,W)	86.9
adout deficial ficality age adjusted 70	2004-2007	79.2 (S,W)	85.4
Good Physical Health age-adjusted %	2006-2009	65.4 (G,S,W)	63.6
	2004-2007 2006-2009	63.8 (S,W) 66.8 (G,S,W)	62.3 66.4
Good Mental Health age-adjusted %	2006-2009	65.5 (S,W)	63.8
Inadequate Social Support %	2004-2007	03.3 (3,W) 21	16
Health Service Access	2003 2010	21	10
Adults with Any Health Insurance	2006-2009	77.1 (G,S,W)	83.6
age-adjusted %	2004-2007	75.9 (S,W)	82.8
Aller Olin II e lov	2006-2009	6.4* (G,S,W)	5.1
Adults in OHP age-adjusted %	2004-2007	7.1 (S,W)	6.2
Pregnant Women Served by WIC %	2013	60 (G,S,W)	45
riegilant women served by WiC %	2012	67 (G,S,W)	46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	•••	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	•••	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	•••	61.2
Preventable Hospital Stays per 1,000	2012	60	38
(Ambulatory Care Sensitive Conditions)	2011	46	42
Primary Care Physicians ratio to population	2012	1:1214	1:1105
Times, care injurial state to population	2011	1:1328	1:1115
Dentists ratio to population	2013	1:1499	1:1363
	2012	1:1499	1:1399
Mental Health Providers ratio to population	2014	1:500	1:299
Could Not See Doctor Due to Cost %	2006-2012	12	14
Inadequate Prenatal Care %	2014	3.0	6.0
	2013	4.9	5.7


Indicator	Year(s)	Wasco	Oregon
Immunized 2-Year-Olds %	2013	70.1 (G,S,W)	58.2
IIIIIIuiiizeu z-ieai-Oius //	2012	67.8 (G,S,W)	60.6
Immunized Seniors crude %	2006-2009	64.4 (G,S,W)	69.2
IIIIIIuiiizea Seiliois Ciaae 70	2004-2007	68.6 (S,W)	70.5
Critical Access Hospital (CAH) Beds count	2014	no CAH	561
Critical Access Hospital (CAH) beds count	2013	no CAH	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	9.4	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	9.6	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	3	171
Nitrate Risk in at Least One Public Water System	2011	yes	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	18.9	17.2
Overwariable and adjusted 0/	2008-2011	•••	35.5
Overweight age-adjusted %	2006-2009	37.6 (G,S,W)	36.1
Obese age-adjusted %	2008-2011	•••	24.8
	2006-2009 2006-2009	31.1 (G,S,W) 57.1 (G,S,W)	24.5 55.8
Physical Activity age-adjusted %	2004-2007	60.4 (S,W)	57.9
Eat Recommended Amount of Fruits &	2006-2009	37.7 (G,S,W)	27.0
Vegetables age-adjusted %	2004-2007	23.5 (S,W)	26.6
Current Smakers ago adjusted M	2008-2011	•••	16.3
Current Smokers age-adjusted %	2006-2009	22.8 (G,S,W)	17.1
Binge Drinking age-adjusted % of males	2006-2009	17.0*(G,S,W)	18.7
bringe brinking age adjusted 70 or males	2004-2007	21.7 (S,W)	19.7
Binge Drinking age-adjusted % of females	2006-2009	4.3* (G,S,W)	10.8
bringe brinking age adjusted 70 or lemaies	2004-2007	3.8 (S,W)	8.7
Arthritis age-adjusted %	2008-2011	17 F (C C W)	25.4 25.8
, , , , , , , , , , , , , , , , , , ,	2006-2009 2008-2011	17.5 (G,S,W)	9.9
Asthma age-adjusted %	2006-2009	6.5* (G,S,W)	9.7
Heart Attack age-adjusted %	2008-2011	•••	3.3
Heart Attack age-adjusted %	2006-2009	4.6 (G,S,W)	3.3
Angina age-adjusted %	2008-2011	F 0 (C C W)	3.5
3 3 7	2006-2009 2008-2011	5.0 (G,S,W)	3.4 2.3
Stroke age-adjusted %	2006-2009	1.8* (G,S,W)	2.3
Di 1	2008-2011	•••	7.2
Diabetes age-adjusted %	2006-2009	5.8 (G,S,W)	6.8
High Blood Prossure ago adjusted 04	2008-2011	•••	26.6
High Blood Pressure age-adjusted %	2006-2009	27.3 (G,S,W)	25.8
High Blood Cholesterol age-adjusted %	2008-2011	25.7 (C.C.W)	32.2
- ,	2006-2009	25.7 (G,S,W)	33.0

Data are from secondary sources; for information about calculations and original sources, please see the metadata.

Wasco County

Indicator	Year(s)	Wasco	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	448.6	455.9
curreer age adjusted new cases per 100,000	2005-2009	477.1	464.6
Teen Pregnancy per 1,000	2013	37.1	28.4
	2010	38.8	38.6
Life Expectancy at Birth male	2009-2013	75.5	77.4
' /	2004-2008	74.9	76.4
Life Expectancy at Birth female	2009-2013	80.0	81.8
	2004-2008	79.5 10.0	80.8
Infant Mortality Rate per 1,000	2013 2012	6.8	5.0 5.3
	2012	75.2	62.5
Low Birth Weight Rate per 1,000	2014	40.1	63.0
Years of Potential Life Lost (YPLL)	2010-2012	7,759	5,958
age-adjusted per 100,000	2008-2010	7,869	6,076
	2014	0	146
HIV new cases	2013	1	218
	2011-2013	18.3 (Cr,G,	16.9
Suicide Deaths age-adjusted rate per 100,000		HR,J,S,W,Wh) 15.4 (Cr,G,	
	2008-2010	HR,J,S,W,Wh)	16.0
Firearm Deaths count	2013	5	461
Theath Beatis count	2012	9	442
Car Crashes count	2013	331	49,510
	2012	332	49,798
Car Crash Deaths count	2013	3	313
	2012	2	336
Work-Related Deaths count	2012	1	47
	2011	0	59
Pertussis count	2013	1	485 911
	2012 2013	1	84
Influenza count	2013	0	67
	2012	4	375
Salmonella count	2013	4	404
	2013	103	14,265
Chlamydia count	2012	90	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	•••	9.6
	2013	2	123
Methamphetamine-Related Deaths count	2012	•••	93
Children with Developmental	2013	83	5,625
Disabilities count	2012	81	5,191

Washington County



Washington County Snapshot

Population Estimate	560,465
Life Expectancy at Birth male	79.7
Life Expectancy at Birth female	84.1
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	4,377
Low Birth Weight Rate per 1,000	59.7
Infant Mortality Rate per 1,000	4.0
Chronic Absenteeism %	10.5

Indicator	Year(s)	Washington	Oregon
Population Estimate (Certified)	2014	560,465	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.43	0.45
Minority Income as a % of White Income	2009-2013	58.7	57.2
Children in Poverty %	2013	13.8	21.6
	2012	16.2	22.7
Violent Crime per 100,000	2010-2012	160	249
	2009-2011	162	251
Median Household Income	2013	63,632	50,228
	2012	63,566	49,090
Unemployment %	2014	5.7	6.9
	2013	6.3	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:1453	1:1514
Home Ownership %	2009-2013	61	62.0
	2000	60.6	64.3
High Housing Costs %	2009-2013	38	40
	2007-2011	38	39
Homelessness count	2011	1,354	22,116
	2010	1,383	19,208
High School Graduates %	2009-2013	90.8	88.6
College Degree %	2009-2013	39.4	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
	2006	30.7	22.2
Access to Exercise Opportunities %	2010 & 2013	97	89
	2010 & 2012	94	81


Washington County

Indicator	Year(s)	Washington	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	41.2	N/A
Lunch %	2012-2013 AY	39.2	N/A
Limited Access to Healthy Foods %	2012	2	5
Fast Food: % living within 1/2 mile	2012	35.7	33.4
Supermarkets: % living within 1/2 mile	2012	18.2	19.4
Alcohol Outlets count	2015 (February)	1,155	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	228	2,679
Firearm Dealer Licenses count	2015 (February)	173	1,928
Fileariti Dealer Electises Count	2014 (February)	172	1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	64	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009	89.2	86.9
,	2004-2007 2006-2009	87.4 65.1	85.4 63.6
Good Physical Health age-adjusted %	2000-2009	64.6	62.3
	2006-2009	69.2	66.4
Good Mental Health age-adjusted %	2004-2007	65.6	63.8
Inadequate Social Support %	2005-2010	15	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	87.2	83.6
age-adjusted %	2004-2007	85.9	82.8
Adults in OHP age-adjusted %	2006-2009	3.4	5.1
· ·	2004-2007	4.5	6.2
Pregnant Women Served by WIC %	2013 2012	31 32	45 46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	81.2	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	87.2	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	64.7	61.2
Preventable Hospital Stays per 1,000	2012	33	38
(Ambulatory Care Sensitive Conditions)	2011	36	42
Primary Care Physicians ratio to population	2012	1:1125	1:1105
	2011	1:1112	1:1115
Dentists ratio to population	2013 2012	1:1186 1:1220	1:1363 1:1399
Mental Health Providers ratio to population	2012	1:458	1:299
Could Not See Doctor Due to Cost %	2006-2012	11	14
	2014	5.3	6.0
Inadequate Prenatal Care %	2013	4.4	5.7

Indicator	Year(s)	Washington	Oregon
Immunized 2-Year-Olds %	2013	61.3	58.2
mmamized 2 rear olds //	2012	58.5	60.6
Immunized Seniors crude %	2006-2009	70.9	69.2
	2004-2007	76.2	70.5
Critical Access Hospital (CAH) Beds count	2014	no CAH	561
	2013	no CAH	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	9.7	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	10.2	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	17	171
Nitrate Risk in at Least One Public Water System	2011	no	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	10.5	17.2
Over weight and adjusted of	2008-2011	36.5	35.5
Overweight age-adjusted %	2006-2009	36.9	36.1
Obese age-adjusted %	2008-2011	21.9	24.8
	2006-2009 2006-2009	23.2 53.8	24.5 55.8
Physical Activity age-adjusted %	2004-2007	55.4	57.9
Eat Recommended Amount of Fruits &	2006-2009	24.9	27.0
Vegetables age-adjusted %	2004-2007	27.7	26.6
Current Smokers age-adjusted %	2008-2011	12.6	16.3
Current smokers age-adjusted %	2006-2009	12.9	17.1
Binge Drinking age-adjusted % of males	2006-2009	15.3	18.7
Dilige Dilinang age adjusted 70 of males	2004-2007	16.4	19.7
Binge Drinking age-adjusted % of females	2006-2009	9.0	10.8
	2004-2007	6.0	8.7
Arthritis age-adjusted %	2008-2011 2006-2009	24.4 23.1	25.4 25.8
	2008-2011	9.6	9.9
Asthma age-adjusted %	2006-2009	9.0	9.7
Heart Attack age-adjusted %	2008-2011	2.7	3.3
Heart Attack age-adjusted %	2006-2009	2.5	3.3
Angina age-adjusted %	2008-2011 2006-2009	3.1 3.1	3.5 3.4
	2008-2011	2.1	2.3
Stroke age-adjusted %	2006-2009	1.9	2.3
Diabetes age-adjusted %	2008-2011	6.0	7.2
Diabetes age adjusted //	2006-2009	5.9	6.8
High Blood Pressure age-adjusted %	2008-2011	24.2	26.6
J	2006-2009 2008-2011	22.9 28.6	25.8 32.2
High Blood Cholesterol age-adjusted %	2006-2011	30.2	33.0
		30.2	33.0

Data are from secondary sources; for information about calculations and original sources, please see the metadata.

Indicator	Year(s)	Washington	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	434.8	455.9
Caricer age-aujusted flew cases per 100,000	2005-2009	435.1	464.6
Teen Pregnancy per 1,000	2013	23.7	28.4
recriffed fulley per 1,000	2010	29.2	38.6
Life Expectancy at Birth male	2009-2013	79.7	77.4
Ene Expectancy at Birth male	2004-2008	78.7	76.4
Life Expectancy at Birth female	2009-2013	84.1	81.8
	2004-2008	82.4	80.8
Infant Mortality Rate per 1,000	2013	4.0	5.0
, , ,	2012	5.0	5.3
Low Birth Weight Rate per 1,000	2014	59.7	62.5
, , , , , , , , , , , , , , , , , , ,	2013	58.0	63.0
Years of Potential Life Lost (YPLL)	2010-2012	4,377	5,958
age-adjusted per 100,000	2008-2010	4,513	6,076
HIV new cases	2014	22	146
	2013	32	218 16.9
Suicide Deaths age-adjusted rate per 100,000	2011-2013 2008-2010	14.9 12.1	16.9
Circonno Doobha accust	2013	43	461
Firearm Deaths count	2012	53	442
Car Crackes count	2013	6,934	49,510
Car Crashes count	2012	6,700	49,798
Car Crash Deaths count	2013	21	313
Cai Clasii Deaths Count	2012	19	336
Work-Related Deaths count	2012	2	47
WOIN-Helated Deaths Count	2011	3	59
Pertussis count	2013	26	485
Tertussis count	2012	288	911
Influenza count	2013	3	84
minuciaza count	2012	6	67
Salmonella count	2013	43	375
Sumoneila Count	2012	55	404
Chlamydia count	2013	1,838	14,265
Chiamyala count	2012	1,695	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	4.5	9.6
Methamphetamine-Related Deaths count	2013	9	123
Methamphetamine helated Deaths count	2012	6	93
Children with Developmental	2013	550	5,625
Disabilities count	2012	505	5,191



Wheeler County Snapshot

Population		1,440
Chronic Absente	eeism %	8.5

Indicator	Year(s)	Wheeler	Oregon
Population Estimate (Certified)	2014	1,440	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.43	0.45
Minority Income as a % of White Income	2009-2013	•••	57.2
Children in Poverty %	2013	39.1	21.6
Cimarent in avery //	2012	39.0	22.7
Violent Crime per 100,000	2010-2012	•••	249
Violent Chine per 100,000	2009-2011	•••	251
Median Household Income	2013	33,065	50,228
Median nousehold income	2012	33,973	49,090
Un approlation and 0/	2014	7.1	6.9
Unemployment %	2013	7.1	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:896	1:1514
Home Ownership %	2009-2013	72	62.0
Home Ownership 70	2000	72.1	64.3
High Housing Costs %	2009-2013	27	40
ringiri lousing Costs 70	2007-2011	24	39
Homelessness count	2011	1	22,116
Tiornelessiness courte	2010	0	19,208
High School Graduates %	2009-2013	88.6	88.6
College Degree %	2009-2013	16.8	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.6
Tuondated Water 70	2006	52.6	22.2
Access to Exercise Opportunities %	2010 & 2013	32	89
necess to Exercise Opportunities //	2010 & 2012	32	81


Wheeler County

Wheeler County

Indicator	Year(s)	Wheeler	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	35.4	N/A
Lunch %	2012-2013 AY	20.9	N/A
Limited Access to Healthy Foods %	2012	46	5
Fast Food: % living within 1/2 mile	2012	1.2	33.4
Supermarkets: % living within 1/2 mile	2012	27.8	19.4
Alcohol Outlets count	2015 (February)	11	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	4	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	4 4	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	62	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009	79.2	86.9
	2004-2007	85.3 (G,Wh)	85.4 63.6
Good Physical Health age-adjusted %	2006-2009 2004-2007	48.6 74.5 (G,Wh)	62.3
	2004-2007	95.7	66.4
Good Mental Health age-adjusted %	2004-2007	88.2 (G,Wh)	63.8
Inadequate Social Support %	2005-2010	•••	16
Health Service Access			
Adults with Any Health Insurance	2006-2009	88.1	83.6
age-adjusted %	2004-2007	89.8 (G,Wh)	82.8
Adults in OHP age-adjusted %	2006-2009	•••	5.1
, addition of a large desposited /o	2004-2007	•••	6.2
Pregnant Women Served by WIC %	2013	64 (Mo,U,Wh)	45
Management with the language 2 and 2	2012	67 (Mo,U,Wh)	46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	•••	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	•••	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	•••	61.2
Preventable Hospital Stays per 1,000	2012	•••	38
(Ambulatory Care Sensitive Conditions)	2011	•••	42
Primary Care Physicians ratio to population	2012	0:1424	1:1105
	2011 2013	0:1426 1:691	1:1115 1:1363
Dentists ratio to population	2013	1:091	1:1303
Mental Health Providers ratio to population	2014	1:691	1:299
Could Not See Doctor Due to Cost %	2006-2012	1.001	14
	2014	•••	6.0
Inadequate Prenatal Care %	2013	•••	5.7

Indicator	Year(s)	Wheeler	Oregon
Immunized 2-Year-Olds %	2013	•••	58.2
IIIIIIIaiiizca z Icai Olas //	2012	•••	60.6
Immunized Seniors crude %	2006-2009	•••	69.2
mmamzed Semons crade /0	2004-2007	•••	70.5
Critical Access Hospital (CAH) Beds count	2014	no CAH	561
	2013	no CAH	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	9	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	9	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	0	171
Nitrate Risk in at Least One Public Water System	2011	no	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	8.5	17.2
Overweight age adjusted 0/	2008-2011	43.8*	35.5
Overweight age-adjusted %	2006-2009	42.0*	36.1
Obese age-adjusted %	2008-2011	•••	24.8
	2006-2009 2006-2009	•••	24.5 55.8
Physical Activity age-adjusted %	2004-2007	86.7* (G,Wh)	57.9
Eat Recommended Amount of Fruits &	2006-2009	•••	27.0
Vegetables age-adjusted %	2004-2007	17.4* (G,Wh)	26.6
Current Smokers age-adjusted %	2008-2011	•••	16.3
Current smokers age adjusted 70	2006-2009	•••	17.1
Binge Drinking age-adjusted % of males	2006-2009	•••	18.7
	2004-2007	•••	19.7
Binge Drinking age-adjusted % of females	2006-2009	•••	10.8
3 3 3 7	2004-2007 2008-2011	•••	8.7 25.4
Arthritis age-adjusted %	2006-2011	•••	25.4
A 1 10/	2008-2011	•••	9.9
Asthma age-adjusted %	2006-2009	•••	9.7
Heart Attack age-adjusted %	2008-2011	•••	3.3
Theat Mitaelicage adjusted 70	2006-2009	•••	3.3
Angina age-adjusted %	2008-2011 2006-2009	•••	3.5 3.4
	2008-2011	•••	2.3
Stroke age-adjusted %	2006-2009	•••	2.3
Dishetes aga-adjusted %	2008-2011	•••	7.2
Diabetes age-adjusted %	2006-2009	•••	6.8
High Blood Pressure age-adjusted %	2008-2011	•••	26.6
g	2006-2009 2008-2011	•••	25.8
High Blood Cholesterol age-adjusted %	2008-2011	•••	32.2 33.0
	2000 2007		33.0

Indicator	Year(s)	Wheeler	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	371.5	455.9
carreer age asjusted her cases per respect	2005-2009	352.0	464.6
Teen Pregnancy per 1,000	2013	•••	28.4
	2010	•••	38.6
Life Expectancy at Birth male	2009-2013	•••	77.4
	2004-2008 2009-2013	•••	76.4 81.8
Life Expectancy at Birth female	2009-2013	•••	80.8
	2004-2008	•••	5.0
Infant Mortality Rate per 1,000	2013	•••	5.3
	2014	•••	62.5
Low Birth Weight Rate per 1,000	2013	83.3	63.0
Years of Potential Life Lost (YPLL)	2010-2012	•••	5,958
age-adjusted per 100,000	2008-2010	•••	6,076
LIIV now cases	2014	0	146
HIV new cases	2013	0	218
Cuicida Daatha aga adjusted rata par 100 000	2011-2013	18.3 (Cr,G, HR,J,S,W,Wh)	16.9
Suicide Deaths age-adjusted rate per 100,000	2008-2010	15.4 (Cr,G, HR,J,S,W,Wh)	16.0
F: D	2013	•••	461
Firearm Deaths count	2012	•••	442
Car Crashes count	2013	25	49,510
Cai Clasties Court	2012	20	49,798
Car Crash Deaths count	2013	1	313
car crash beaths count	2012	1	336
Work-Related Deaths count	2012	0	47
	2011	0	59
Pertussis count	2013	0	485
	2012	0	911
Influenza count	2013 2012	0	84
	2012	0	67 375
Salmonella count	2013	0	404
	2012	2	14,265
Chlamydia count	2012	2	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	•••	9.6
Mathamphatamina Palatad Daaths count	2013	•••	123
Methamphetamine-Related Deaths count	2012	•••	93
Children with Developmental	2013	2	5,625
Disabilities count	2012	3	5,191



Yamhill County Snapshot

Population Estimate	102,525
Life Expectancy at Birth male	77.7
Life Expectancy at Birth female	81.7
Years of Potential Life Lost (YPLL) age-adjusted per 100,000	6,082
Low Birth Weight Rate per 1,000	54.5
Infant Mortality Rate per 1,000	3.8
Chronic Absenteeism %	15.9

Indicator	Year(s)	Yamhill	Oregon
Population Estimate (Certified)	2014	102,525	3,962,710
Socioeconomic Status/Social Determinants			
Income Inequality: Gini Coefficients	2009-2013	0.42	0.45
Minority Income as a % of White Income	2009-2013	50.6	57.2
Children in Poverty %	2013	18.6	21.6
	2012	22.2	22.7
Violent Crime per 100,000	2010-2012	125	249
	2009-2011	134	251
Median Household Income	2013	57,427	50,228
	2012	49,656	49,090
Unemployment %	2014	6.5	6.9
	2013	7.4	7.9
Foreclosure Filings ratio to total homes owned	2015 (January)	1:1061	1:1514
Home Ownership %	2009-2013	68.8	62.0
	2000	69.6	64.3
High Housing Costs %	2009-2013	39	40
	2007-2011	38	39
Homelessness count	2011	638	22,116
	2010	754	19,208
High School Graduates %	2009-2013	88.0	88.6
College Degree %	2009-2013	22.5	30.1
Environmental Access			
Fluoridated Water %	2012	N/A	22.60
	2006	24.1	22.2
Access to Exercise Opportunities %	2010 & 2013	84	89
	2010 & 2012	74	81

Yamhill County

Yamhill County

Indicator	Year(s)	Yamhill	Oregon
Children Eligible for Free and Reduced	2013-2014 AY	53.9	N/A
Lunch %	2012-2013 AY	54.8	N/A
Limited Access to Healthy Foods %	2012	4	5
Fast Food: % living within 1/2 mile	2012	27.0	33.4
Supermarkets: % living within 1/2 mile	2012	20.2	19.4
Alcohol Outlets count	2015 (February)	646	13,303
Tobacco Outlets count (excluding age-restricted establishments)	2015 (March)	59	2,679
Firearm Dealer Licenses count	2015 (February) 2014 (February)	48 54	1,928 1,823
Town & City Walkability: intersections per net square mile within urban growth boundaries	2013	66	55
Self-Assessment			
Good General Health age-adjusted %	2006-2009 2004-2007	85.5 82.1	86.9 85.4
Good Physical Health age-adjusted %	2006-2009	61.9	63.6
	2004-2007	57.7	62.3
Good Mental Health age-adjusted %	2006-2009 2004-2007	67.5 64.7	66.4 63.8
Inadequate Social Support %	2004-2007	17	16
Health Service Access	2003-2010	17	10
Adults with Any Health Insurance	2006-2009	85.3	83.6
age-adjusted %	2004-2007	83.6	82.8
A L Iv.: OUD	2006-2009	6.1	5.1
Adults in OHP age-adjusted %	2004-2007	6.2	6.2
Pregnant Women Served by WIC %	2013	55	45
Tregnant women served by wie //	2012	58	46
Mammography within the past 2 years (women 50-74) age-adjusted %	2008-2011	68.9	79.7
Pap Smear within the past 3 years (women 21-65 with a cervix) age-adjusted %	2008-2011	80.3	84.4
Sigmoidoscopy/Colonoscopy Current on screening (50-75 years old) crude %	2008-2011	50.9	61.2
Preventable Hospital Stays per 1,000	2012	49	38
(Ambulatory Care Sensitive Conditions)	2011	50	42
Primary Care Physicians ratio to population	2012	1:1337	1:1105
	2011 2013	1:1351 1:1975	1:1115
Dentists ratio to population	2013	1:1975	1:1363 1:1399
Mental Health Providers ratio to population	2012	1:392	1:299
Could Not See Doctor Due to Cost %	2006-2012	1.572	14
	2014	4.0	6.0
Inadequate Prenatal Care %	2013	3.9	5.7

Indicator	Year(s)	Yamhill	Oregon
Immunized 2-Year-Olds %	2013	48.3	58.2
iiiiiidiiized z-ieai-Olds //	2012	56.1	60.6
Immunized Seniors crude %	2006-2009	65.7	69.2
minumized Schiols crade 70	2004-2007	67.5	70.5
Critical Access Hospital (CAH) Beds count	2014	no CAH	561
· ·	2013	no CAH	551
Environmental Health			
Air Pollution days: The average daily measure of fine	2011	9.3	8.9
particulate matter in micrograms per cubic meter (PM2.5) in a county	2008	10	9.1
Acute Pesticide Exposure: "Likely" Illnesses 6-year count	2009-2011	3	171
Nitrate Risk in at Least One Public Water System	2011	no	yes
Additional Major Health Indicators			
Chronic Absenteeism %	2013-2014 AY	15.9	17.2
Over we what a real additional of	2008-2011	32.9	35.5
Overweight age-adjusted %	2006-2009	36.6	36.1
Obese age-adjusted %	2008-2011	35.0	24.8
	2006-2009 2006-2009	28.4 49.9	24.5 55.8
Physical Activity age-adjusted %	2004-2007	57.5	57.9
Eat Recommended Amount of Fruits &	2006-2009	21.5	27.0
Vegetables age-adjusted %	2004-2007	26.9	26.6
Current Concluses and adjusted 0/	2008-2011	18.5	16.3
Current Smokers age-adjusted %	2006-2009	18.5	17.1
Binge Drinking age-adjusted % of males	2006-2009	15.7	18.7
blinge brilliking age-adjusted 70 of males	2004-2007	25.9	19.7
Binge Drinking age-adjusted % of females	2006-2009	9.6	10.8
blinge britishing age-adjusted 70 of fernales	2004-2007	6.6	8.7
Arthritis age-adjusted %	2008-2011	25.8	25.4
7 a a a a a a a a a a a a a a a a a a a	2006-2009 2008-2011	24.9 9.3	25.8 9.9
Asthma age-adjusted %	2006-2011	9.5 11.5	9.9
	2008-2011	4.0*	3.3
Heart Attack age-adjusted %	2006-2009	3.1	3.3
Angina age-adjusted %	2008-2011	4.0	3.5
Angina age adjusted 70	2006-2009	3.2	3.4
Stroke age-adjusted %	2008-2011 2006-2009	2.0 2.2	2.3 2.3
Diabetes age-adjusted %	2008-2011	6.0	7.2
	2006-2009	7.5	6.8
High Blood Pressure age-adjusted %	2008-2011 2006-2009	26.9 26.8	26.6 25.8
	2008-2011	32.7	32.2
High Blood Cholesterol age-adjusted %	2006-2009	34.9	33.0

Data are from secondary sources; for information about calculations and original sources, please see the metadata.

Indicator	Year(s)	Yamhill	Oregon
Cancer age-adjusted new cases per 100,000	2007-2011	474.2	455.9
	2005-2009	476.0	464.6
Teen Pregnancy per 1,000	2013	25	28.4
	2010	39.1	38.6
Life Expectancy at Birth male	2009-2013	77.7	77.4
	2004-2008	76.3	76.4
Life Expectancy at Birth female	2009-2013	81.7	81.8
Life Expectancy at Birth Terriale	2004-2008	79.6	80.8
Infant Mortality Rate per 1,000	2013	3.8	5.0
mant wortains hate per 1,000	2012	8.1	5.3
Low Birth Weight Rate per 1,000	2014	54.5	62.5
Low birth Weight face per 1,000	2013	62.4	63.0
Years of Potential Life Lost (YPLL)	2010-2012	6,082	5,958
age-adjusted per 100,000	2008-2010	5,401	6,076
HIV new cases	2014	3	146
The free cases	2013	4	218
Suicide Deaths age-adjusted rate per 100,000	2011-2013 2008-2010	17.2 12.4	16.9 16.0
Firearm Deaths count	2013	8	461
Theath Deaths Count	2012	15	442
Car Crashes count	2013	1,066	49,510
Cai Clasiles Coulit	2012	1,072	49,798
Car Crash Deaths count	2013	8	313
Car Clash Deaths Count	2012	9	336
Work-Related Deaths count	2012	2	47
WORK Related Death's Court	2011	1	59
Pertussis count	2013	4	485
Tertussis count	2012	27	911
Influenza count	2013	1	84
mindenza codine	2012	1	67
Salmonella count	2013	19	375
Sumoneila count	2012	9	404
Chlamydia count	2013	346	14,265
Charry and Count	2012	268	13,501
Smokeless Tobacco Use Among 11th Grade Males %	2013	6.4	9.6
Methamphetamine-Related Deaths count	2013	2	123
Methamphetamine helated beaths count	2012	0	93
Children with Developmental	2013	164	5,625
Disabilities count	2012	163	5,191

Indicator Notes

State rankings are ordered such that those approaching 50 represent the greatest risk to public health, while those closer to 1 represent the greatest benefit to health. Rankings provided are for illustrative purposes only. Readers should be cautioned that sources of data and methodology for state rankings may differ from state and county statistics as noted in the metadata. These are noted with a *. It is advised in using these data to select either the data point or the ranking to present.

Asterisks (*) on county and state data pages indicate that the calculation or count was based on extremely low numbers and should be interpreted with caution. This report defers to the data sources' discretion in reporting.

"Minority" indicates all individuals who identify their race and ethnicity as anything other than Non-Hispanic White.

••• Statistic was unavailable or suppressed.

Initials immediately following statistics indicate that the statistic represents a shared calculation, or shared services across multiple counties. County abbreviations are as follows: Baker (Ba); Benton (Be); Clackamas (C); Clatsop (Cl); Columbia (Col); Coos (Co); Crook (Cr); Curry (Cu); Gilliam (G); Grant (Gr); Harney (H); Hood River (HR); Jefferson (J); Josephine (Jo); Klamath (K); Lake (L); Lincoln (Li); Malheur (Mal); Marion (Ma); Morrow (Mo); Multnomah (M); Polk (P); Sherman (S); Tillamook (T); Umatilla (U); Union (Un); Wallowa (Wa); Wasco (W); Wheeler (Wh); Yamhill (Y).

‡ State total includes cases and/or services from unspecified counties and from tribal regions not otherwise listed.

Data for comparison years are presented to provide context; differences between years should not be interpreted as statistically significant.

Use of the Health Impact Pyramid is by permission of Thomas Frieden, MD, MPH, Director of the Centers for Disease Control and Prevention (CDC).

Metadata

2-Year-Olds Who Watch More Than 2 Hours of TV Daily: Percentage based on parent response to question, "In a typical day, how much time does your two-year-old spend watching TV or videos?"

Data Source: Oregon Health Authority (OHA), Oregon Pregnancy Risk Assessment Monitoring System (PRAMS), PRAMS 2 Survey, Table 38, https://public.health.oregon.gov/HealthyPeopleFamilies/DataReports/prams/Pages/index.aspx

Geographic Extent: State only Date of latest data download: 02/26/2015

3rd Graders With Cavities: Percentage based on a probability-proportional-to-size (PPS) selection of schools from Oregon's public school system. Schools were selected from a list generated from Oregon Department of Education data. Implicit stratification on health region and percent of children in the school eligible for the state free/reduced lunch program was used for the school selections.

Data Source: Centers for Disease Control and Prevention (CDC), National Oral Health Surveillance System, State Oral Health Surveys,2001-2002 data, http://www.cdc.gov/nohss/sealants/states/or.htm, 2006-2007 data, http://apps.nccd.cdc.gov/nohss/IndicatorV.asp?Indicator=2

Geographic extent: State only Date of latest data download: 03/03/2015

8th Graders Who Watch More Than 2 Hours of TV Daily: Percentage of 8th graders who report watching more than 2 hours of TV on an average school day.

Data Source: Oregon Health Authority (OHA), Oregon Healthy Teens (OHT), OHT Survey Results, 2013 data-Table 57, 2011 data- Table 46, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/OregonHealthyTeens/results/Pages/ohtdata.aspx

Geographic extent: State only Date of latest data download: 03/03/2015

8th Graders Who Have Experienced Bullying: Percentage of 8th graders who report that they have been harassed at school (or on the way to of from school) within the past 30 days.

Data Source: Oregon Health Authority (OHA), Oregon Healthy Teens (OHT), OHT Survey Results, 2013 data- Table 77, 2011 data- Table 70x, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/OregonHealthyTeens/results/Pages/ohtdata.aspx

Geographic extent: State only Date of latest data download: 03/03/2015

11th Graders Who Have Recently Used Methamphetamine: Percentage of 11th graders who report that they have used methamphetamines (also called speed, crystal, crank, or ice) within the past 30 days.

Data Source: Oregon Health Authority (OHA), Oregon Healthy Teens (OHT), OHT Survey Results, 2013 data- Table 137, 2011 data- Table 137, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/OregonHealthyTeens/results/Pages/ohtdata.aspx

Geographic extent: State only Date of latest data download: 03/03/2015

Access to Exercise Opportunities: Percentage of population with adequate access to locations for physical activity.

 $\textbf{Data Source:} \ County \ Health \ Rankings, County \ data: \ \textit{http://www.countyhealthrankings.org/rankings/data/OR},$

State Rankings Data: http://www.countyhealthrankings.org/rankings/data

Geographic extent: State and County **Date of latest data download:** 03/25/2015

Note: Data from first and second manuals should not be compared as variable parameters have changed.

Acute Pesticide-Related Illness Count: Number of reported cases of acute pesticide-related illness, by Oregon county in 2009-2011 (n=171) that OHA-PEST determined to be the result of acute pesticide exposure.

Data Source: Oregon Health Authority, Public Health, Healthy Environments, Healthy Homes and Neighborhoods, Pesticide Exposure, Burden of Acute Pesticide Poisoning in Oregon, Table 2, http://public.health.oregon.gov/ HealthyEnvironments/HealthyNeighborhoods/HealthyHomes/Pesticides/Pages/index.aspx

Geographic extent: State and County **Date of latest data download:** 03/25/2015

Notes: Use caution when comparing data from first manual as the 2002-2007 study period was three times as long as 2009-2011, so comparison between the two can only be done by percentages.

Adults on OHP: Percentage of adults who are enrolled in the Oregon Health Plan (age-adjusted) in the reporting year. **Data Source:** Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/AdultBehaviorRisk/county/Pages/index.aspx

 $\textbf{Geographic extent: } County \ only \ \ \textbf{Date of latest data download: } 02/15/2015$

Adults With Any Health Insurance: County data: Percentage of adults reporting that they have any kind of health insurance (age-adjusted). State ranking data: Percentage of adults aged 18-64 reporting that they have any kind of health care coverage (not age-adjusted).

Data Source: County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/AdultBehaviorRisk/county/Pages/index.aspx, State ranking data: Centers for Disease Control and Prevention (CDC), Office of Surveillance, Epidemiology, and Laboratory Services, Behavioral Risk Factor Surveillance System, http://apps.nccd.cdc.gov/brfss/list.asp?cat=HC&yr=2013&qkey=8031&state=All

Geographic extent: State and County Date of latest data download: 02/15/2015

Note: State and county ranking data vary by methodology and should be viewed with caution.

Air Pollution days: The average daily measure of fine particulate matter in micrograms per cubic meter (PM2.5).

Data Source: County Health Rankings, County data: http://www.countyhealthrankings.org/rankings/data/OR,

State Rankings Data: http://www.countyhealthrankings.org/rankings/data

Geographic extent: State and County Date of latest data download: 03/06/2015

Note: Data from first and second manuals should not be compared as variable parameters have changed.

Alcohol Outlets count: Indicates the number of liquor licenses (current on 02/19/2015) that allow any avenue of direct sale to the consumer, including service at drinking places. This does not include catering, service within the transportation industry, catering, or solely wholesale licenses.

Data Source: State of Oregon, OLCC Liquor Licensing, Current Licenses, All Businesses (excel), Sort by premises county, http://www.oregon.gov/olcc/LIC/Pages/index.aspx

Geographic extent: County only Date of latest data download: 02/19/2015

Angina: County data: Percentage based on prevalence of angina in Oregon adults (age-adjusted). **State ranking data:** Percentage based on adults self-reporting whether a doctor, nurse, or other health professional ever told them that they had angina or coronary heart disease (not age-adjusted).

Data Source: County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/ AdultBehaviorRisk/county/Pages/index.aspx, State ranking data: Centers for Disease Control and Prevention (CDC), Office of Surveillance, Epidemiology, and Laboratory Services, Behavioral Risk Factor Surveillance System, http://apps.nccd.cdc.gov/brfss/list.asp?cat=CV&yr=2010&qkey=5011&state=All

Geographic extent: State and County Date of latest data download: 02/15/2015

Note: State and county ranking data vary by methodology and should be viewed with caution.

Arthritis: County Data: Percentage based on prevalence of arthritis in Oregon adults (age-adjusted). State ranking data: Percentage based on adults self-reporting whether they are limited in any way of their usual activities due to arthritis (not age-adjusted).

Data Source: County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/ AdultBehaviorRisk/county/Pages/index.aspx, State ranking data: Centers for Disease Control and Prevention (CDC), Office of Surveillance, Epidemiology, and Laboratory Services, Behavioral Risk Factor Surveillance System, http://apps.nccd.cdc.gov/brfss/list.asp?cat=AR&yr=2013&qkey=8701&state=All

Geographic extent: County and state **Date of latest data download:** 02/15/2015

Note: State and country ranking data vary by methodology and should be viewed with caution.

Asthma: County data: Percentage based on prevalence of asthma in Oregon adults (age-adjusted). State ranking data: Percentage based on adults self-reporting whether they have ever been told they have asthma (not age-adjusted).

Data Source: County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/
AdultBehaviorRisk/county/Pages/index.aspx, State ranking data: Centers for Disease Control and Prevention (CDC), Office of Surveillance, Epidemiology, and Laboratory Services, Behavioral Risk Factor Surveillance System, http://apps.nccd.cdc.gov/brfss/list.asp?cat=AS&yr=2010&qkey=4417&state=All

Geographic extent: County and state Date of latest data download: 02/15/2015

Note: State and county ranking data vary by methodology and should be viewed with caution.

Binge Drinking females: Percentage of female adults reporting consuming 4 or more drinks of alcohol on one occasion in the past 30 days (age-adjusted).

Data Source: Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/AdultBehaviorRisk/county/Pages/index.aspx

Geographic extent: County only Date of latest data download: 03/01/2015

Binge Drinking males: Percentage of male adults reporting consuming 5 or more drinks of alcohol on one occasion (age-adjusted).

Data Source: Oregon Health Authority, Public Health Division, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/AdultBehaviorRisk/county/Pages/index.aspx

Geographic extent: County only Date of latest data download: 03/01/2015

Breastfeeding at 8 Weeks: Percentage of mothers reporting breastfeeding 8 weeks after delivery.

Data Source: Centers for Disease Control and Prevention (CDC), Pregnancy Risk Assessment Monitoring System (PRAMS): CPONDER, http://apps.nccd.cdc.gov/cPONDER/default.aspx?page=display&state=24&year=13&category=3&variable=44

Geographic extent: State only Date of latest data download: 03/03/3015

Breastfeeding for First 6 Months: Percentage of mothers reporting exclusive breastfeeding at 6 months.

Data Source: Centers for Disease Control and Prevention (CDC), Breastfeeding, Data and Statistics, Breastfeeding Report Card, http://www.cdc.gov/breastfeeding/data/reportcard.htm

Geographic extent: State only Date of latest data download: 03/25/2015

Cancer new cases per 100,000: Annual cancer (all sites) age-adjusted (to the 2000 US standard population) incidence rate per 100,000.

Data Source: County data: State Cancer Profiles, Quick Profiles: Oregon, http://statecancerprofiles.cancer.gov/quick-profiles/index.php?statename=oregon, State Ranking data: State Cancer Profiles, Incidence Rates Table, http://statecancerprofiles.cancer.gov/incidencerates/index.php?stateFIPS=00&cancer=001&race=00&sex=0&age=001&type=incd&sortVariableName=rate&sortOrder=default#results

Geographic extent: State and County Date of latest data download: 03/08/2015

Car Crash Deaths count: Indicates number of car crash deaths.

Data Source: Oregon Department of Transportation (ODOT), Crash Analysis and Reporting, Crash Analysis and Reporting- All Crashes, Oregon Motor Vehicle Traffic Crashes by County, http://www.oregon.gov/ODOT/TD/TDATA/pages/car/car_publications.aspx/

Geographic extent: County only Date of latest data download: 03/02/2015

Note: Numbers for Curry and Gilliam counties were not included in the state count.

Car Crashes Count: Number of car crashes reported in a given year.

Data Source: Oregon Department of Transportation (ODOT), Crash Analysis and Reporting, Crash Analysis and Reporting- All Crashes, Oregon Motor Vehicle Traffic Crashes by County, http://www.oregon.gov/ODOT/TD/TDATA/pages/car/car_publications.aspx/

Geographic extent: County only Date of latest data download: 03/02/2015

Children Eligible for Free and Reduced Lunch: County data: Percentage based on students eligible for free and reduced lunch. State ranking data: Percentage based on students eligible for free lunch.

Data Source: County data: Oregon Department of Education (ODE), Reports, Students, Students Eligible for Free or Reduced Lunch #61, http://www.ode.state.or.us/sfda/reports/r0061Select.asp, State Rankings Data: http://www.countyhealthrankings.org/rankings/data

Geographic extent: State and County **Date of latest data download:** 03/05/2015

Note: State and county ranking data vary by methodology and should be viewed with caution.

Children in Poverty: Estimated percent of people age 0-17 living in poverty.

Data Source: United States Census, Small Area Income and Poverty Estimates, State and County Data Files, http://www.census.gov/did/www/saipe/data/statecounty/data/index.html

Geographic extent: State and County **Date of latest data download:** 03/26/2015

Children with Developmental Disabilities count: Number of children with developmental disabilities actively enrolled in case management.

Data Source: Oregon Department of Human Services, Developmental Disability Services, Data, Reports and Publications, http://www.oregon.gov/dhs/DD/Pages/data-reports.aspx

Geographic extent: County only Date of latest data download: 02/26/2015

Note: Numbers for Hood River and Sherman counties were not included in the state count.

Chlamydia count: Number of reported cases of chlamydiosis to the Oregon Health Authority.

Data Source: Oregon Health Authority, Public Health, Diseases and Conditions, Communicable Disease, Communicable Disease Surveillance Data, Annual CD Surveillance Reports, Selected Cases, notifiable diseases by county, http://public.health.oregon.gov/DiseasesConditions/CommunicableDisease/DiseaseSurveillanceData/AnnualReports/Pages/arpt.aspx

Geographic extent: County only Date of latest data download: 02/26/2015

Chronic Absenteeism: Percentage of students who are absent 10% or more of all school days. Data are averaged across school districts in a given county.

Data Source: Oregon Department of Education, Report Card, Media Page, RC Districts Aggregated, http://www.ode.state.or.us/data/reportcard/Media.aspx

 $\textbf{Geographic extent:} \ County \ only \quad \textbf{Date of latest data download:} \ 03/10/2015$

Chronic Disease Prevention Funding total dollars: Legislatively approved budget for the 2013-15 biennium for health promotion and chronic disease prevention.

Data Source: Oregon Health Authority, Center for Prevention and Health Promotion, http://public.health.oregon.gov/PHD/Directory/Pages/Program.aspx?pid=5

Geographic extent: State only Date of latest data download: 03/12/2015

Note: Budget information was not available on website, data was obtained by contacting the CFO, Policy and Budget Analyst.

Cigarette Packs Sold per capita: Number of cigarette packs sold per capita.

Data Source: County data: Oregon Health Authority, Public Health, Provider and Partner Resources, Public health Accreditation and Quality Improvement, Oregon State Health Profile, Health Behaviors, Tobacco, https://public.health.oregon.gov/providerpartnerresources/publichealthaccreditation/pages/healthstatusindicators.aspx, State Ranking Data: Centers for Disease Control and Prevention (CDC), Smoking and Tobacco Use, State Tobacco Activities Tracking and Evaluation (STATE) System: http://apps.nccd.cdc.gov/statesystem/DetailedReport/DetailedReports.aspx#ReportDetail

Geographic extent: State and County Date of latest data download: 03/11/2015

Note: State and county ranking data vary by source and should be viewed with caution.

College Degree: Percentage of the population aged 25 years and older with a bachelor's degree or higher. **Data Source:** US Census Bureau, American Community Survey, Educational Attainment, Table S1501, http://factfinder2.census.gov/

Geographic extent: State and County Date of latest data download: 02/10/2015

Could Not See Doctor Due to Cost: Percentage of population who reported that they could not see a doctor due to cost. Data Source: County Health Rankings, County data: http://www.countyhealthrankings.org/rankings/data/OR, State Rankings Data: http://www.countyhealthrankings.org/rankings/data/OR, State Rankings Data: http://www.countyhealthrankings.org/rankings/data Geographic extent: State and County Date of latest data download: 03/25/2015

Critical Access Hospital (CAH) Beds count: Number of critical access hospital staffed beds by county.

Data Source: Oregon Association of Hospitals & Health Systems, Appraise Insights, Oregon Community Hospital Report, http://apprisehealthinsights.com/public-reports/oregon-community-hospital-report/
Geographic extent: County only Date of latest data download: 03/12/2015

Note: CAH bed count not available by county in the hospital report, data was obtained by contacting the Director of Information Systems.

Current Smokers: County data: Percentage of adults who report using tobacco (age-adjusted). State ranking data: Percent of adults who report that they are current smokers (not age-adjusted).

Data Source: County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/ AdultBehaviorRisk/county/Pages/0811.aspx, State ranking data: Centers for Disease Control and Prevention (CDC), Office of Surveillance, Epidemiology, and Laboratory Services, Behavioral Risk Factor Surveillance System, http://apps.nccd.cdc.gov/brfss/list.asp?cat=TU&yr=2013&qkey=8161&state=All

Geographic extent: State and county **Date of latest data download:** 02/15/2015

Note: State and county ranking data vary by methodology and should be viewed with caution.

Dentist ratio to population: Indicates ratio of dentists to total population.

Data Source: County Health Rankings, County data: http://www.countyhealthrankings.org/rankings/data/OR, State Rankings Data: http://www.countyhealthrankings.org/rankings/data

Geographic extent: County and state Date of latest data download: 03/25/2015

Diabetes: Percentage of adults reporting that they have been told that they have diabetes (age-adjusted). State ranking data: Percentage of adults reporting that they have been told by a doctor that they have diabetes (not age-adjusted). **Data Source:** County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/ AdultBehaviorRisk/county/Pages/0811.aspx, State ranking data: Centers for Disease Control and Prevention (CDC), Office of Surveillance, Epidemiology, and Laboratory Services, Behavioral Risk Factor Surveillance System, http://apps.nccd.cdc.gov/brfss/list.asp?cat=DB&yr=2010&qkey=1363&state=All

Geographic extent: State and county Date of latest data download: 02/15/2015

Note: State and county ranking data vary by methodology and should be viewed with caution.

Eat Recommended Amount of Fruits & Vegetables: Percentage of adults who report consuming at least 5 servings of fruits and vegetables per day (age-adjusted). State ranking data: percentage of adults who report consuming more than 1 serving of fruits and vegetables per day (not age-adjusted).

Data Source: County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/AdultBehaviorRisk/county/index/Pages/index.aspx, State ranking data: Centers for Disease Control and Prevention

(CDC), Office of Surveillance, Epidemiology, and Laboratory Services, Behavioral Risk Factor Surveillance System, http://apps.nccd.cdc.gov/brfss/list.asp?cat=FV&yr=2013&qkey=8681&state=All and http://apps.nccd.cdc.gov/brfss/list.asp?cat=FV&yr=2013&qkey=8691&state=All

Geographic extent: State and county **Date of latest data download:** 02/15/2015

Note: State and county ranking data vary by methodology and should be viewed with caution.

Fast Food: % **living within** ½ **mile:** Indicates percentage of households living within a ½ mile walk distance to fast food restaurants.

 $\textbf{\textbf{Data Source:}}\ Oregon\ Health\ Authority,\ Oregon\ Environmental\ Public\ Health\ Tracking,\ Environmental\ Justice,$

Community Design, Alcohol, Food and Tobacco, County, http://epht.oregon.gov/Index.aspx Geographic extent: County only Date of latest data download: 02/25/2015

Note: Data from first and second manuals should not be compared as variable parameters have changed.

Firearm Deaths count: County data: Indicates number of deaths due to firearms by county of residence. State ranking data: Indicates number of deaths due to injury by firearms per 100,000 population.

Data Source: County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Vital Statistics, Annual Reports, Chapter 6, Table 33, http://public.health.oregon.gov/BirthDeathCertificates/VitalStatistics/annualreports/Pages/vol2.aspx, State ranking data: Kaiser Family Foundation, State health facts, Health status, Deaths due to firearms, Number of deaths due to injury by firearms per 100,000 population, http://kff.org/other/state-indicator/firearms-death-rate-per-100000/ Geographic extent: State and county Date of latest data download: 02/26/2015

Note: State and county ranking data vary by methodology and source and should be viewed with caution. Numbers for Gilliam, Morrow, Sherman, and Wheeler counties were not included in the state count.

Firearm Dealer Licenses count: Indicates the total number of Type 01(dealer in firearms and other destructive devices, including gunsmiths) and Type 02 (pawnbroker in firearms other than destructive devices) federal firearm licenses.

Data Source: United States Department of Justice, Bureau of Alcohol, Tobacco, Firearms and Explosives, Firearms, Firearms Industry, Listing FFLs, http://www.atf.gov/content/firearms/firearms-industry/listing-FFLs
Geographic extent: State and county Date of latest data download: 03/12/2015

Fluoridated Water: County data: Percentage of population using public water systems that receive receiving fluoridated water. State ranking data: Percentage of population using community water systems receiving fluoridated water. **Data Source:** http://apps.nccd.cdc.gov/gisdoh/waterfluor.aspx

Geographic extent: State and county Date of latest data download: 02/11/2015

Note: State and county ranking data vary by methodology and source and should be viewed with caution. County level data are only available for 2006 and only state level data and state ranking data are available for 2012.

Foreclosure Filings ratio to total homes owned: Number of active foreclosure homes as a ratio to total homes owned.

Data Source: RealtyTrac, http://www.realtytrac.com/trendcenter/or-trend.html

Geographic extent: State and county Date of latest data download: 03/12/2015

Good General Health: County data: Percentage of adults self-reporting that their health in general was "excellent", "very good", or "good" when asked on a five-point scale (age-adjusted). State ranking data: Percentage of adults self-reporting that their health in general was "excellent", "very good", or "good" when asked on a five-point scale (not age-adjusted). **Data Source:** County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/AdultBehaviorRisk/county/Pages/index.aspx, State ranking data: Centers for Disease Control and Prevention (CDC), Office of Surveillance, Epidemiology, and Laboratory Services, Behavioral Risk Factor Surveillance System, http://apps.nccd.cdc.gov/brfss/list.asp?cat=HS&yr=2013&qkey=8001&state=All

Geographic extent: County and state **Date of latest data download:** 02/15/2015

Note: State and county ranking data vary by methodology and should be viewed with caution.

Good Mental Health: Percentage of adults self-reporting good mental health in the past 30 days (age-adjusted). **Data Source:** Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/AdultBehaviorRisk/county/Pages/index.aspx

Geographic extent: County only Date of latest data download: 03/21/2015

Good Physical Health: Percentage of adults self-reporting good physical health in the past 30 days (age-adjusted). **Data Source:** Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/AdultBehaviorRisk/county/Pages/index.aspx

Geographic extent: County only Date of latest data download: 03/21/2015

Heart Attack: County data: Percentage based on prevalence of heart attacks in Oregon adults (age-adjusted). State ranking data: Percentage based on adults self-reporting if they have ever been told they had a heart attack (myocardial infarction) (not age-adjusted).

Data Source: County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/ AdultBehaviorRisk/county/Pages/index.aspx, State ranking data: Centers for Disease Control and Prevention (CDC), Office of Surveillance, Epidemiology, and Laboratory Services, Behavioral Risk Factor Surveillance System, http://apps.nccd.cdc.gov/brfss/list.asp?cat=CH&yr=2013&qkey=8091&state=All

Geographic extent: State and County Date of latest data download: 02/15/2015

Note: State and county ranking data vary by methodology and should be viewed with caution.

High Blood Cholesterol: County data: Percentage based on prevalence of high blood cholesterol in Oregon adults (age-adjusted). State ranking data: Percentage based on adults who have had their blood cholesterol checked and have been told it was high (not age-adjusted).

Data Source: County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/ AdultBehaviorRisk/county/Pages/index.aspx, State ranking data: Centers for Disease Control and Prevention (CDC), Office of Surveillance, Epidemiology, and Laboratory Services, Behavioral Risk Factor Surveillance System, http://apps.nccd.cdc.gov/brfss/list.asp?cat=CA&yr=2013&qkey=8081&state=All

Geographic extent: State and County Date of latest data download: 02/15/2015

Note: State and county ranking data vary by methodology and should be viewed with caution.

High Blood Pressure: County data: Percentage based on prevalence of high blood pressure in Oregon adults (age-adjusted). State ranking data: Percentage based on adults who have been told they have high blood pressure (not age-adjusted).

Data Source: County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/ AdultBehaviorRisk/county/Pages/index.aspx, State ranking data: Centers for Disease Control and Prevention (CDC), Office of Surveillance, Epidemiology, and Laboratory Services, Behavioral Risk Factor Surveillance System, http://apps.nccd.cdc.gov/brfss/list.asp?cat=HA&yr=2013&qkey=8051&state=All

Geographic extent: State and County Date of latest data download: 02/15/2015

Note: State and county ranking data vary by methodology and should be viewed with caution.

High Housing Costs: Percentage of households where 30% or more of income is spent on housing costs. **Data Source:** Calculated from US Census Bureau, American Community Survey, 5 year estimates, Selected Housing Characteristics, Table DPO4, http://factfinder2.census.gov/

Geographic extent: State and county Date of latest data download: 03/12/2015

Note: Data from first and second manuals should be compared with caution as variable parameters may have changed.

High School Graduates: Percentage of population aged 25 years and older who graduated from high school (includes equivalency).

Data Source: US Census Bureau, American Community Survey, 5-year estimate, Educational Attainment, Table S1501. http://factfinder2.census.gov/

Geographic extent: State and County Date of latest data download: 02/10/2015

HIV new cases: County data: Indicates number of HIV infection cases by year and county of residence at diagnosis. **State ranking data:** Indicates estimated numbers of adult and adolescent HIV diagnoses.

Data Source: County data: Oregon Health Authority, Public Health, Disease and Conditions, Communicable Disease, Communicable Disease Surveillance Data, HIV Data, HIV/AIDS Reports and Data, Oregon Cases of HIV infection by county of residence and year of diagnosis, http://public.health.oregon.gov/DiseasesConditions/CommunicableDisease/DiseaseSurveillanceData/HIVData/Pages/epiprofile.aspx. State ranking data: Kaiser Family Foundation, State Health Facts, HIV/AIDS/HIV Diagnoses, Estimated numbers of HIV diagnoses, adults and

adolescents, http://kff.org/hivaids/state-indicator/estimated-numbers-of-hiv-diagnoses-adults-and-adolescents/ Geographic extent: State and County Date of latest data download: 03/09/2015

Note: State and county ranking data vary by methodology and should be viewed with caution. Numbers for Sherman county were not included in the state count.

Homelessness count: Indicates total number of individuals suffering from homelessness, including Emergency Shelter, Voucher, Transitional Housing, Unsheltered, and Turn Away counts.

Data Source: County data: Oregon Housing and Community Services, Oregon Point In Time Homeless Counts, http://www.oregon.gov/ohcs/Pages/research-point-in-time-homeless-count-in-oregon.aspx, State ranking data: National Alliance to End Homelessness, State of Homelessness, http://www.endhomelessness.org/library/entry/soh-2012-chapter-one-homelessness-counts

Geographic extent: State and County Date of latest data download: 03/12/2015

Home Ownership: Owner-occupied homes as a percentage of total occupied housing units.

Data Source: US Census Bureau, American Community Survey 5 year estimate, Selected Housing Characteristics, Table DP04, http://factfinder2.census.gov/

Geographic extent: State and county Date of latest data download: 03/12/2015

Immunized 2-Year-Olds: County data: Indicates percent of 2-3 year olds who have received the following doses of vaccinations: (4) DTaP; (3) IPV; (1) MMR; (3) Hib; (3) HepB; (1) Varicella; (4) PCV. State ranking data: Indicates percent of children aged 10 to 35 months receiving recommended doses of DTaP, polio, MMR, Hib, hepatitis B, varicella, and PCV vaccines.

Data Source: County data: Oregon Health Authority, Public Health, Prevention and Wellness, Vaccines and Immunizations, http://public.health.oregon.gov/PreventionWellness/VaccinesImmunization/Pages/researchchild.aspx, State ranking data: America's Health Rankings, Immunization, Children, United States, http://www.americashealthrankings.org/ALL/Immunize

Geographic extent: State and County Date of latest data download: 03/08/2015

Note: State and county ranking data vary by methodology and should be viewed with caution. Data from first and second manuals should be compared with caution as variable parameters may have changed.

Immunized Seniors crude: Indicates percentage of adults 65 and over who have received an influenza shot in the past year. Data Source: County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/ AdultBehaviorRisk/county/Pages/index.aspx, State ranking data: Centers for Disease Control and Prevention (CDC), Office of Surveillance, Epidemiology, and Laboratory Services, Behavioral Risk Factor Surveillance System, http://apps.nccd.cdc.gov/brfss/list.asp?cat=IM&yr=2013&qkey=8341&state=All

 $\textbf{Geographic extent: } State \ and \ County \quad \textbf{Date of latest data download: } 03/08/2015$

Inadequate Prenatal Care: Indicates percentage of women who received less than 5 prenatal visits or care beginning in the 3rd trimester.

Data Source: Oregon Health Authority, Public Health, Birth and Death Certificates, Vital Statistics, Birth Data, Adequate Prenatal Care, http://public.health.oregon.gov/BirthDeathCertificates/VitalStatistics/birth/Pages/index.aspx

Inadequate Social Support: Indicates percentage of adults without social/emotional support.

Data Source: County Health Rankings, County data: http://www.countyhealthrankings.org/rankings/data/OR, State Rankings Data: http://www.countyhealthrankings.org/rankings/data

Geographic extent: County and state **Date of latest data download:** 02/15/2015

Geographic extent: County only Date of latest data download: 02/20/2015

Income Inequality: Gini Coefficient: A measure of income inequality wherein the value of "0" would reflect perfectly equal distribution of income and "1" would indicate the most extreme income inequality (one person has all income and everyone else has none).

Data Source: US Census Bureau, American Community Survey 5 year estimate, Gini Index of Income, Table B19083: http://factfinder2.census.gov/

Geographic extent: State and County Date of latest data download: 02/05/2015

Infant Mortality Rate per 1,000: Indicates infant mortality rate per 1,000 live births (death occurring before age 1). **Data Source:** County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Vital Statistics, Annual

Reports, Volume 2, Chapter 7 Fetal and Infant Mortality, http://public.health.oregon.gov/BirthDeathCertificates/VitalStatistics/annualreports/Pages/vol2.aspx, State ranking data: America's Health Rankings, Infant Mortality, United States, http://www.americashealthrankings.org/ALL/IMR

Geographic extent: State and County Date of latest data download: 02/25/2015

Note: State and county ranking data vary by source and should be viewed with caution.

Influenza count: Indicates number of reported cases of haemophilus influenzae to Oregon Health Authority.

Data Source: Oregon Health Authority, Public Health, Diseases and Conditions, Communicable Disease,

Communicable Disease Surveillance Data, Annual CD Surveillance Reports, Selected Cases, notifiable diseases by county, http://public.health.oregon.gov/DiseasesConditions/CommunicableDisease/DiseaseSurveillanceData/AnnualReports/Pages/arpt.aspx

Geographic extent: County only Date of latest data download: 02/26/2015

Note: Data from first and second manuals should be compared with caution as variable parameters may have changed.

Inmates Lacking GED or HS diploma: Indicates percentage of inmates lacking a GED or High School diploma. Data Source: Oregon Health Authority, Public Health, About Public Health, Oregon State Health Profile, http://public.health.oregon.gov/About/Pages/index.aspx

Geographic extent: State only Date of latest data download: 02/26/2015

Intimate Partner Violence-Related Homicides: Indicates percentage of all homicides that were related to or the result of intimate partner violence.

Data Source: Oregon Health Authority, Public Health, Diseases and Conditions, Injury and Fatality Data, Oregon Violent Death Reporting System, Figure 14, https://public.health.oregon.gov/DiseasesConditions/InjuryFatalityData/Pages/nvdrs.aspx

Geographic extent: County only Date of latest data download: 03/03/2015

Life Expectancy at Birth female: Indicates life expectancy (in years) at birth for females.

Data Source: County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Vital Statistics, Annual Reports, Volume 2, Chapter 6 Mortality, Table 56, Life expectancy at birth and remaining years, at select ages by county and sex, http://public.health.oregon.gov/BirthDeathCertificates/VitalStatistics/annualreports/Pages/vol2.aspx, State ranking data: Kaiser Family Foundation, State Health Facts, Health Status, Life expectancy, Life expectancy at birth (in years), by gender, http://kff.org/other/state-indicator/life-expectancy-by-gender/
Geographic extent: State and County Date of latest data download: 03/01/2015

Note: State and county ranking data vary by source and should be viewed with caution.

Life Expectancy at Birth male: Indicates life expectancy (in years) at birth for males.

Data Source: County ranking: Oregon Health Authority, Public Health, Birth and Death Certificates, Vital Statistics, Annual Reports, Volume 2, Chapter 6 Mortality, Table 56, Life expectancy at birth and remaining years, at select ages by county and sex, http://public.health.oregon.gov/BirthDeathCertificates/VitalStatistics/annualreports/Pages/vol2.aspx, State ranking data: Kaiser Family Foundation, State Health Facts, Health Status, Life expectancy, Life expectancy at birth (in years), by gender, http://kff.org/other/state-indicator/life-expectancy-by-gender/ Geographic extent: State and County Date of latest data download: 03/01/2015

Note: State and county ranking data vary by source and should be viewed with caution.

Limited Access to healthy foods: Percentage of population who have limited access to healthy food.

Data Source: County Health Rankings, County Rankings Data: http://www.countyhealthrankings.org/rankings/data/OR, State Rankings Data: http://www.countyhealthrankings.org/rankings/data

Geographic extent: County and state **Date of latest data download:** 03/06/2015

Note: Data from first and second manuals should not be compared as variable parameters have changed.

Low Birth Weight Rate per 1,000: County data: Indicates rate of low birth weight (2,499 grams or less) per 1,000 births. State ranking data: Indicates percentage of infants weighing less than 2500 grams (5 pounds, 8 ounces) at birth. Data Source: County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Vital Statistics, Birth Data, Birth weight, Low birth weight infants by county of residence, http://public.health.oregon.gov/BirthDeathCertificates/VitalStatistics/birth/Pages/index.aspx, State ranking data: America's Health Rankings, Low birth weight, United States, http://www.americashealthrankings.org/ALL/birthweight

Geographic extent: State and county Date of latest data download: 02/25/2015

Note: State and county ranking data vary by source and methodology and should be viewed with caution.

Mammography: County data: Indicates percentage of women ages 50-74 years old who have had a mammogram within the past 2 years (age-adjusted). State ranking data: Indicates percentage of women aged 50 and higher who have had a mammogram within the past 2 years (not age-adjusted).

Data Source: County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/ AdultBehaviorRisk/county/Pages/index.aspx, State ranking data: Centers for Disease Control and Prevention (CDC), Office of Surveillance, Epidemiology, and Laboratory Services, Behavioral Risk Factor Surveillance System, http://apps.nccd.cdc.gov/brfss/list.asp?cat=WH&yr=2012&qkey=8491&state=All

Geographic extent: State and County Date of latest data download: 02/12/2015

Note: State and county ranking data vary by methodology and should be viewed with caution.

Median Household Income: Indicates median household income in dollars.

Data Source: United States Census, Small Area Income and Poverty Estimates, State and County Data Files, http://www.census.gov/did/www/saipe/data/statecounty/data/index.html

Geographic extent: State and County Date of latest data download: 03/26/2015

Mental Health Providers ratio to population: Indicates ratio of population to mental health providers.

Data Source: County Health Rankings, County data: http://www.countyhealthrankings.org/rankings/data/OR, State Rankings Data: http://www.countyhealthrankings.org/rankings/data

Geographic extent: State and County Date of latest data download: 03/25/2015

Methamphetamine-Related Deaths count: Indicates number of methamphetamine-related deaths.

Data Source: Oregon State Police, State Medical Examiner, Drug related deaths, http://www.oregon.gov/OSP/SME/Pages/index.aspx

Geographic extent: County only Date of latest data download: 02/26/2015

Note: Numbers for Baker, Benton, Crook, Curry, Gilliam, Grant, Harney, Jefferson, Lake, Malheur, Morrow, Sherman, Umatilla, Union, Wallowa, Wasco, and Wheeler counties were not included in the state count.

Minority Income as a % of White Income: Per capita income for all individuals who identify their race and ethnicity as anything other than Non-Hispanic White, as a percentage of the per capita income of Non-Hispanic Whites. **Data Source:** Calculated from: US Census Bureau, American Community Survey 5-year estimates, Tables: B19313, B19313H, DP05, http://factfinder2.census.gov/

Geographic extent: State and County Date of latest data download: 03/13/2015

Note: Some counties have been omitted for extraordinarily high margins of error. Please contact the authors for margins of error.

Nitrate Risk in at Least One Public Water System: Indicates whether there is a nitrate risk in at least one public water system.

Data Source: Oregon Department of Environment Quality, http://www.deq.state.or.us/wq/dwp/docs/PWSnitrateReport.pdf

Geographic extent: County only Date of latest data download: 02/20/2015

Obese: County data: Percentage based on Oregon adults who are classified as obese (age-adjusted). State ranking data: Percentage based on a body mass index (BMI) of 30.0-99.8 (not age-adjusted).

Data Source: County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/ AdultBehaviorRisk/county/Pages/index.aspx, State ranking data: Centers for Disease Control and Prevention (CDC), Office of Surveillance, Epidemiology, and Laboratory Services, Behavioral Risk Factor Surveillance System, http://apps.nccd.cdc.gov/brfss/list.asp?cat=OB&yr=2013&qkey=8261&state=All

Geographic extent: County and state **Date of latest data download:** 02/15/2015

Note: State and county ranking data vary by methodology and should be viewed with caution.

Opioid-Related Deaths count: Indicates the total number of opioid-related deaths in Oregon.

Data Source: Oregon Health Authority, Provider Partner Resources, Public Health Accreditation,

Documents, Indicators, Opioid related deaths, https://public.health.oregon.gov/ProviderPartnerResources/ PublicHealthAccreditation/Documents/indicators/opioidrelateddeaths.pdf

Geographic extent: State only Date of latest data download: 03/03/2015

Oregon Health Plan Funding total: Indicates the Legislatively approved budget for the Oregon Health Authority's Medical Assistance Program (updated through December 2014) for the 2013-15 biennium.

Data Source: Oregon Health Authority, Center for Prevention and Health Promotion, http://public.health.oregon.gov/PHD/Directory/Pages/Program.aspx?pid=5

Geographic extent: State only Date of latest data download: 03/12/2015

Note: Budget information was not available on website, data was obtained by contacting the CFO, Policy and Budget Analyst.

Overweight: County data: Percentage based on Oregon adults who are classified as overweight (age-adjusted). State ranking data: Percentage based on a body mass index (BMI) of between 25.0-29.9 (not age-adjusted).

Data Source: County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/ AdultBehaviorRisk/county/Pages/index.aspx, State ranking data: Centers for Disease Control and Prevention (CDC), Office of Surveillance, Epidemiology, and Laboratory Services, Behavioral Risk Factor Surveillance System, http://apps.nccd.cdc.gov/brfss/list.asp?cat=OB&yr=2013&qkey=8261&state=All

Geographic extent: County and state Date of latest data download: 02/15/2015

Note: State and county ranking data vary by methodology and should be viewed with caution.

Pap Smear: County data: Indicates percentage of women ages 21-65 years old with a cervix who have had a PAP test in the past 3 years (age-adjusted). State ranking data: Indicates number of women ages 18 and higher who have had a PAP test within the past 3 years (not age-adjusted).

Data Source: County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/ AdultBehaviorRisk/county/Pages/index.aspx, State ranking data: Centers for Disease Control and Prevention (CDC), Office of Surveillance, Epidemiology, and Laboratory Services, Behavioral Risk Factor Surveillance System, http://apps.nccd.cdc.gov/brfss/list.asp?cat=WH&yr=2012&qkey=8491&state=All

Geographic extent: State and County Date of latest data download: 02/12/2015

Note: State and county ranking data vary by methodology and should be viewed with caution.

Pertussis count: Indicates number of reported cases of Pertussis to the Oregon Health Authority.

Data Source: Oregon Health Authority, Public Health, Diseases and Conditions, Communicable Disease,

Communicable Disease Surveillance Data, Annual CD Surveillance Reports, Selected Cases, notifiable diseases by county, http://public.health.oregon.gov/DiseasesConditions/CommunicableDisease/DiseaseSurveillanceData/AnnualReports/Pages/arpt.aspx

Geographic extent: County only Date of latest data download: 02/26/2015

Physical Activity: County data: Percentage of Oregon adults who reported meeting the CDC recommendations for physical activity (age-adjusted). State ranking data: Percentage of adults who participated in enough aerobic and muscle strengthening exercise to meet guidelines (not age-adjusted).

Data Source: County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/ AdultBehaviorRisk/county/Pages/index.aspx, State ranking data: Centers for Disease Control and Prevention (CDC), Office of Surveillance, Epidemiology, and Laboratory Services, Behavioral Risk Factor Surveillance System, http://apps.nccd.cdc.gov/brfss/list.asp?cat=PA&yr=2013&qkey=8291&state=All

Geographic extent: County and state Date of latest data download: 02/15/2015

Note: State and county ranking data vary by methodology and should be viewed with caution.

Population Estimate (Certified): Certified population estimates as of July 1st.

Data Source: Portland State University, College of Urban and Public Affairs, Population Research Center, Population Estimates, http://www.pdx.edu/prc/population-estimates-0

Geographic extent: County only Date of latest data download: 01/18/2015

Pregnant Women Served by WIC: Indicates percentage of all pregnant women served by the Women, Infants and Children nutrition program (WIC).

Data Source: Oregon Health Authority, Public Health, Healthy People and Families, WIC, http://public.health.oregon.gov/HealthyPeopleFamilies/wic/Pages/annual.aspx

Geographic extent: County only Date of latest data download: 03/11/2015

Preventable Hospital Stays per 1,000: Indicates number of hospital stays for ambulatory-care sensitive conditions per 1,000 Medicare enrollees.

Data Source: County Health Rankings, County data: http://www.countyhealthrankings.org/rankings/data/OR, **State Rankings Data:** http://www.countyhealthrankings.org/rankings/data

Geographic extent: State and County Date of latest data download: 03/25/2015

Primary Care Physicians ratio to population: Indicates ratio of population to primary care physicians.

Data Source: County Health Rankings, County data: http://www.countyhealthrankings.org/rankings/data/OR, State Rankings Data: http://www.countyhealthrankings.org/rankings/data

Geographic extent: State and County Date of latest data download: 03/25/2015

Salmonella count: Indicates number of reported cases of Salmonellosis to the Oregon Health Authority. **Data Source:** Oregon Health Authority, Public Health, Diseases and Conditions, Communicable Disease,

Communicable Disease Surveillance Data, Annual CD Surveillance Reports, Selected Cases, notifiable diseases by county, http://public.health.oregon.gov/DiseasesConditions/CommunicableDisease/DiseaseSurveillanceData/AnnualReports/Pages/arpt.aspx

Geographic extent: County only Date of latest data download: 02/26/2015

Schools Meeting Phys Ed Requirements count: Indicates number of schools in Oregon meeting the physical education requirements (Requirement: K-5= 150 minutes, Grades 6-8= 225 minutes).

Data Source: Oregon Department of Education. Physical education legislative report on 2007 House Bill 3141, http://www.ode.state.or.us/teachlearn/subjects/pe/final-2013-14-pe-legislative-report.pdf

Geographic extent: State only Date of latest data download: 03/09/2015

Sigmoidoscopy/Colonoscopy: County data: Indicates percentage of adults aged 50-75 years who have received a fecal occult blood test in the past year, or a colonoscopy within the past 10 years, or a sigmoigoscopy within the past 5 years (age-adjusted). State ranking data: Indicates percentage of adults aged 50 or higher who have ever had a sigmoidoscopy or a colonoscopy (not age-adjusted).

Data Source: County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/ AdultBehaviorRisk/county/Pages/index.aspx, State ranking data: Centers for Disease Control and Prevention (CDC), Office of Surveillance, Epidemiology, and Laboratory Services, Behavioral Risk Factor Surveillance System, http://apps.nccd.cdc.gov/brfss/list.asp?cat=CC&yr=2012&qkey=8531&state=All

Geographic extent: State and County **Date of latest data download:** 02/12/2015

Note: State and county ranking data vary by methodology and should be viewed with caution.

Smokeless Tobacco Use Among 11th Grade Males: Indicates percentage of 11th grade males who use smokeless tobacco.

Data Source: Oregon Health Authority, Public Health, Prevention and Wellness, Tobacco Prevention, https://public.health.oregon.gov/PreventionWellness/TobaccoPrevention/Documents/tobacco_facts/other_tobacco_products.pdf
Geographic extent: County only Date of latest data download: 02/26/2015

Stroke: County data: Percentage based on prevalence of strokes in Oregon adults (age-adjusted). State ranking data: Percentage based on adults who have ever been told they had a stroke (not age-adjusted).

Data Source: County data: Oregon Health Authority, Public Health, Birth and Death Certificates, Surveys, Adult Behavior Risk (BRFSS), Results by County, http://public.health.oregon.gov/BirthDeathCertificates/Surveys/ AdultBehaviorRisk/county/Pages/index.aspx, State ranking data: Centers for Disease Control and Prevention (CDC), Office of Surveillance, Epidemiology, and Laboratory Services, Behavioral Risk Factor Surveillance System, http://apps.nccd.cdc.gov/brfss/list.asp?cat=CH&yr=2013&qkey=8111&state=All

Geographic extent: State and County **Date of latest data download:** 02/15/2015

Note: State and county ranking data vary by methodology and should be viewed with caution.

Suicide Deaths age-adjusted rate per 100,000: Indicates rate of suicide deaths per 100,000 individuals (age-adjusted). Data Source: County ranking: Oregon Health Authority, Public Health, Birth and Death Certificates, Vital Statistics, Annual Reports, Volume 2, Chapter 6 Mortality, Table 47t, Age-adjusted death rates for selected causes by county/geographic region, http://public.health.oregon.gov/BirthDeathCertificates/VitalStatistics/annualreports/Pages/vol2.aspx State ranking data: America's Health Rankings, Suicide, United States, http://www.americashealthrankings.org/all/Suicide

Geographic extent: State and County Date of latest data download: 03/08/2015

Note: State and county ranking data vary by methodology and should be viewed with caution.

Supermarkets: Indicates percentage of households living within a ½ mile walking distance to grocery stores. **Data Source:** Oregon Health Authority, Oregon Environmental Public Health Tracking, Environmental Justice,
Community Design, Alcohol, Food and Tobacco, County, Food retailers, stores, grocery stores, http://epht.oregon.gov/Index.aspx

Geographic extent: County only Date of latest data download: 02/25/2015

Note: Data from first and second manuals should not be compared as variable parameters have changed.

Teen Pregnancy per 1,000: Indicates teen (ages 15-19) pregnancy rate per 1,000 females.

Data Source: Oregon Health Authority, Public Health, Birth and Death Certificates, Vital Statistics, Annual Reports, County Data Book, Table 15, Pregnancy rates of teens by county of residence, https://public.health.oregon.gov/BirthDeathCertificates/VitalStatistics/annualreports/CountyDataBook/Pages/cdb.aspx

Geographic extent: County only Date of latest data download: 03/01/2015

Tobacco Outlets count (excluding age-restricted establishments): Indicates number of tobacco outlets excluding age-restricted establishments such as bars, taverns, liquor stores, and smoke shops.

Data Source: Oregon Health Authority, Addictions and Mental Health Division, http://www.oregon.gov/oha/amh/Pages/prevention.aspx

Geographic extent: County only Date of latest data download: 03/13/2015

Note: Tobacco outlet count information was not available on website, data was obtained by contacting the Prevention Team Lead.

Town & City Walkability: Indicates number of intersections per net square mile within urban growth boundaries. Data Source: Oregon Health Authority, Oregon Environmental Public Health Tracking, Environmental Justice, Community Design, Transportation, County, Walkability, Number of intersections, http://epht.oregon.gov/Index.aspx Geographic extent: County only Date of latest data download: 02/25/2015

Note: Data from first and second manuals should not be compared as variable parameters have changed.

Unemployment: Percentage of the workforce that is unemployed, annual average. The workforce includes those working and those available and actively looking for work.

Data Source: State and County: Oregon Employment Department, Local Area Unemployment Statistics, Annual Average, not seasonally adjusted. County Rankings: Bureau of Labor Statistics, Local Area Unemployment Statistics, Series ID LAUST010000000000003 - LAUST5600000000000003. http://www.bls.gov/lau/

Geographic extent: State and County Date of latest data download: 03/10/2015

Violent Crime per 100,000: Indicates number of reported violent crime offenses per 100,000 population **Data Source:** County data: County Health Rankings, http://www.countyhealthrankings.org/rankings/data/OR, State Rankings Data: http://www.countyhealthrankings.org/rankings/data

Geographic extent: State and County Date of latest data download: 03/25/2015

Work-Related Deaths count: County data: Indicates number of work related deaths. State ranking data: Indicates number of fatal occupational injuries in construction, manufacturing, trade, transportation, utilities, professional, and business services per 100,000 workers.

Data Source: County data: Oregon Health & Science University, Oregon Fatality Assessment and Control Evaluation (OR-FACE) Program, http://www.ohsu.edu/xd/research/centers-institutes/oregon-institute-occupational-health-sciences/outreach/or-face/index.cfm, State ranking data: America's Health Ranking, Occupational Fatalities, United States, http://www.americashealthrankings.org/ALL/WorkFatalities

Geographic extent: State and County Date of latest data download: 02/26/2015

Note: State and county ranking data vary by methodology and should be viewed with caution.

Years of Potential Life Lost (YPLL) per 100,000: Indicates years of potential life lost (premature death) before age 75 per 100,000 population (age-adjusted).

Data Source: County data: County Health Rankings, http://www.countyhealthrankings.org/rankings/data/OR, State ranking data: America's Health Rankings, Premature Death, United States, http://www.americashealthrankings.org/ALL/YPLL

Geographic extent: State and County Date of latest data download: 03/25/2015

Elena Andresen, Sona Andrews, Tom Becker, Jennifer Boyd, Aaron Caughey, Carlos Crespo, Veronica Dujon, Sherril Gelmon, Jeannette Mladenovic, George Mejicano, Laurie Powers, David Robinson, and Liana Winett, OHSU-PSU Collaborative School of Public Health Steering Committee

Sarah Armitage and Anthony Barnack, Air Quality Program, Department of Environmental Quality

Raquel Bournehonesque, Upstream Public Health

Katherine Bradley, School of Nursing, Oregon Health & Science University (OHSU)

Margaret Braun and Jeff Duncan, Oregon Department of Corrections

Stephen Brown and Frances Smith, Coos County Public Health Department

Melanie Hart Buehler, ECONorthwest

Carol Cheney and Tricia Tillman, Office of Equity and Inclusion, Oregon Health Authority (OHA)

Peter Chrisholm, Disclosure Division, Bureau of Alcohol, Tobacco, Firearms & Explosives

Morgan Cowling and Erin Mowlds, Oregon Coalition of Local Health Officials

Ann Curry-Stevens, School of Social Work, PSU

Cathryn Cushing and Dana Hastings, Health Promotion and Chronic Disease Prevention, Public Health Division, OHA

Natasha Detweiler, Oregon Housing & Community Services

Carlos Crespo, Alexis Dinno, Liana Haywood, Renee Huizinga, Mark Kaplan and staff (Nathalie Huguet and Lauren Ogden), Candace Lewis, and Chelsea Whitney, School of Community Health, Portland State University (PSU)

Lori Dorfman, Berkeley Media Studies Group

Heidi Dupuis, Isabella Jacoby, and Jon Wiens, Oregon Department of Education

Scotty Ellis and Liz Paterson, School of Community Health & Toulan School of Urban Studies & Planning, PSU

Janet Gillespie, Oregon Association of Clean Water Agencies

Karen Girard and Rebecca Pawlak, Tobacco Prevention and Education Program, Public Health Division, OHA

Mandy Green, Health Impact Assessment Program, Public Health Division, OHA

Eugene Grey, Office of the Oregon State Medical Examiner

Renee Hackenmiller-Paradis and Sarah Petras, Oregon Environmental Council

Katrina Hedberg, Office of Science and Evaluation, Public Health Division, OHA

David Jernigan and Josh Ostroff, Center on Alcohol Marketing & Youth, Johns Hopkins Bloomberg School of Public Health

Sujata Joshi and Meena Patil, Oregon State Cancer Registry, Public Health Division, OHA

Amanda Jovag, County Health Rankings

Mel Kohn, Jean O'Connor, and Jayne Bailey, Office of the State Public Health Director, Public Health Division, OHA

Genni Lehnert-Beers, Umatilla County Public Health Division

Eric Main and Daniel Morris, Environmental Public Health Tracking Program, Public Health Division, OHA

Liza Morehead and Meg Merrick, Institute of Metropolitan Studies, PSU

Alison McIntosh, Neighborhood Partnerships

John McIntosh, Department of Psychology, Indiana University South Bend

Lisa Millet, Injury & Violence Prevention Section, Public Health Division, OHA

Thomas Mitchell, Drinking Water Program, Public Health Division, OHA

Ted Palma, National Air Toxics Assessment, US Environmental Protection Agency

Austin Phillips, Public Health & Preventive Medicine, OHSU

Julie Reeder and Rebecca Seel, Oregon Women, Infants, & Children

Ken Rosenberg, Maternal and Child Health Section, Public Health Division, OHA

Jeff Ruscoe, Prevention Services, Addictions & Mental Health Division, OHA

Charles Rynerson, Population Research Center, PSU

Lee Ann Stutheit, Developmental Disability Services, Oregon Department of Human Services

Marilyn Sutherland, Klamath County Public Health

Jessica Todd, Economic Research Service, United States Department of Agriculture

Lawrence Wallack, College of Urban & Public Affairs, PSU

Justin Waltz, Pesticide, Exposure, Safety & Tracking Program, Public Health Division, OHA

The authors would like to thank Jennifer Boyd and Caryn Ruch for their editorial advice, as well as **Sally Heppner** for her graphic design.

This report is the product of an enormous group effort. We offer our apologies to any of our generous contributors who have been accidentally omitted from this list.

Acknowledgments

Authors

Liana Winett, DrPH, MCHES

Claire Gauntner, BA

Thomas Becker, MD, PhD

Jenny Mladenovic, MD, MBA, MACP

Published March, 2013

Second Edition

Emily Gaige, MPH Sheila Martin, PhD, MA

Published April, 2015

Supported by anonymous donation.

This monograph is available online as a PDF or in an interactive format for iPad at http://www.ohsu.edu/ohsu-psu-publichealth