



Inspection Report

Oregon Health & Science University
3181 Sw Sam Jackson Park Rd., #L335
Portland, OR 97239

Customer ID: **1046**

Certificate: **92-R-0001**

Site: 002

OREGON HEALTH & SCIENCE UNIV./WEST CAMPUS

Type: ROUTINE INSPECTION

Date: Apr-24-2013

3.80 (a) (2) (xi)

PRIMARY ENCLOSURES.

"Sec. 3.80 Primary enclosures.

Primary enclosures for nonhuman primates must meet the following minimum requirements:

(a) General requirements.

...

(2) Primary enclosures must be constructed and maintained so that they:

...

(xi) Provide sufficient space for the nonhuman primates to make normal postural adjustments with freedom of movement."

One adult male baboon was in a cage that did not meet minimum requirements for height - it was 32"; a minimum of 36" is required for an adult male baboon. He looked like he could not sit up straight when on his resting shelf. He was in a double cage, so the floor space exceeded minimum requirements.

This non-compliance was corrected quickly. The caging was changed in the baboon room and the animal was placed in a 36" tall double cage (36h x 32 Lx 31 w each cage, total ~13.8 square feet with adequate height) by close of business on 4/26/2013, the day after the inspection.

The inspection was conducted with the Resource Project Veterinarian. Records inspection was conducted with compliance office personnel.

The exit briefing was conducted with IACUC members, attending and staff veterinarians, and the behavioral department manager.

Prepared By:

GWYNN HALLBERG, D.V.M. USDA, APHIS, Animal Care

Date:

Title:

VETERINARY MEDICAL OFFICER Inspector 5036

Apr-29-2013

Received By:

KIRK ANDREWS VIA E-MAIL

Date:

Title:

RESOURCE PROJECT VETERINARIAN

Apr-29-2013