

Oregon Sample

Q1: What is your practice capacity for C-19 testing?

| | # responses | % of sample | % national survey | Sample size | National Sample |
|----------------|-------------|-------------|-------------------|-------------|-----------------|
| No capacity | 5 | 15.6% | 33.6% | 32 | 1047 |
| CDC capacity | 17 | 53.1% | 28.8% | | |
| CDC+ capacity | 10 | 31.3% | 31.9% | | |
| Total capacity | 0 | 0.0% | 5.6% | | |

Q2: Level of strain related to C-19 on your practice?

| | # responses | % of sample | % national survey |
|-------------------|-------------|-------------|-------------------|
| 1 - no impact | 1 | 3.1% | 1.3% |
| 2 | 0 | 0.0% | 3.3% |
| 3 | 4 | 12.5% | 13.8% |
| 4 | 12 | 37.5% | 37.8% |
| 5 - severe impact | 15 | 46.9% | 43.6% |

Q3: Which of these possible C-19 stresses have you had?

| | # responses | % of sample | % national survey |
|---------------------------------|-------------|-------------|-------------------|
| Clinicians out | 9 | 28.1% | 41.0% |
| Nursing out | 10 | 31.3% | 41.5% |
| Front desk out | 7 | 21.9% | 30.3% |
| Lack of PPE | 15 | 46.9% | 53.7% |
| Used & homemade PPE | 15 | 46.9% | 60.8% |
| Need to layoff/furlough | 14 | 43.8% | 41.5% |
| Limiting well/chronic care visi | 28 | 87.5% | 81.6% |
| Decrease patient volume | 31 | 96.9% | 89.1% |
| Pt's can't use virtual | 29 | 90.6% | 80.9% |

Q4: % of office visits/contacts last week that were...

| | A little (<20%) | A lot (>50%) | Not happening | N/A | |
|-------------------------|-----------------|--------------|---------------|-------|-------------------|
| Video | 50.0% | 40.6% | 6.3% | 3.1% | |
| | 16 | 13 | 2 | 1 | |
| | 43.0% | 40.0% | 14.4% | 2.6% | % National sample |
| Telephone | 40.6% | 56.3% | 3.1% | 0.0% | |
| | 13 | 18 | 1 | 0 | |
| | 49.8% | 43.9% | 4.7% | 1.6% | |
| E-visit | 34.4% | 18.8% | 34.4% | 12.5% | |
| | 11 | 6 | 11 | 4 | |
| | 27.0% | 12.6% | 43.6% | 16.7% | |
| Portal/secure messaging | 59.4% | 25.0% | 9.4% | 6.3% | |
| | 19 | 8 | 3 | 2 | |
| | 51.4% | 16.1% | 24.6% | 7.8% | |
| In-person | 71.9% | 15.6% | 12.5% | 0.0% | |
| | 23 | 5 | 4 | 0 | |
| | 61.1% | 25.0% | 13.0% | 0.9% | |
| Reimbursable | 31.3% | 46.9% | 3.1% | 18.8% | |
| | 10 | 15 | 1 | 6 | |
| | 26.8% | 43.4% | 5.8% | 24.0% | |

FQA: Extent you've seen increased COVID-related health burden in the past week

| | no increase | maybe some increase | meaningful increase | shockingly high increase | unsure | no way to know | |
|----------------------------|-------------|---------------------|---------------------|--------------------------|--------|----------------|-------------------|
| Pre-existing chronic | 31.3% | 28.1% | 15.6% | 3.1% | 6.3% | 15.6% | |
| | 10 | 9 | 5 | 1 | 2 | 5 | |
| | 25.7% | 33.3% | 21.9% | 1.9% | 10.0% | 7.2% | % National sample |
| Pre-existing mental health | 15.6% | 25.0% | 37.5% | 12.5% | 3.1% | 6.3% | |
| | 5 | 8 | 12 | 4 | 1 | 2 | |
| | 9.4% | 25.5% | 45.2% | 9.5% | 6.2% | 4.3% | |
| Essential jobs | 15.6% | 21.9% | 40.6% | 3.1% | 12.5% | 6.3% | |
| | 5 | 7 | 13 | 1 | 4 | 2 | |
| | 16.0% | 29.8% | 26.9% | 4.2% | 14.7% | 8.4% | |
| Jobs required out of home | 18.8% | 31.3% | 25.0% | 0.0% | 15.6% | 9.4% | |

| | | | | | | |
|---------------------------|------------|-------------|-------------|------------|------------|------------|
| | 6 18.9% | 10 31.0% | 8 21.7% | 0 3.5% | 5 15.6% | 3 9.3% |
| Lost employment | 9.4% | 15.6% | 40.6% | 18.8% | 9.4% | 6.3% |
| | 3 7.7% | 5 19.1% | 13 35.7% | 6 20.1% | 3 11.3% | 2 6.1% |
| Unable to social distance | 18.8% | 31.3% | 15.6% | 0.0% | 21.9% | 12.5% |
| | 6 21.6% | 10 30.7% | 5 14.2% | 0 3.4% | 7 19.4% | 4 10.7% |
| No/limited internet/data | 15.6% | 37.5% | 9.4% | 6.3% | 18.8% | 12.5% |
| | 5 22.4% | 12 30.0% | 3 16.8% | 2 4.4% | 6 15.7% | 4 10.7% |

FQB: What about people who are...

| | no increase | maybe some increase | meaningful increase | shockingly high increase | unsure | no way to know | |
|----------------------------|-------------|------------------------|---------------------|-----------------------------|-------------|----------------|-------------------|
| African American | 31.3% | 3.1% | 3.1% | 0.0% | 37.5% | 25.0% | |
| | 10 27.0% | 1 14.4% | 1 11.4% | 0 3.8% | 12 27.3% | 8 16.0% | % National sample |
| Asian American | 37.5% | 0.0% | 3.1% | 0.0% | 37.5% | 21.9% | |
| | 12 34.4% | 0 8.2% | 1 4.5% | 0 0.7% | 12 32.0% | 7 20.2% | |
| Native American | 28.1% | 9.4% | 0.0% | 0.0% | 37.5% | 25.0% | |
| | 9 30.2% | 3 3.4% | 0 2.5% | 0 0.7% | 12 34.5% | 8 28.7% | |
| Latinx American | 28.1% | 9.4% | 9.4% | 0.0% | 31.3% | 21.9% | |
| | 9 26.7% | 3 13.8% | 3 11.8% | 0 3.2% | 10 27.7% | 7 16.7% | |
| Non-English speaking | 28.1% | 12.5% | 12.5% | 0.0% | 25.0% | 21.9% | |
| | 9 27.3% | 4 11.7% | 4 10.8% | 0 4.3% | 8 26.5% | 7 19.5% | |
| Immigrants of any kind | 25.0% | 12.5% | 3.1% | 6.3% | 31.3% | 21.9% | |
| | 8 25.1% | 4 10.0% | 1 9.8% | 2 3.8% | 10 29.5% | 7 21.7% | |
| Without strong social ntwk | 6.3% | 37.5% | 18.8% | 6.3% | 18.8% | 12.5% | |
| | 2 17.6% | 12 21.6% | 6 20.9% | 2 5.4% | 6 21.0% | 4 13.5% | |
| Elderly w/home support | 18.8% | 25.0% | 25.0% | 0.0% | 18.8% | 12.5% | |
| | 6 20.1% | 8 27.1% | 8 18.4% | 0 4.2% | 6 16.5% | 4 13.7% | |
| Elderly w/o home support | 15.6% | 25.0% | 28.1% | 6.3% | 15.6% | 9.4% | |
| | 5 16.4% | 8 19.2% | 9 23.8% | 2 9.9% | 5 17.1% | 3 13.6% | |
| Elderly in assisted living | 25.0% | 12.5% | 21.9% | 9.4% | 15.6% | 15.6% | |
| | 8 20.6% | 4 11.8% | 7 16.0% | 3 11.0% | 5 20.4% | 5 20.1% | |

Practice setting of sample

| | # responses | % of sample | % national survey |
|----------------------------|-------------|-------------|-------------------|
| Owned by you | 10 | 31.3% | 34.4% |
| Indep & part of larger grp | 11 | 34.4% | 26.6% |
| Owned by hosp/hlth sys | 14 | 43.8% | 41.8% |
| Rural | 16 | 50.0% | 20.6% |
| >3 clinicians | 23 | 71.9% | 72.5% |
| Primary care setting | 31 | 96.9% | 95.6% |
| Convenience care setting | 3 | 9.4% | 10.0% |
| DPC or membership | 7 | 21.9% | 15.5% |

Clinical specialty of respondent

| | # responses | % of sample | % national survey |
|-------------------|-------------|-------------|-------------------|
| Family medicine | 27 | 84.4% | 67.8% |
| Internal medicine | 1 | 3.1% | 11.5% |

| | | | |
|------------|---|------|-------|
| Pediatrics | 2 | 6.3% | 14.0% |
| Geriatrics | 1 | 3.1% | 3.6% |
| Other | 1 | 3.1% | 2.9% |