

Human Papillomavirus (HPV)

DENTAL TOOLKIT

Oregon HPV Prevention Alliance
HPV Dental Task Force



KNIGHT
CANCER
Institute

Human Papillomavirus (HPV)

DENTAL TOOLKIT

Oregon HPV Prevention Alliance
HPV Dental Task Force



The Human Papillomavirus (HPV) is a common virus [1]. Most HPV infections go away, but some can cause cancer, including cancer of the base of the tongue and back of the throat (oropharyngeal cancer). HPV is thought to cause 70% of oropharyngeal cancers in the United States [2]. Oropharyngeal cancer is the most prevalent type of HPV-attributed cancer in the country (2012 – 2016) [3].

HPV vaccination is a safe, effective and long-lasting form of HPV-related cancer prevention.

The Oregon HPV Prevention Alliance, under the Immunize Oregon Coalition, is a community of organizations and individuals dedicated to preventing HPV and HPV-related cancers by increasing HPV immunization rates in Oregon. The HPV Dental Task Force is an arm of the Alliance dedicated to primary HPV prevention in the dental setting. We encourage dental professionals to recognize their unique role in oropharyngeal cancer prevention, whether through counseling, referrals to primary care for vaccination, or directly through vaccine administration.

In 2019, with support from many of the organizations listed below, Oregon passed legislation authorizing dentists to administer vaccines to their patients. The legislation was broader than regulations in other states, authorizing dentists to administer any vaccine to any patient of record, with no limitations on vaccine type or age of patient. The Task Force will continue to support the implementation of dental vaccination across Oregon, with a particular focus on the HPV vaccine, taking into consideration the changes to the reimbursement and workflow aspects that must occur in order for this to become reality.

The toolkit is an extensive suite of educational resources targeting two main audiences: 1) patients and their parents, and 2) dental professionals. There are numerous materials designed for print use, and others solely for use on social media. All patient/parent-facing materials are also available in Spanish.

The HPV Dental Task Force would like to thank the following organizations for their valuable assistance in the development of this toolkit:

Advantage Dental
AllCare Health
American Cancer Society
Capitol Dental Care
CareOregon
Complete Health Dentistry of Portland
Immunize Oregon
Kaiser Permanente
Klamath County Public Health
Merck Vaccine Division – State Policy & Government Relations

Multnomah County Health Department
Northwest Portland Area Indian Health Board
Oregon Dental Association
Oregon Health & Science University
Oregon Health Authority
Oregon Pacific Area Health Education Center
Oregon Tech – Dental Hygiene
PacificSource
Samaritan Health Services
Virginia Garcia Memorial Health Center

For more information on the Oregon HPV Prevention Alliance, the HPV Dental Task Force or this toolkit, please visit Immunize Oregon at www.immunizeor.org, or contact us via email at coordinator@immunizeor.org.

1. www.cdc.gov/cancer/headneck
2. https://www.cdc.gov/cancer/hpv/basic_info/hpv_oropharyngeal.htm
3. <https://www.cdc.gov/mmwr/volumes/68/wr/mm6833a3.htm>



This table of contents describes the materials that can be used in a dental office serving both English and Spanish speakers.

CONTENTS:

Dental Provider Fact Sheet	2 pages
Dental Provider Checklist	2 pages
Posters	2 pages (one in English, one in Spanish)
Tri-fold Patient Brochure	4 pages (double-sided; one in English, one in Spanish)
Patient Card	4 pages (2pp in English, 2pp in Spanish)
Social Media Text	5 pages (messages in English and Spanish)
Social Media Graphics	4 pages (Parents as Audience; English and Spanish)
Social Media Graphics	2 pages (Providers in Image; English only)

Prevent Human Papillomavirus (HPV) and Oropharyngeal Cancer



HPV Vaccine is Cancer Prevention

Preventing cancer is better than treating it.



Facts about HPV

- ✔ Human papillomavirus (HPV) can cause serious health problems, including six types of cancer.
- ✔ HPV is a very common viral infection.
- ✔ Many infections spontaneously disappear, but some are high risk and cause cancers of the base of the tongue and back of the throat (oropharyngeal cancer).

HPV and Cancer

- ✔ HPV can cause six types of cancer.
- ✔ It usually takes years after being infected with HPV for cancer to develop.

Safe and Effective

- ✔ HPV vaccination provides safe, effective, and long-lasting protection against cancers caused by HPV.
- ✔ Common side effects from the HPV shot are mild and go away quickly. They may include pain, redness, or swelling at the injection site.
- ✔ To prevent fainting and injuries from fainting, adolescents should be seated or lying down during vaccination and for 15 minutes after getting the shot.

For more information on HPV vaccine safety visit [cdc.gov/hpv/parents/vaccinesafety.html](https://www.cdc.gov/hpv/parents/vaccinesafety.html)

HPV and Oropharyngeal Cancer

Oropharyngeal cancers are the most common HPV-related cancers, even more than cervical cancer.

- ✓ HPV can cause cancers of oropharynx (back of the throat, including the base of the tongue and tonsils). This is called oropharyngeal cancer.
- ✓ HPV is thought to cause 70% of oropharyngeal cancers in the United States.
- ✓ Over the past 20 years, there has been an increase in oropharyngeal cancers associated with HPV infection in both men and women.
- ✓ Oropharyngeal cancers are more common in men than in women.

HPV vaccine protects against many types of HPV-related cancers, including those that cause oropharyngeal cancer.

Recommended HPV Vaccine Ages



HPV vaccination works best when given to boys and girls between ages 9 and 12.

Children and young adults ages 13 through 26 years who have not been vaccinated or who have not received all of their shots should get the vaccine as soon as possible.

Vaccination of young adults will not prevent as many cancers as vaccination of children and teens.

The Oregon HPV Prevention Alliance's Dental Task Force acknowledges the ongoing work of the dental clinics of the nine federally recognized Oregon Tribes, as well as those of the Native American Rehabilitation Association (NARA) and Chemawa Indian School. The Northwest Portland Area Indian Health Board (NPAIHB) plays a key role in the Alliance's Leadership Team and the HPV Dental Task Force. For more information on NPAIHB's projects, including the Native Dental Therapy Initiative, please visit www.npaihb.org/programs-projects. Learn about NPAIHB's Northwest Tribal Dental Support Project at www.npaihb.org/ntdsc.

References and Other Resources

Centers for Disease Control and Prevention (CDC): For Parents: About HPV
www.cdc.gov/hpv/parents

Centers for Disease Control and Prevention (CDC): Head and Neck Cancers
www.cdc.gov/cancer/headneck

Head and Neck Cancer Alliance
www.headandneck.org

OHSU Knight Cancer Institute's HPV Vaccination Education Program
Available in 7 languages.

www.ohsu.edu/knight-cancer-institute/hpv-vaccination-education

Oregon Health Authority

www.oregon.gov/oha

Team Maureen Dental Toolkit

www.teammaureen.org/about/materials/c/1248



KNIGHT
CANCER
Institute



Oregon legislation allows licensed dentists to administer vaccines after completing training and following relevant rules.

Find out more at
oregon.gov/oha or
oregon.gov/dentistry.

CONTACT US

Oregon HPV Prevention Alliance

HPV Dental Task Force

coordinator@immunizeor.org www.immunizeor.org

Human Papillomavirus (HPV) Recommendation


Dental Provider Checklist



Check chart
to see if due
for vaccine




Make
recommendation
for vaccine using
key messages or
give vaccine



Answer
questions



Give patient
handout



Document in
chart note

Key Messages for HPV Vaccination



HPV vaccine protects against 6 types of cancer



Two doses between ages 9 and 12 for boys and girls



HPV vaccine is safe and it works

If you could do something now to protect your child from future cancers, wouldn't you?

HPV vaccine is safe and it works



HPV vaccine protects against six different types of cancer, including that of the base of the tongue and back of the throat (oropharyngeal cancer).

Talk to your dental provider if you have questions or are ready to get your child vaccinated.

CONTACT US

Oregon HPV Prevention Alliance | HPV Dental Task Force
coordinator@immunizeor.org www.immunizeor.org



KNIGHT
CANCER
Institute

immunize
Oregon
PREVENTION ALLIANCE

Oregon HPV Dental Task Force

Si pudiera hacer algo ahora para proteger a su hija o hijo de futuros cánceres, ¿lo haría?

La vacuna contra el VPH es segura y funciona



La vacuna contra el VPH protege contra seis tipos diferentes de cáncer, incluso el de la base de la lengua y la parte posterior de la garganta (cáncer de orofaringe).

Consulte con el dentista si tiene preguntas o dudas sobre la vacunación para menores.

CONTÁCTENOS

Oregon HPV Prevention Alliance | HPV Dental Task Force
coordinator@immunizeor.org www.immunizeor.org



KNIGHT
CANCER
Institute

immunize
Oregon
PREVENTION ALLIANCE

Oregon HPV Dental Task Force



HPV Vaccine protects against cancer

HPV Facts

What is HPV?

- ✓ Human Papillomavirus (HPV) is a common virus.
- ✓ Most people will become infected with HPV at some point if not vaccinated.
- ✓ Most HPV infections go away, but some can cause cancer, including cancer of the base of the tongue and back of the throat (oropharyngeal cancer).

HPV and Cancer

- ✓ HPV can cause six types of cancer.
- ✓ Cancer of the base of the tongue and back of the throat is the most common HPV-related cancer.
- ✓ HPV causes about two-thirds of all cancers of the base of the tongue and back of the throat.



The Oregon HPV Prevention Alliance's Dental Task Force acknowledges the ongoing work of the dental clinics of the nine federally recognized Oregon Tribes, as well as those of the Native American Rehabilitation Association (NARA) and Chemawa Indian School. The Northwest Portland Area Indian Health Board (NPAIHB) plays a key role in the Alliance's Leadership Team and the HPV Dental Task Force. For more information on NPAIHB's projects, including the Native Dental Therapy Initiative, please visit www.npaihb.org/programs-projects. Learn about NPAIHB's Northwest Tribal Dental Support Project at www.npaihb.org/ntdsc.

CONTACT US

Oregon HPV Prevention Alliance Dental Task Force
coordinator@immunizeor.org www.immunizeor.org

For Dental Patients

Prevent Human Papillomavirus (HPV) and Cancer



immunize HPV
Oregon
PREVENTION ALLIANCE



Oregon HPV Dental Task Force

HPV vaccine is safe and it works

HPV vaccine protects against cancer for a long time. Side effects are mild and go away quickly.

Talk to your dental provider if you have questions or are ready to get your child vaccinated.

If you could protect your child from future cancers, wouldn't you?

Preventing HPV related cancers

- ★ HPV vaccination works best when given to boys and girls between ages 9 and 12.
- ★ Children and young adults ages 13 through 26 years who have not been vaccinated should get the vaccine as soon as possible.
- ★ Vaccination of young adults will not prevent as many cancers as vaccination of children and teens.



Your dental provider can answer questions and help your child get the **HPV vaccine**.



La vacuna contra el VPH

 **protege
contra el
cáncer**

Datos sobre el VPH

¿Qué es el VPH?

- ✓ El virus del papiloma humano (VPH) es un virus común.
- ✓ La mayoría de las personas se infectarán con el VPH en algún momento si no se vacunan.
- ✓ La mayoría de las infecciones por VPH desaparecen, pero algunas pueden causar cáncer, incluso el cáncer de la base de la lengua y la parte posterior de la garganta (cáncer de orofaringe).

El VPH y el cáncer

- ✓ El VPH puede causar seis tipos de cáncer.
- ✓ El cáncer de la base de la lengua y la parte posterior de la garganta es el cáncer más común relacionado con el VPH.
- ✓ El VPH causa aproximadamente dos tercios de todos los cánceres de la base de la lengua y la parte posterior de la garganta.


El Grupo Dental de Trabajo de la Alianza para la Prevención del HPV del estado de Oregón reconoce el trabajo continuo de las clínicas dentales de las nueve tribus de Oregón reconocidas a nivel federal, así como el de la Asociación de Rehabilitación de Nativos Norteamericanos (NARA) y el de la Escuela Indígena Chemawa. La Junta de Salud Indígena del Área Noroeste de Portland (NPaiHB) juega un papel clave en el equipo de liderazgo de la Alianza y el Grupo de Trabajo Dental del VPH. Para obtener más información sobre los proyectos de NPaiHB, incluso sobre la Iniciativa de Terapia Dental Nativa, visite www.npaihb.org/programs-projects. Obtenga más información sobre el Proyecto de Apoyo Dental Indígena del Noroeste de NPaiHB en www.npaihb.org/ntdsc.

CONTÁCTENOS

Oregon HPV Prevention Alliance Dental Task Force
coordinator@immunizeor.org www.immunizeor.org

Paciente dental

Prevenga el virus del
papiloma humano (VPH)
y el cáncer



Oregon HPV Dental Task Force

La vacuna contra el VPH es segura y funciona

La vacuna contra el VPH protege contra el cáncer durante mucho tiempo. Los efectos secundarios son leves y desaparecen rápidamente.

Consulte con el dentista si tiene preguntas o dudas sobre la vacunación para menores.

Si pudiera proteger a su hija o hijo de futuros cánceres, ¿lo haría?

Prevenir cánceres relacionados con el VPH

- ★ La vacuna contra el VPH funciona mejor cuando se administra a menores entre los 9 y 12 años.
- ★ Las personas menores y jóvenes entre los 13 y 26 años quienes no se hayan vacunado deberían hacerlo lo más antes posible.
- ★ La vacunación de jóvenes no evitará tantos cánceres como la vacunación durante la etapa de la niñez y adolescencia.



El dentista puede responder sus preguntas y ayudar a los miembros menores de la familia a recibir la vacuna contra el VPH.

HPV VACCINE

Prevent cancer of the base of the tongue and back of the throat

What is HPV?

The Human Papillomavirus (HPV) is a common virus that can lead to many types of cancer.

HPV is the main cause of cancers of the base of the tongue and back of the throat (oropharyngeal cancer).

70% of these cancers in the U.S. are caused by HPV.



What is the HPV Vaccine?

The HPV vaccine protects against cancers and other health problems caused by HPV. This vaccine has been researched for decades and is safe.

You can find more information at:
www.cdc.gov/hpv/

Who should get the HPV vaccine?



The HPV vaccine is recommended for everyone ages 9 to 26.



Ages 9 to 12 need two doses, 6-12 months apart.



The HPV vaccine is best for children ages 9 to 12 because it prevents the most cancers.



CONTACT US

Oregon HPV Prevention Alliance

Dental Task Force

coordinator@immunizeor.org

www.immunizeor.org



**KNIGHT
CANCER**
Institute

LA VACUNA CONTRA EL VPH

previene el cáncer de la base de la lengua y la parte posterior de la garganta.

¿Qué es el VPH?

El virus del papiloma humano (VPH) es un virus común que puede causar muchos tipos de cáncer.

El VPH es la causa principal de cáncer de la base de la lengua y la parte posterior de la garganta (cáncer de orofaringe).

El VPH causa el **70%** de estos cánceres en los EE. UU.



¿Qué es la vacuna contra el VPH?

La vacuna contra el VPH protege contra el cáncer y otros problemas de salud que el virus causa. Se la ha investigado durante décadas y es segura.

Puede encontrar más información en:

<https://www.cdc.gov/hpv/parents/about-hpv-sp.html>

¿Quiénes deben recibir la vacuna contra el VPH?



La vacuna contra el VPH se recomienda para todas las personas de 9 a 26 años.



Las personas menores entre los 9 y 12 años necesitan dos dosis, con un intervalo de 6 a 12 meses.



La vacuna contra el VPH es mejor para las personas menores entre los 9 y 12 años porque previene más cánceres.



CONTÁCTENOS

Oregon HPV Prevention Alliance
Dental Task Force

coordinator@immunizeor.org

www.immunizeor.org



**KNIGHT
CANCER**
Institute



HPV Vaccination & Oropharyngeal Cancer Prevention Social Media Messages Oregon HPV Dental Task Force

La vacuna del VPH y la prevención de cáncer de orofaringe Mensajes para redes sociales Grupo dental de trabajo contra el VPH de Oregon

Messages for Parents/Teens (Facebook)

Close the door on cancer!

Just 2 doses of the HPV vaccine beginning at age 9 is all it takes to protect your child from cancer. Talk to your dental provider at your child's next visit to learn more and to schedule the vaccine.

<https://youtu.be/ULbB0SdVe94>

¡Dígale NO al cáncer!

Solo 2 dosis de la vacuna contra el VPH a partir de los 9 años es todo lo que se necesita para proteger contra el cáncer a los miembros menores de su familia. Consulte con el dentista en la próxima cita para obtener más información y programar la vacuna.

<https://www.youtube.com/watch?v=F3gXbEvwXE8>

If you could protect your child from future cancers of the back of the tongue and throat, wouldn't you?

The HPV vaccine is [safe and effective](#), and protects against 6 types of cancer. Talk to your dental provider if you have questions or are ready to get your child vaccinated.

Si pudiera proteger a su hija o hijo de futuros cánceres de la base de la lengua y la parte posterior, ¿lo haría?

La vacuna contra el VPH es [segura y eficaz](#) y protege contra 6 tipos de cáncer. Consulte con el dentista si tiene preguntas o dudas sobre la vacunación para menores.

HPV vaccine is cancer prevention.

Cancers of the base of the tongue and back of the throat are on the rise, and two-thirds of cases are caused by the HPV virus. Just 2 doses of the HPV vaccine before the age of 13 will prevent 90% of HPV-related cancers. Talk to your dental provider at your child's next visit to learn more.

<https://www.cancer.org/content/dam/cancer-org/online-documents/en/pdf/flyers/hpv-take-a-shot-at-cancer.pdf>

La vacuna contra el VPH previene el cáncer.

Los cánceres de la base de la lengua y la parte posterior de la garganta están aumentando; el VPH causa el dos tercios de los casos. Solo 2 dosis de la vacuna contra el VPH antes de los 13 años evitarán el 90% de los cánceres relacionados con el VPH. Consulte con el dentista en la próxima cita si tiene preguntas o dudas sobre la vacunación.

<https://www.cancer.org/content/dam/cancer-org/online-documents/es/pdf/flyers/hpv-take-a-shot-at-cancer-spanish.pdf>

They don't just talk teeth.

Dental providers can also [help you understand](#) the importance of HPV vaccine in preventing cancers of the base of the tongue and back of the throat, also known as oropharyngeal cancer. HPV vaccine is cancer prevention, and preventing cancer is better than treating it.

No solo hablan de los dientes.

Los dentistas también pueden [ayudarle a entender](#) la importancia de la vacuna contra el VPH para prevenir los cánceres de la base de la lengua y la parte posterior de la garganta, conocido también como cáncer de orofaringe. La vacuna contra el VPH previene el cáncer. Prevenir el cáncer es mejor que tratarlo.

Age matters.

Getting the 2-dose HPV vaccine before age 13 helps prevent 6 types of cancer, including cancers of the base of the tongue and back of the throat. Benefits of the vaccine decrease as age of vaccination increases.

<https://www.cancer.org/content/dam/cancer-org/online-documents/en/pdf/flyers/hpv-dont-wait-to-vaccinate.pdf>

La edad Sí importa.

Recibir la vacuna contra el VPH en 2 dosis antes de los 13 años ayuda a prevenir 6 tipos de cáncer, incluso los cánceres de la base de la lengua y la parte posterior de la garganta. Los beneficios de la vacuna disminuyen a medida que aumenta la edad de vacunación.

<https://www.cancer.org/content/dam/cancer-org/online-documents/es/pdf/flyers/hpv-dont-wait-to-vaccinate-spanish.pdf>

Messages for Parents/Teens (Twitter [280 characters MAX])

Is your child between the age of 9 and 12? It's time for their HPV vaccine!

#hpvvaccinationiscancerprevention

<https://www.cdc.gov/hpv/images/group-smiling-children.jpg>

¿Tiene usted menores entre los 9 y 12 años en su familia? ¡Es hora de vacunarlos contra el VPH!

#hpvvaccinationiscancerprevention

<https://www.cdc.gov/hpv/images/group-smiling-children.jpg>

HPV vaccine is cancer prevention. If you could [protect your child](#) from future cancers of the back of the tongue and throat, wouldn't you? #hpvcancerfree

La vacuna contra el VPH previene el cáncer. Si pudiera [proteger a su hija o hijo](#) de futuros cánceres de la parte posterior de la lengua y la garganta, ¿lo haría? #hpvcancerfree

2 doses before the age of 13 is all it takes to [prevent cancer](#) caused by the HPV virus. #hpvcancerfree

2 dosis antes de los 13 años es todo lo que se necesita para [prevenir el cáncer](#) que el VPH causa. #hpvcancerfree

Dental providers do more than clean teeth. They can also talk to you about HPV vaccine and how it can protect your child from getting cancer of the base of the tongue and back of the throat (oropharyngeal) cancer later in life.

https://youtu.be/_CSwFT42xCo

Los dentistas hacen más que limpiar los dientes. También pueden hablar con usted sobre la vacuna contra el VPH y cómo puede proteger a su hija o hijo del

cáncer de la base de la lengua y la parte posterior de la garganta (conocido como orofaringe) en el futuro. https://youtu.be/_CSwFT42xCo

The HPV vaccine [is effective against 6 different types of cancer](#), including those of the base of the tongue and back of the throat. Talk to your dental provider to learn more about the vaccine at your child's next dental visit. #howirecommend

La vacuna contra el VPH [es eficaz contra 6 tipos diferentes de cáncer](#), incluso los de la base de la lengua y la parte posterior de la garganta. Consulte con el dentista en la próxima cita si tiene preguntas o dudas sobre la vacunación. #howirecommend

The Tooth Fairy hopes all boys and girls between the ages of 9 and 12 [get vaccinated](#) against the HPV virus. #hpvprevention #immunizeoregon

El Ratoncito Pérez espera que todas las personas menores entre los 9 y 12 años [se vacunen](#) contra el VPH. #hpvprevention #immunizeoregon

It's easier to prevent cancer than to treat it. Talk to your child's dental provider about how the HPV vaccine can protect against cancers of the base of the tongue and back of the throat.

Es más fácil prevenir el cáncer que tratarlo. Consulte con el dentista sobre cómo la vacuna contra el VPH puede proteger a su hija o hijo de cánceres de la base de la lengua y la parte posterior de la garganta.

[Don't wait, vaccinate.](#) Cancer protection decreases as age at HPV vaccination increases.

[No demore la vacunación.](#) La protección contra el cáncer disminuye a medida que aumenta la edad en el momento de la vacunación contra el VPH.

Cervical cancer is just the tip of the iceberg. There are more cancers of the base of the tongue and back of the throat each year than any other HPV-related cancer. <https://www.cdc.gov/hpv/hcp/protecting-patients.html>

El cáncer de cuello uterino es solo la punta del iceberg. Hay más cánceres de la base de la lengua y la parte posterior de la garganta cada año que cualquier otro cáncer relacionado con el VPH.

<https://www.cdc.gov/hpv/hcp/protecting-patients.html>

Messages for Dental Providers

You can save lives. Learn more on [how to make](#) an effective HPV vaccine recommendation.

<https://youtu.be/nlwbt3F5k-c>

#howirecommend

Oropharyngeal cancer is the most common HPV-related cancer.

It's true. HPV causes more cases of oropharyngeal (base of tongue and back of throat) cancer than any other HPV-related cancer, even cervical cancer.

<https://tinyurl.com/4r7hx4a6> #howirecommend

You have the power to prevent cancer. Recommend all patients ages 9-12 get vaccinated against HPV. Learn more on how to make an effective recommendation [here](#). #hpvvaccinationiscancerprevention #howirecommend

Your 3 key messages: HPV vaccine protects against 6 types of cancer. 2 doses between ages 9 and 12 for boys and girls is all it takes. HPV vaccine is safe and effective. <https://youtu.be/Eza6MMLxT1g> #howirecommend

You are the key to HPV cancer prevention. Watch [this video](#) and review [these tips](#) to learn more about your role in helping to prevent oropharyngeal cancers.

#youarethekey



If you could do something now to protect your child from future cancers, wouldn't you?

HPV vaccine **is safe and it works**



HPV vaccine protects against six different types of cancer, including that of the base of the tongue and back of the throat (oropharyngeal cancer).

Talk to your dental provider if you have questions or are ready to get your child vaccinated.



Si pudiera hacer algo ahora para proteger a su hija o hijo de futuros cánceres, ¿lo haría?

La vacuna contra el VPH **es segura y funciona.**



La vacuna contra el VPH protege contra seis tipos diferentes de cáncer, incluso el de la base de la lengua y la parte posterior de la garganta (cáncer de orofaringe).

Consulte con el dentista si tiene preguntas o dudas sobre la vacunación para menores.

Close the door on cancer!

HPV vaccine is safe and it works

Talk to your dental provider if you have
questions or are ready to get your child
vaccinated.



¡Dígale NO al cáncer!

La vacuna contra el VPH es segura y funciona

Consulte con el dentista si tiene preguntas
o dudas sobre la vacunación para menores.





HPV Vaccination is Cancer Prevention

HPV vaccine *is safe and it works*



Recommend your patients get the HPV vaccine



HPV Vaccination is Cancer Prevention

HPV vaccine **is safe and it works**



Recommend your patients get the HPV vaccine