

Oregon Health & Science University Hospital and Clinics Provider's Orders



ADULT AMBULATORY INFUSION ORDER
Alpha-1 Proteinase Inhibitor
(PROLASTIN-C)

ACCOUNT NO.
MED. REC. NO.
NAME
BIRTHDATE

Page 1 of 2

Patient Identification

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (*) TO BE ACTIVE.					
Weight:	kg	Height: _	cm		
Allergies:					
Diagnosis Code:					
Treatment Start Date	e:	Patient to follow up with provider on date:			

This plan will expire after 365 days at which time a new order will need to be placed

GUIDELINES FOR ORDERING

- 1. Send FACE SHEET and H&P or most recent chart note.
- 2. This medication is not indicated as therapy for lung disease in patients in whom severe alpha 1-proteinase inhibitor deficiency has not been established.
- 3. The product may contain trace amounts of IgA. Severe anaphylaxis may occur in patients with anti-IgA antibody. Use in IgA deficient patients with antibodies against IgA is contraindicated.
- 4. This medication is derived from pooled human plasma which results in a risk of transmitting infectious agents.
- 5. Providers should note patients with established COPD and inform them of the risk for exacerbation. Frequent monitoring is recommended.

MEDICATIONS:

Alpha-1 proteinase inhibitor (PROLASTIN-C) 60 mg/kg IV (Pharmacist will round dose to nearest 1 gram vial and modify during order verification)
Interval: (must check one)

□ Once
□ Weekly x _____ doses

NURSING ORDERS:

- 1. Follow facility policies and/or protocols for vascular access maintenance with appropriate flush solution, declotting (alteplase), and/or dressing changes
- 2. VITAL SIGNS Prior to infusion and every 30 minutes during infusion.

HYPERSENSITIVITY MEDICATIONS:

- NURSING COMMUNICATION If hypersensitivity or infusion reactions develop, temporarily hold the
 infusion and notify provider immediately. Administer emergency medications per the Treatment
 Algorithm for Acute Infusion Reaction (OHSU HC-PAT-133-GUD, HMC C-132). Refer to algorithm for
 symptom monitoring and continuously assess as grade of severity may progress.
- 2. diphenhydrAMINE (BENADRYL) injection, 25-50 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
- 3. EPINEPHrine HCI (ADRENALIN) injection, 0.3 mg, intramuscular, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
- 4. hydrocortisone sodium succinate (SOLU-CORTEF) injection, 100 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
- 5. famotidine (PEPCID) injection, 20 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction



Oregon Health & Science University Hospital and Clinics Provider's Orders

ADULT AMBULATORY INFUSION ORDER

Alpha-1 Proteinase Inhibitor (PROLASTIN-C)

Page 2 of 2

ACCOUNT NO.
MED. REC. NO.
NAME
BIRTHDATE

Patient Identification

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE.

By signing below, I represent the following: I am responsible for the care of the patient (who is identified at the top of this form); I hold an active, unrestricted license to practice medicine in: Oregon (check box that corresponds with state where you provide care to patient and where you are currently licensed. Specify state if not Oregon); My physician license Number is # (MUST BE COMPLETED TO BE A VALID PRESCRIPTION); and I am acting within my scope of practice and authorized by law to order Infusion of the						
PRESCRIPTION); and I am acting within my s medication described above for the patient ide	cope of practice and authon ntified on this form.	orized by law to order Infusion of the				
Provider signature:	Date/Time:					
Printed Name:	Phone:	Fax:				
Central Intake: Phone: 971-262-9645 (providers only) Fax: 50 Please check the appropriate box for the pa		ocation:				
□ Beaverton OHSU Knight Cancer Institute 15700 SW Greystone Court Beaverton, OR 97006 Phone number: 971-262-9000 Fax number: 503-346-8058	□ NW Portland Legacy Good Samaritan campus Medical Office Building 3, Suite 150 1130 NW 22nd Ave Portland, OR 97210 Phone number: 971-262-9600 Fax number: 503-346-8058					
☐ Gresham Legacy Mount Hood campus Medical Office Building 3, Suite 140 24988 SE Stark Gresham, OR 97030 Phone number: 971-262-9500 Fax number: 503-346-8058	Medical Office 19260 SW 65t Tualatin, OR 9	97062 <mark>r: 971-262-9700</mark>				

Infusion orders located at: www.ohsuknight.com/infusionorders