

# Oregon Health & Science University Hospital and Clinics Provider's Orders



ADULT AMBULATORY INFUSION ORDER **Blank Plan** 

Page 1 of 3

ACCOUNT NO.
MED. REC. NO.
NAME
BIRTHDATE

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK ( ✓ ) TO BE ACTIVE.

Patient Identification

Weight	:kg	
Allergie	es:	
	sis Code:	
Treatm	ent Start Date: Patient to follow up with provider on date: _	
**This	plan will expire after 365 days at which time a new order will need to I	oe placed**
	LINES FOR ORDERING Send FACE SHEET and H&P or most recent chart note.	
LABS:		
	NG COMMUNICATIONS: Follow facility policies and/or protocols for vascular access maintenance w declotting (alteplase), and/or dressing changes.	rith appropriate flush solution
PRE-N	IEDICATIONS:	
MEDIC	ATIONS:	
PRN N	IEDICATIONS:	



### Oregon Health & Science University Hospital and Clinics Provider's Orders

ADULT AMBULATORY INFUSION ORDER

Blank Plan

Page 2 of 3

ACCOUNT NO.
MED. REC. NO.
NAME
BIRTHDATE

Patient Identification

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (  $\checkmark$  ) TO BE ACTIVE.

#### **HYPERSENSITIVITY MEDICATIONS:**

☐ Yes / ☐ No (select one)

- 1. NURSING COMMUNICATION If hypersensitivity or infusion reactions develop, temporarily hold the infusion and notify provider immediately. Administer emergency medications per the Treatment Algorithm for Acute Infusion Reaction (OHSU HC-PAT-133-GUD, HMC C-132). Refer to algorithm for symptom monitoring and continuously assess as grade of severity may progress.
- 2. diphenhydrAMINE (BENADRYL) injection, 25-50 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
- 3. EPINEPHrine HCI (ADRENALIN) injection, 0.3 mg, intramuscular, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
- 4. hydrocortisone sodium succinate (SOLU-CORTEF) injection, 100 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
- 5. famotidine (PEPCID) injection, 20 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction

By signing below, I represent the following I am responsible for the care of the patient (I hold an active, unrestricted license to practithat corresponds with state where you proving state if not Oregon);	who is identified at the top of the tice medicine in:	☐ (check box
My physician license Number is # PRESCRIPTION); and I am acting within medication described above for the patient i	y scope of practice and authori	DMPLETED TO BE A VALID ized by law to order Infusion of the
Provider signature: Printed Name:	Date/Tim	ne: Fax:



## Oregon Health & Science University Hospital and Clinics Provider's Orders

ADULT AMBULATORY INFUSION ORDER

Blank Plan

Page 3 of 3

ACCOUNT NO.
MED. REC. NO.
NAME
BIRTHDATE

Patient Identification

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (  $\checkmark$  ) TO BE ACTIVE.

#### Central Intake:

Phone: 971-262-9645 (providers only) Fax: 503-346-8058

### Please check the appropriate box for the patient's preferred clinic location:

□ Beaverton

OHSU Knight Cancer Institute 15700 SW Greystone Court Beaverton, OR 97006

Phone number: 971-262-9000 Fax number: 503-346-8058

☐ Gresham

Legacy Mount Hood campus Medical Office Building 3, Suite 140 24988 SE Stark Gresham, OR 97030

Phone number: 971-262-9500 Fax number: 503-346-8058 □ NW Portland

Legacy Good Samaritan campus Medical Office Building 3, Suite 150 1130 NW 22nd Ave Portland, OR 97210

Phone number: 971-262-9600 Fax number: 503-346-8058

□ Tualatin

Legacy Meridian Park campus Medical Office Building 2, Suite 140 19260 SW 65th Ave Tualatin, OR 97062

Phone number: 971-262-9700 Fax number: 503-346-8058

Infusion orders located at: www.ohsuknight.com/infusionorders