

Oregon Health & Science University Hospital and Clinics Provider's Orders



ADULT AMBULATORY INFUSION ORDER **Bezlotoxumab (ZINPLAVA) Infusion**

Page 1 of 2

ACCOUNT NO.
MED. REC. NO.
NAME
BIRTHDATE

Patient Identification

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE.

This plan will expire after 365 days at which time a new order will need to be placed

GUIDELINES FOR ORDERING

- 1. Send FACE SHEET and H&P or most recent chart note.
- 2. Restricted to ambulatory use in patients who have failed or do not quality for FMT, in consultation with ID. (OHSU only)
- 3. Bezlotoxumab is not indicated for the treatment of Clostridium difficile infection (CDI). It should only be used in conjunction with antibacterial drug treatment of CDI.
- 4. Heart failure has been reported at a higher rate in patients treated with bezlotoxumab (compared to placebo), primarily occurring in patients with underlying heart failure. Additionally, a higher mortality rate due to cardiac failure, infection, and respiratory failure was observed in patients with a history of heart failure who received bezlotoxumab (compared to those who received placebo). In patients with a history of heart failure, bezlotoxumab use should be reserved for situations when the benefits outweigh risks.

NURSING ORDERS:

1. Follow facility policies and/or protocols for vascular access maintenance with appropriate flush solution, declotting (alteplase), and/or dressing changes

MEDICATIONS

☑ bezlotoxumab (ZINPLAVA) 10 mg/kg in sodium chloride 0.9%, intravenous, ONCE, over 60 minutes

HYPERSENSITIVITY MEDICATIONS:

- 1. NURSING COMMUNICATION If hypersensitivity or infusion reactions develop, temporarily hold the infusion and notify provider immediately. Administer emergency medications per the Treatment Algorithm for Acute Infusion Reaction (OHSU HC-PAT-133-GUD, HMC C-132). Refer to algorithm for symptom monitoring and continuously assess as grade of severity may progress.
- 2. diphenhydrAMINE (BENADRYL) injection, 25-50 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
- 3. EPINEPHrine HCI (ADRENALIN) injection, 0.3 mg, intramuscular, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
- 4. hydrocortisone sodium succinate (SOLU-CORTEF) injection, 100 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction
- 5. famotidine (PEPCID) injection, 20 mg, intravenous, AS NEEDED x 1 dose for hypersensitivity or infusion reaction



Oregon Health & Science University Hospital and Clinics Provider's Orders

ADULT AMBULATORY INFUSION ORDER

Bezlotoxumab (ZINPLAVA) Infusion

Page 2 of 2

ACCOUNT NO. MED. REC. NO. NAME

Patient Identification

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE.

BIRTHDATE

ALL ONDERO MOOT DE MARK	CED III IIII III III A GIIEGIAIIA	III TO DE NOTIVE	
By signing below, I represent the following: I am responsible for the care of the patient (who is identified at the top of this form); I hold an active, unrestricted license to practice medicine in: Oregon (check box that corresponds with state where you provide care to patient and where you are currently licensed. Specify state if not Oregon);			
My physician license Number is #	(MUST BE C	(MUST BE COMPLETED TO BE A VALID f practice and authorized by law to order Infusion of the	
medication described above for the patient ide		M25d by law to order middlem of the	
Provider signature:	Date/Time:		
Printed Name:	Phone:	Fax:	
Central Intake: Phone: 971-262-9645 (providers only) Fax: 50 Please check the appropriate box for the p		ocation:	
□ Beaverton OHSU Knight Cancer Institute 15700 SW Greystone Court Beaverton, OR 97006 Phone number: 971-262-9000 Fax number: 503-346-8058	□ NW Portland Legacy Good Samaritan campus Medical Office Building 3, Suite 150 1130 NW 22nd Ave Portland, OR 97210 Phone number: 971-262-9600 Fax number: 503-346-8058		
☐ Gresham Legacy Mount Hood campus Medical Office Building 3, Suite 140 24988 SE Stark Gresham, OR 97030 Phone number: 971-262-9500 Fax number: 503-346-8058	Medical Office 19260 SW 65tl Tualatin, OR 9 Phone number	□ Tualatin Legacy Meridian Park campus Medical Office Building 2, Suite 140 19260 SW 65th Ave Tualatin, OR 97062 Phone number: 971-262-9700 Fax number: 503-346-8058	

Infusion orders located at: www.ohsuknight.com/infusionorders