

<div style="display: flex; align-items: center;"> <div> <p>Oregon Health & Science University Hospital and Clinics Provider's Orders</p> </div> </div> <div style="display: flex; align-items: center; margin-top: 10px;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg); font-size: small; margin-right: 5px;">P07071</div> </div> <p style="text-align: center; margin-top: 10px;">ADULT AMBULATORY INFUSION ORDER</p> <p style="text-align: center;">Hydration for Hyperemesis Gravidarum</p> <p style="text-align: center; font-size: small;">Page 1 of 4</p>	<div style="display: flex; flex-direction: column; justify-content: space-between;"> <div>ACCOUNT NO.</div> <div>MED. REC. NO.</div> <div>NAME</div> <div>BIRTHDATE</div> </div> <div style="text-align: right; font-size: small; margin-top: 20px;">Patient Identification</div>
ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE.	

Weight: _____ kg Height: _____ cm

Allergies: _____

Diagnosis Code: _____

Treatment Start Date: _____ Patient to follow up with provider on date: _____

****This plan will expire after 365 days at which time a new order will need to be placed****

GUIDELINES FOR ORDERING

1. Send **FACE SHEET and H&P or most recent chart note.**
2. Please specify base fluid, additives, total volume, and rate.

LABS COMPLETED: _____

ADDITIONAL LABS:

- ☐ CMP, Routine, ONCE, every _____ (visit)(days)(weeks)(months) – *Circle One*
- ☐ CBC with differential, Routine, ONCE, every _____ (visit)(days)(weeks)(months) – *Circle One*
- ☐ Urine Dipstick, Ketones, ONCE, every _____ (visit)(days)(weeks)(months) – *Circle One*

NURSING ORDERS:

1. TREATMENT PARAMETER – Notify provider if urine ketones are greater than trace or orthostatic blood pressure changes are greater than 20 mmHg after 3 liters of IV hydration.



Oregon Health & Science University
Hospital and Clinics Provider's Orders

ADULT AMBULATORY INFUSION ORDER

**Hydration for
Hyperemesis Gravidarum**

Page 2 of 4

ACCOUNT NO.
MED. REC. NO.
NAME
BIRTHDATE

Patient Identification

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE.

MEDICATIONS:

Bag 1

Base: (must check one)

- ☐ D5LR (Dextrose 5% – Lactated Ringers)
- ☐ LR (Lactated Ringers)
- ☐ D5-1/2NS (Dextrose 5% – sodium chloride 0.45%)
- ☐ NS (sodium chloride 0.9%)

Additives:

- ☐ Folic acid 1 mg
- ☐ Multivitamin (adult, with vitamin K), 10 mL, Infuse at least over 2 hours
- ☐ Potassium chloride _____ mEq/L (Max dose is 40 mEq in 1 liter), Infusion rate is 10 mEq/hr

Total volume: (must check one)

- ☐ 250 mL
- ☐ 500 mL
- ☐ 1000 mL
- ☐ _____ mL

Rate: (must check one)

- ☐ 250 mL/hr
- ☐ 500 mL/hr
- ☐ 1000 mL/hr
- ☐ _____ mL/hr

Interval: (must check one)

- ☐ ONCE
- ☐ Every visit
- ☐ Repeat every _____ days for x _____ doses
- ☐ Repeat every _____ weeks for x _____ doses
- ☐ Other: _____

Bag 2: (additional hydration)

Base: (must check one)

- ☐ D5LR (Dextrose 5% – Lactated Ringers)
- ☐ LR (Lactated Ringers)
- ☐ D5-1/2NS (Dextrose 5% – sodium chloride 0.45%)
- ☐ NS (sodium chloride 0.9%)

Total volume: (must check one)

- ☐ 250 mL
- ☐ 500 mL
- ☐ 1000 mL
- ☐ _____ mL

Rate: (must check one)

- ☐ 250 mL/hr
- ☐ 500 mL/hr
- ☐ 1000 mL/hr
- ☐ _____ mL/hr

Interval: (must check one)

- ☐ Every visit with bag 1
- ☐ Other: _____



Oregon Health & Science University
Hospital and Clinics Provider's Orders

ADULT AMBULATORY INFUSION ORDER

**Hydration for
Hyperemesis Gravidarum**

Page 3 of 4

ACCOUNT NO.
MED. REC. NO.
NAME
BIRTHDATE

Patient Identification

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE.

AS NEEDED MEDICATIONS:

Antiemetics (specify 1st, 2nd, or 3rd line for each PRN medication)

- ☐ ondansetron (ZOFTRAN) injection 4 mg, IV, AS NEEDED, x 1 dose for nausea/vomiting
Choose order of preferred administration: 1st line____2nd line____3rd line____
- ☐ prochlorperazine (COMPAZINE) injection 10 mg, IV, AS NEEDED, x 1 dose for nausea/vomiting
Choose order of preferred administration: 1st line____2nd line____3rd line____
- ☐ metoclopramide (REGLAN) injection 10 mg, IV, AS NEEDED x1 dose for nausea/vomiting
Choose order of preferred administration: 1st line____2nd line____3rd line____

Histamine (H₂) blockers

- ☐ famotidine (PEPCID) 20 mg, IV, AS NEEDED x1 dose for heartburn/indigestion

By signing below, I represent the following:

I am responsible for the care of the patient (*who is identified at the top of this form*);

I hold an active, unrestricted license to practice medicine in: ☐ Oregon ☐ _____ (*check box that corresponds with state where you provide care to patient and where you are currently licensed. Specify state if not Oregon*);

My physician license Number is # _____ (MUST BE COMPLETED TO BE A VALID PRESCRIPTION); and I am acting within my scope of practice and authorized by law to order Infusion of the medication described above for the patient identified on this form.

Provider signature: _____ Date/Time: _____

Printed Name: _____ Phone: _____ Fax: _____



Oregon Health & Science University
Hospital and Clinics Provider's Orders

ADULT AMBULATORY INFUSION ORDER

**Hydration for
Hyperemesis Gravidarum**

Page 4 of 4

ACCOUNT NO.
MED. REC. NO.
NAME
BIRTHDATE

Patient Identification

ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK (✓) TO BE ACTIVE.

Central Intake:

Phone: 971-262-9645 (providers only) Fax: 503-346-8058

Please check the appropriate box for the patient's preferred clinic location:

☐ **Beaverton**

OHSU Knight Cancer Institute
15700 SW Greystone Court
Beaverton, OR 97006

Phone number: 971-262-9000

Fax number: 503-346-8058

☐ **NW Portland**

Legacy Good Samaritan campus
Medical Office Building 3, Suite 150
1130 NW 22nd Ave
Portland, OR 97210

Phone number: 971-262-9600

Fax number: 503-346-8058

☐ **Gresham**

Legacy Mount Hood campus
Medical Office Building 3, Suite 140
24988 SE Stark
Gresham, OR 97030

Phone number: 971-262-9500

Fax number: 503-346-8058

☐ **Tualatin**

Legacy Meridian Park campus
Medical Office Building 2, Suite 140
19260 SW 65th Ave
Tualatin, OR 97062

Phone number: 971-262-9700

Fax number: 503-346-8058

Infusion orders located at: www.ohsuknight.com/infusionorders