



Oregon Health & Science University  
Hospital and Clinics Provider's Orders

PO7071



ADULT AMBULATORY INFUSION ORDER  
**Zoledronic Acid (ZOMETA) Infusion  
for Oncology Indications**

Page 1 of 3

ACCOUNT NO.  
MED. REC. NO.  
NAME  
BIRTHDATE

*Patient Identification*

**ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK ( ✓ ) TO BE ACTIVE.**

Weight: \_\_\_\_\_ kg      Height: \_\_\_\_\_ cm

Allergies: \_\_\_\_\_

Diagnosis Code: \_\_\_\_\_

Treatment Start Date: \_\_\_\_\_ Patient to follow up with provider on date: \_\_\_\_\_

**\*\*This plan will expire after 365 days at which time a new order will need to be placed\*\***

**GUIDELINES FOR ORDERING**

1. Send **FACE SHEET and H&P or most recent chart note.**
2. This plan should be used in patients with bone lesions associated with multiple myeloma, bone metastases from solid tumors, and hypercalcemia of malignancy.
3. Hypocalcemia must be corrected before initiation of therapy. Patients with multiple myeloma and bone metastases of solid tumors should be prescribed daily calcium and vitamin D supplementation.
4. Risk versus benefit regarding osteonecrosis of the jaw and hip fracture must be discussed prior to treatment.
5. **Must complete and check the following box:**
  - Provider confirms that the patient has had a recent oral or dental evaluation and/or has no contraindications to therapy related to dental issues.

**PROVIDER TO PHARMACIST COMMUNICATION:**

1. Creatinine clearance is calculated using Cockcroft-Gault formula (Use actual weight unless patient is greater than 30% over ideal body weight, then use adjusted body weight). If serum creatinine below 0.7 mg/dL, use 0.7 mg/dL to calculate creatinine clearance.

<u>Creatinine Clearance:</u>	<u>Dose of zoledronic acid:</u>
Greater than 60 mL/min	4 mg
50 - 60 ml/min	3.5 mg
40 - 49 ml/min	3.3 mg
30 - 39 ml/min	3.0 mg

**LABS:**

- CMP, Routine, ONCE, every \_\_\_\_\_ (visit)(days)(weeks)(months) – *Circle One*
- Labs already drawn. Date: \_\_\_\_\_

**NURSING ORDERS:**

1. TREATMENT PARAMETER – Pharmacist to calculate corrected calcium. Hold and contact provider for corrected calcium less than 8.4 mg/dL.
2. If no results in past 28 days, order CMP.
3. Assess for new or unusual thigh, hip, groin, or jaw pain. Inform provider if positive findings or if patient is anticipating invasive dental work.
4. Follow facility policies and/or protocols for vascular access maintenance with appropriate flush solution, declothing (alteplase), and/or dressing changes



Oregon Health & Science University  
Hospital and Clinics Provider's Orders

ADULT AMBULATORY INFUSION ORDER

**Zoledronic Acid  
(ZOMETA) Infusion  
for Oncology Indications**

Page 2 of 3

ACCOUNT NO.  
MED. REC. NO.  
NAME  
BIRTHDATE

*Patient Identification*

**ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK ( ✓ ) TO BE ACTIVE.**

**PRE-HYDRATION:** Have patient drink at least 2 glasses of fluid prior to infusion

**MEDICATIONS:**

- zoledronic acid (ZOMETA) 4 mg in sodium chloride 0.9%, 100 mL, intravenous, ONCE, over 30 minutes

**Interval: (*must check one*)**

ONCE

Every \_\_\_\_\_ weeks x \_\_\_\_\_ doses (minimum of 7 days between doses for hypercalcemia)

**By signing below, I represent the following:**

I am responsible for the care of the patient (*who is identified at the top of this form*);

I hold an active, unrestricted license to practice medicine in:  Oregon  \_\_\_\_\_ (*check box that corresponds with state where you provide care to patient and where you are currently licensed. Specify state if not Oregon*);

**My physician license Number is # \_\_\_\_\_ (MUST BE COMPLETED TO BE A VALID PRESCRIPTION);** and I am acting within my scope of practice and authorized by law to order Infusion of the medication described above for the patient identified on this form.

**Provider signature:** \_\_\_\_\_ **Date/Time:** \_\_\_\_\_

**Printed Name:** \_\_\_\_\_ **Phone:** \_\_\_\_\_ **Fax:** \_\_\_\_\_



Oregon Health & Science University  
Hospital and Clinics Provider's Orders

ADULT AMBULATORY INFUSION ORDER

**Zoledronic Acid  
(ZOMETA) Infusion  
for Oncology Indications**

Page 3 of 3

ACCOUNT NO.  
MED. REC. NO.  
NAME  
BIRTHDATE

*Patient Identification*

**ALL ORDERS MUST BE MARKED IN INK WITH A CHECKMARK ( ✓ ) TO BE ACTIVE.**

Central Intake:

Phone: 971-262-9645 (providers only) Fax: 503-346-8058

***Please check the appropriate box for the patient's preferred clinic location:***

**Beaverton**

OHSU Knight Cancer Institute  
15700 SW Greystone Court  
Beaverton, OR 97006

Phone number: 971-262-9000

Fax number: 503-346-8058

**NW Portland**

Legacy Good Samaritan campus  
Medical Office Building 3, Suite 150  
1130 NW 22nd Ave  
Portland, OR 97210

Phone number: 971-262-9600

Fax number: 503-346-8058

**Gresham**

Legacy Mount Hood campus  
Medical Office Building 3, Suite 140  
24988 SE Stark  
Gresham, OR 97030

Phone number: 971-262-9500

Fax number: 503-346-8058

**Tualatin**

Legacy Meridian Park campus  
Medical Office Building 2, Suite 140  
19260 SW 65th Ave  
Tualatin, OR 97062

Phone number: 971-262-9700

Fax number: 503-346-8058

Infusion orders located at: [www.ohsuknight.com/infusionorders](http://www.ohsuknight.com/infusionorders)