





Letter Details

This is a non-production environment. If you are a patient, contact the system administrator immediately. (X)



DOERNBECHER
CHILDREN'S
Hospital

Harold Schnitzer Diabetes Health Center at OHSU
3181 SW Sam Jackson Park Road
Portland, OR 97239
Phone: (503) 494-3273 Fax: (503) 418-2208

7/24/2025

Student Name: Daniel Diabetes
Birthdate: 5/17/1982

Diabetes Treatment Orders for Children at School - To Accompany 504 Plan or IEP
Injections Via Syringe or Insulin Pen
Valid for current School Year 2021-22.
Orders are invalid if altered by anyone other than student's diabetes provider.

School Name: xx
Fax Number: x

STUDENT INDEPENDENT: Student is able to self-manage their diabetes without routine supervision by school staff.

DEFINITIONS:

- **Independent:** Student will perform all diabetes management tasks independent of adult supervision. Parent/Guardian and student will work together to make dose adjustments as needed.
- **Supervision/Assistance:**
 - All students in this category require supervision with carb counting, dose calculation, blood sugar checks, insulin injections, etc.
 - With parent approval/input some students may be able to physically perform finger pokes and insulin injections themselves, they will still require adult oversight to be sure carb counting and calculations are accurate and insulin is dosed properly.

All students, regardless of age or experience, require a plan and may need assistance with hypoglycemia, glucagon and illness.

PARENT(S)/GUARDIAN AND STUDENT ARE RESPONSIBLE FOR PROVIDING AND MAINTAINING:

- Snacks and low blood sugar treatments
- Blood sugar meter, lancing device, lancets and test strips
- Glucagon emergency kit (injectable or nasal)
- Ketone strips
- Insulin: vial & syringe or pen and pen needles
- CGM receiver or phone if applicable

1. MEALS/SNACKS: Meals and snacks per parent according to student's meal plan.

This does not require MD order

2. BLOOD SUGAR DATA: x

- ☐ BG meter
- ☐ Dexcom G5 Continuous Glucose Monitor (CGM)
- ☐ Medtronic Guardian Continuous Glucose Monitor (CGM)
- ☐ Dexcom G6 Continuous Glucose Monitor (CGM)
- ☐ Freestyle Libre Continuous Glucose Monitor (CGM)

If student does not have a Continuous Glucose Monitor (CGM), finger stick blood sugar should be obtained:

- Before meals
- For signs/symptoms of high/low blood sugar
- Other, as outlined in 504/IEP/health plan

If student has Dexcom G6 CGM or Freestyle Libre CGM:

- If CGM reading is between 80-400 mg/dL and student feels well (no symptoms) a finger stick is NOT required. CGM reading can be used for treatment decisions.
- If CGM reading is less than 80mg/dL OR above 400mg/dL AND/OR student is unwell (showing symptoms) a finger stick blood sugar is required before treatment.
 - CGM data should be obtained:
 - Before meals
 - Other, as outlined in 504/IEP/health plan

3. DEFAULT TREATMENT OF LOW BLOOD SUGARS (unless parent/guardian has specified a different regimen in the 504/IEP/health plan)

Print

Letter Details

App Preferences

Log Out

This is a non-production environment. If you are a patient, contact the system administ

DOERNBECHER
CHILDREN'S
Hospital

Harold Schnitzer Diabetes Health Center at OHSU
3181 SW Sam Jackson Park Road
Portland, OR 97239
Phone: (503) 494-3273 Fax: (503) 418-2208

7/24/2025

Student Name: Daniel Diabetes
Birthdate: 5/17/1982

Diabetes Treatment Orders for Children at School - To Accompany 504 Plan or IEP
Injections Via Syringe or Insulin Pen
Valid for current School Year 2021-22.
Orders are invalid if altered by anyone other than student's diabetes provider.

School Name: xx

Fax Number: x

STUDENT INDEPENDENT: Student is able to self-manage their diabetes without routine supervision by school staff.

DEFINITIONS:

- **Independent:** Student will perform all diabetes management tasks independent of adult supervision. Parent/Guardian and student will work together to make dose adjustments as needed.
- **Supervision/Assistance:**
 - All students in this category require supervision with carb counting, dose calculation, blood sugar checks, insulin injections, etc.
 - With parent approval/input some students may be able to physically perform finger pokes and insulin injections themselves, they will still require adult oversight to be sure carb counting and calculations are accurate and insulin is dosed properly.

All students, regardless of age or experience, require a plan and may need assistance with hypoglycemia, glucagon and illness.

PARENT(S)/GUARDIAN AND STUDENT ARE RESPONSIBLE FOR PROVIDING AND MAINTAINING:

- Snacks and low blood sugar treatments
- Ketone strips
- Blood sugar meter, lancing device, lancets and test strips
- Insulin: vial & syringe or pen and pen needles
- Glucagon emergency kit (injectable or nasal)
- CGM receiver or phone if applicable

1. MEALS/SNACKS: Meals and snacks per parent according to student's meal plan.

This does not require MD order

2. BLOOD SUGAR DATA: x

- ☐ BG meter
- ☐ Dexcom G5 Continuous Glucose Monitor (CGM)
- ☐ Medtronic Guardian Continuous Glucose Monitor (CGM)
- ☐ Dexcom G6 Continuous Glucose Monitor (CGM)
- ☐ Freestyle Libre Continuous Glucose Monitor (CGM)

If student does not have a Continuous Glucose Monitor (CGM), finger stick blood sugar should be obtained:

- Before meals
- For signs/symptoms of high/low blood sugar
- Other, as outlined in 504/IEP/health plan

If student has Dexcom G6 CGM or Freestyle Libre CGM:

- If CGM reading is between 80-400 mg/dL and student feels well (no symptoms) a finger stick is NOT required. CGM reading can be used for treatment decisions.
- If CGM reading is less than 80mg/dL OR above 400mg/dL AND/OR student is unwell (showing symptoms) a finger stick blood sugar is required before treatment.
 - CGM data should be obtained:
 - Before meals
 - Other, as outlined in 504/IEP/health plan

3. DEFAULT TREATMENT OF LOW BLOOD SUGARS (unless parent/guardian has specified a different regimen in the 504/IEP/health plan. For blood sugar treatment see page 2)