



National Center for
PTSD
POSTTRAUMATIC STRESS DISORDER

The Primary Care PTSD Screen for *DSM-5* (PC-PTSD-5)

Version date: 2015

Reference: Prins, A., Bovin, M. J., Kimerling, R., Kaloupek, D. G, Marx, B. P., Pless Kaiser, A., & Schnurr, P. P. (2015). *The Primary Care PTSD Screen for DSM-5 (PC-PTSD-5)* [Measurement instrument]. Available from <http://www.ptsd.va.gov>

URL: <http://www.ptsd.va.gov/professional/assessment/screens/pc-ptsd.asp>

This page intentionally left blank

PC-PTSD-5

Sometimes things happen to people that are unusually or especially frightening, horrible, or traumatic. For example:

- a serious accident or fire
- a physical or sexual assault or abuse
- an earthquake or flood
- a war
- seeing someone be killed or seriously injured
- having a loved one die through homicide or suicide.

Have you ever experienced this kind of event?

YES

NO

If no, screen total = 0. Please stop here.

If yes, please answer the questions below.

In the past month, have you...

1. had nightmares about the event(s) or thought about the event(s) when you did not want to?

YES

NO

2. tried hard not to think about the event(s) or went out of your way to avoid situations that reminded you of the event(s)?

YES

NO

3. been constantly on guard, watchful, or easily startled?

YES

NO

4. felt numb or detached from people, activities, or your surroundings?

YES

NO

5. felt guilty or unable to stop blaming yourself or others for the event(s) or any problems the event(s) may have caused?

YES

NO